

TITLE: **A SYSTEM AND METHOD FOR ANALYZING,
OPTIMIZING AND/OR DESIGNING SPECTRAL
SENSITIVITY CURVES FOR AN IMAGING DEVICE**

INVENTORS: **NAOYA KATOH, NOBORU OHTA, SHUXUE QUAN,
AND MITCHELL ROSEN**

DOCKET NO.: **1819/100131**

A SYSTEM AND METHOD FOR ANALYZING, OPTIMIZING AND/OR DESIGNING SPECTRAL SENSITIVITY CURVES FOR AN IMAGING DEVICE

This application claims the benefit of U.S. Provisional Patent Application
5 Serial No. 60/191,800 filed on March 24, 2000 which is herein incorporated by
reference.

FIELD OF THE INVENTION

The invention relates generally to imaging and, more particularly, to a
method and system for evaluating, optimizing and/or designing one or more
10 spectral sensitivity curves for an imaging device.

BACKGROUND OF THE INVENTION

The practice of capturing color images with digital imaging devices or
systems, such as a digital camera or color scanner, is widely spreading. Currently,
15 these digital devices comprise a charge-coupled device or complementary metal-
oxide-semiconductor (CCD/CMOS) sensor array with a set of filters before it.
Ideally, these digital imaging devices capture color images in a substantially
accurate and aesthetically pleasing manner.

20 There are many criteria which are utilized in the design and production of
color imaging devices. An important consideration is the ability of the device to
deliver color signals which can be used to create high quality color reproductions.
To quantify the color quality capability of such devices, it is important to
determine how the device's response to color stimuli corresponds to that of a
25 human. Through psychophysical experiments, the Commission Internationale de
l'Eclairage (CIE) has generated a standard set of color matching functions for the
standard observer, representing the average human visual response to color. As
the human eye has three types of cones, each with a different spectral sensitivity
signature, there are three standard function specified by the CIE. Accordingly,
30 most color imaging devices are set up with three channels and the spectral

sensitivities in these imaging devices are initially designed to attempt to mimic the human visual system.

The spectral sensitivity functions for color imaging device channels should
5 satisfy the Luther condition, that is the channel spectral sensitivities need not be exact duplicates of the CIE color-matching functions described above, but need to be a nonsingular transformation of them. In practice, it is not always possible to manufacture filters for imaging devices that satisfy the Luther condition, often due to the physical limitations of fabricating process. Measurement noise also plays
10 an important role and will degrade the color accuracy even when spectral sensitivity curves fulfill the Luther condition.

Accordingly, a measure of goodness or quality factor for evaluating, optimizing, and/or designing spectral sensitivity curves for color imaging devices
15 is desirable. Unfortunately, developing methods and/or systems for obtaining a measure of goodness or a quality factor has been challenging.

One quality factor, known as the Q -factor, for evaluating and designing spectral sensitivity functions is disclosed in H. E. J. Neugebauer, "Quality factor
20 for filters whose spectral transmittances are different from color mixture curves, and its application to color photography," J. Opt. Soc. Am. Vol. 46, No.10, pg. 821-824 (1956), which is herein incorporated by reference. A major disadvantage of the Q -factor is that it is designed to evaluate only single spectral sensitivities. Thus, it is easily possible to design an imaging device where all channels associate
25 with high Q -factors, and still the system delivers color signals which cannot be used in creating high quality color reproductions. The trivial example of such a system is a three-channel device where all three channels are made with small deviations from the same spectral sensitivity signature. Although all three show high Q -factor, the result is a nearly monochrome image.

Another quality factor, known as the μ -factor, for evaluating and designing spectral sensitivity functions is disclosed in P. L. Vora and H. J. Trussell, "Measure of goodness of a set of color-scanning filters", J. Opt. Soc. Am. A, Vol.10, No.7, pg. 1499-1503 (1993), which is herein incorporated by reference.

5 The μ -factor is a quality factor which evaluates an arbitrary number of device channel sensitivity functions as an ensemble. More specifically, the μ -factor describes the difference between the orthonormal subspaces of the CIE color matching functions and the spectral sensitivity space. Generally, a μ -factor approximately equal to one is an indication of an imaging device expected to
10 deliver high quality color reproduction. Unfortunately, some color imaging devices with a poor μ -factor can still generate a good image reproduction. Vora and Trussell have thus introduced a metric which does not have a straight forward correlation with expected image quality. Another problem with the μ -factor is
15 that it does not penalize systems that by virtue of channel sensitivity choices tend to amplify system noise. Such noise is unavoidable in real systems and a system designer needs to carefully control it so as to avoid swamping the eventual color reproduction.

CIELAB color space is a non-linear transformation of the CIE color
20 matching functions used as an approximation to a perceptually uniform color space. A figure of merit for color scanners, based on locally-linearized CIELAB space, having an incorporated model for measurement of noise is present in G. Sharma et al. "Figure of merit for color scanners," IEEE Trans. Image Processing, Vol. 6, No. 7, pg. 990-1001 (1997) which is herein incorporated by
25 reference. The new figure has a high degree of perceptual relevance and also accounts for noise performance of sets of channel sensitivities. The noise aspect of Sharma's metric is, however completely independent of the input stimulus and thus is limited in its usefulness.

SUMMARY OF THE INVENTION

30 A method for determining a color rendering capability of at least one color imaging device with multiple color channels in accordance with one embodiment

of the present invention includes a few steps. Spectral sensitivity curves for two or more of the multiple color channels in the color imaging device are obtained. An image quality value for the color imaging device is determined from the spectral sensitivity curves for the two or more of the multiple color channels in the color imaging device. The color rendering capability of the color imaging device can be evaluated based on the determined image quality value.

10 A method for designing a spectral sensitivity curve for one or more color channels of a color imaging device in accordance with another embodiment of the present invention includes selecting an image quality value and then determining a spectral sensitivity curve for at least one of the color channels of the color imaging device so that the spectral sensitivity curves for each of the color channels in the color imaging device results in the image quality value.

15 A method for determining the tolerances for one or more color channels in a color imaging device in accordance with another embodiment of the present invention includes a few steps. A spectral sensitivity curve for at least one of the multiple color channels in the color imaging device and an image quality value are obtained. Next, a first pair of upper and lower peak wavelength tolerances from the obtained spectral sensitivity for the at least one of the multiple color channels and the obtained image quality value. Additionally, a second pair of upper and lower tolerances on the width from the obtained spectral sensitivity curve for at least one of the multiple color channels and the obtained image quality value are determined.

25 An imaging device analyzing system in accordance with another embodiment of the present invention includes a source for spectral sensitivity curves for two or more of the multiple color channels in a color imaging device, an image quality processing system, and an evaluation system. The image quality processing system determines an image quality value for the color imaging device from the spectral sensitivity curves for the two or more of the multiple color channels in the color imaging device.

An imaging device designing system in accordance with another embodiment of the present invention includes a selection system and a design processing system. The selection system obtains an image quality value. The design processing system determines a spectral sensitivity curve for at least one of the color channels of the color imaging device so that the spectral sensitivity curves for each of the color channels in the color imaging device results in the image quality value.

A system for determining the tolerances for one or more color channels in a color imaging device in accordance with another embodiment of the present invention includes a source and a design processing system. The source provides a spectral sensitivity curve for at least one of the multiple color channels in the color imaging device. The design processing system determines a first pair of upper and lower tolerances for the obtained spectral sensitivity for the at least one of the multiple color channels and determines a second pair of upper and lower tolerances on the full width half maximum for the obtained spectral sensitivity curve for at least one of the multiple color channels.

With the present invention, an objective evaluation of the quality of color images captured by the evaluated imaging device is now provided using an analysis of the spectral sensitivity curves of channels in the imaging device. The resulting evaluation also provides information on how much room for improvement there is for the evaluated imaging device. The image quality of different imaging devices can now be compared.

Additionally, with the present invention spectral sensitivity curves for an imaging device can be designed or optimized. As a result, an imaging device with a desired level of image quality can be produced. Additionally, with the present invention determinations of image quality versus the cost of obtaining that level of image quality can be made.

Further, with the present invention tolerances for spectral sensitivity curves for an imaging device can be determined. These determined tolerances

provide an evaluation of the tolerance range of the imaging device. Additionally, these determined tolerances can be used to select other sets of spectral sensitivity curves that might also be used with the same resulting image quality.

5

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of a system for evaluating, optimizing and/or designing one or more spectral sensitivity curves for an imaging device in accordance with one embodiment of the present invention;

FIG. 2 is a block diagram of a color channel in an imaging device;

10

FIG. 3A is a flow chart of a method for determining a color rendering capability of at least one color imaging device with multiple color channels in accordance with one embodiment of the present invention;

15

FIG. 3B is a flow chart of a method for determining a color rendering capability of at least one color imaging device with multiple color channels in accordance with another embodiment of the present invention;

FIG. 4A is a flow chart of a method for designing a spectral sensitivity curve for one or more color channels of a color imaging device in accordance with another embodiment of the present invention;

20

FIG. 4B is a flow chart of a method for designing a spectral sensitivity curve for one or more color channels of a color imaging device in accordance with yet another embodiment of the present invention; and

FIG. 5 is a flow chart of a method for determining the tolerances for one or more color channels in a color imaging device in accordance with another embodiment of the present invention.

25

DETAILED DESCRIPTION

A system 10 and method for evaluating, optimizing and/or designing one or more spectral sensitivity curves for an imaging device in accordance with one embodiment of the present invention is illustrated in FIGS. 1, 3A, 3B, 4A, 4B, and

30

5. The method in accordance with one embodiment includes determining an

Referring to FIG. 3A, a flow chart for analyzing a color rendering capability of at least one color imaging device with multiple color channels in accordance with one embodiment of the present invention is illustrated. In step 50, this method starts.

5

Next, in step 52 spectral sensitivity curves or functions for two or more of the multiple color channels in the color imaging device are obtained. Spectral sensitivity of a color imaging device or system is defined as the product of the spectral sensitivity of the imaging detector and the transmittance of the filter. A useful simplified model assumes the spectral sensitivity to be a smooth single-peaked curve in visible range with nonnegative values, although real channel spectral sensitivities may be more complex. In this particular embodiment, the spectral sensitivity curves are retrieved from memory 18 from a prior measurement of an imaging device, although the spectral sensitivity curves can be obtained in a variety of other manners, such as, from another memory storage device, by generating the spectral sensitivity curves hypothetically or by operator input via user input device 23.

By way of example only, the spectral sensitivity curves can be generated hypothetically by SS processing system 12. More specifically, the spectral sensitivities for the simplified model can be simulated by a combination of smooth cubic spline functions. The cubic spline function for instance with peak position at $\lambda=\lambda_0$ is written as:

$$C(\lambda) = \begin{cases} \frac{w^3 + 3w^2(w - |\lambda - \lambda_0|) + 3w(w - |\lambda - \lambda_0|)^2 - 3(w - |\lambda - \lambda_0|)^3}{6w^3} & |\lambda - \lambda_0| \leq w \\ \frac{(2w - |\lambda - \lambda_0|)^3}{6w^3} & w \leq |\lambda - \lambda_0| \leq 2w \\ 0 & |\lambda - \lambda_0| \geq 2w \end{cases}$$

25

where $2w$ is the width of the cubic spline function at one-fourth peak height (the corresponding width at half peak height is approximately $\sqrt{2}w$).

If we wish to describe a more complicated potential spectral sensitivity curve, one which may be non-symmetrical about its peak wavelength, then we can consider w_1 and w_2 which represent the left half and right half widths, respectively. Now our cubic spline function becomes

$$C(\lambda) = \begin{cases} \frac{w^3 + 3w^2(w - |\lambda - P_\lambda|) + 3w(w - |\lambda - P_\lambda|)^2 - 3(w - |\lambda - P_\lambda|)^3}{6w^3} & 0 \leq \lambda - P_\lambda \leq w_2 \\ \frac{w^3 + 3w^2(w - |\lambda - P_\lambda|) + 3w(w - |\lambda - P_\lambda|)^2 - 3(w - |\lambda - P_\lambda|)^3}{6w^3} & -w_1 \leq \lambda - P_\lambda \leq 0 \\ \frac{(2w - |\lambda - P_\lambda|)^3}{6w^3} & w_2 \leq \lambda - P_\lambda \leq 2w_2 \\ \frac{(2w - |\lambda - P_\lambda|)^3}{6w^3} & -2w_1 \leq \lambda - P_\lambda \leq -w_1 \\ 0 & \text{otherwise} \end{cases}$$

For convenience we introduce w which is related to w_1 and w_2 in the following ways:

$$\begin{aligned} 10 \quad & w_2 - w_1 = 2\Delta w \\ & \text{so} \\ & w_1 = w - \Delta w, w_2 = w + \Delta w. \\ & \text{and} \\ 15 \quad & \Delta w = \frac{w_2 - w_1}{2} \end{aligned}$$

Next, in step 54 the obtained spectral sensitivity curves from step 52 are used by the SS processing system 12 to determine a μ -factor. In this particular embodiment, the μ -factor is calculated by summing the q -factors of the orthonormalized vectors of the obtained spectral sensitivity curves and dividing the summation by three, although other manners for determining a μ -factor can be used. Since the process of determining a μ -factor and q -factors are known, they will not be described in detail here.

Next, in step 58 a color difference metric value, in this case a delta E (“E”) value, for the color imaging device is determined in SS processing system

12 from the μ -factor, although other combinations of the μ -factor and/or other quality factors could also be used to determine the color difference metric value. In this particular embodiment, a relationship between μ -factor and E stored in memory 18 is used by processor 16 to determine the color difference metric value.

- 5 One example of such a derived relationship between μ -factor and E is set forth below:

derived relationship between μ -factor and E

μ -factor	Min Expected ΔE	Max Expected ΔE
0.9	2.2	4.8
0.91	2.0	4.7
0.92	1.9	4.4
0.93	1.8	4.0
0.94	1.8	3.8
0.95	1.6	3.5
0.96	1.5	3.2
0.97	1.3	3
0.98	1.2	2.5
0.99	1.1	2

- 10 Based on this relationship, the color difference metric value in this particular embodiment is obtained by averaging the minimum and maximum expected E value expected for the determined μ -factor. For example, a μ -factor of 0.98 would result in color difference metric value of 1.85.

- 15 Next, in step 60 the color rendering capability of the color imaging device is evaluated based on the determined image quality value. In this particular embodiment, image quality value is compared against a standard to provide an evaluation, e.g. a standard might state that an image quality value of zero is ideal, an image quality value of 0 to 2.0 is acceptable, and an image quality value above
20 2.0 is unacceptable, although other types of evaluations could be used. By way of example only, the image quality values of two different imaging devices could also be compared against each other to identify the imaging device which would produce color images with better quality.

- 25 Although in this particular embodiment a color difference metric value is determined, other types of image quality values could also be determined, such as

a color quality and noise sensitivity metric value. An image quality value is a number which correlates how well an image fits associated quality criteria from the view point of a typical human observer. A color quality metric value is an image quality value based on the criteria of how well the channel sensitivities of a device correlate with the human visual system. A color difference metric value is an image quality value which correlates with the magnitude of change in color a typical human observer would detect between two images. A color quality and noise sensitivity metric value an image quality value based on color criteria and an image quality value based on quantifying how the amplification of noise in a system affects perceived quality to a human observer.

Referring to FIG. 3B, a flow chart for evaluating a color rendering capability of at least one color imaging device with multiple color channels in accordance with one embodiment of the present invention is illustrated. In step 62, this method starts.

Next, in step 64 spectral sensitivity curves or functions for two or more of the multiple color channels in the color imaging device are obtained. Since the process in step 64 is identical to that described earlier in step 52, it will not be described again here.

Next, in step 66 the obtained spectral sensitivity curves from step 52 are used by the SS processing system 12 to determine a Universal Measure of Goodness (UMG) factor. UMG takes into account the total noise of the system, both shot noise which is signal dependent and dark noise which is signal independent, and an expected average color difference. Total noise is measured through the sum of the shot noise covariance and the dark current noise covariance, while the expectation of the noise is still zero. For a standard set of object spectra, τ is the information content which would be delivered by the system described by the spectral sensitivity curves. Thus, τ is a function of the total noise and the average E . For the same standard set of object spectra, α is the information content which a perfectly noise-free colorimetric system would deliver. UMG is the ratio of τ to α .

Next, in step 70 a color quality and noise sensitivity metric value for the color imaging device is determined in SS processing system 12 from the UMG factor, although other combinations of the UMG factor and/or other quality factors could also be used to determine the color quality and noise sensitivity metric value. In this particular embodiment, a relationship between the UMG factor and E stored in memory 18 is used by processor 16 to determine the color difference metric value. Since the process in this step is the same as described earlier in step 58 except a color quality and noise sensitivity metric value is being determined here instead of a color difference metric value and a UMG factor is used here instead of a μ -factor, the process will not be described again here.

One of the advantages of this method is the use of a noise sensitivity metric because it involves a consideration of image-dependent noise. Image dependent noise is noise dependent on the input signal level, rather than independent, white noise as described in greater detail in Gerald C. Holst, "CCD Arrays Cameras and Displays", SPIE Optical Engineering Press 1998 which is herein incorporated by reference. By incorporating this practical noise model into the image quality metric value, this embodiment of the present invention generates an image quality metric value which is more coincident with what occurs in the real world.

Next, in step 72 the color rendering capability of the color imaging device is evaluated based on the determined color quality and noise sensitivity metric value. Since the process in step 68 is identical to that described earlier in step 56, except that the evaluation is based using a color quality and noise sensitivity metric value instead of a color difference metric value, it will not be described again here.

Referring to FIG. 4A is a flow chart of a method for designing a spectral sensitivity curve for one or more color channels of a color imaging device in accordance with another embodiment of the present invention is illustrated. In step 74, this method starts. Next, in step 76, an image quality value is obtained.

way of example only, user input device 23 can be used to select or input the image quality value or the value could be retrieved from a memory device. Again, depending upon the embodiment, a variety of different types of image quality metric values could be used, such as a color difference metric value or a color quality and noise sensitivity metric value.

Next, in step 78 the SS processing system 12 uses the obtained image quality value to obtain or retrieve one or more tables, sets, or enumerations of combinations of spectral sensitivity curves from memory 18. The one or more tables sets, or enumerations of combinations of spectral sensitivity curves can be obtained in a variety of different manners, such as based on the image quality value itself or on a portion of the image quality value, such as a μ -factor on which the image quality value is at least partially based or on other factors. Two illustrative examples of such tables set forth below. In this particular embodiment, the tables are stored in memory 18, although the tables could be stored elsewhere. The tables are accessed by processor 16 to determine the spectral sensitivity curve(s) which are unknown needed or desired for the particular application.

Next, in step 80 the known spectral sensitivity curves are used to identify a combination or combinations of spectral sensitivity curves in the obtained table that could be used for the particular application.

Next, in step 82 one of the identified combinations of spectral sensitivity curves is selected. A variety of factors could be used by SS processing system 12 to determine how this selection is made, such as which combination of spectral sensitivity curves would have the best color rendering capability or by an operator making a selection using user input device 23.

Next, in step 84 the missing and desired spectral sensitivity curve or curves are determined from the selected combination. The selected combination will contain the needed information and/or data on the missing and desired spectral sensitivity curve or curves.

By way of example only, one example of this method is set forth below. If, for example, one chooses to design a third channel for a three-channel system where an image quality value is selected that is based at least partly on a μ -factor with a desired value of 0.98, then Table I would be selected. Next, if for this example, the spectral sensitivities of the first two channels in a three-channel system are already given where channel 1 has a peak sensitivity at 600nm, a full width half maximum of 100nm ($w_r = 50$, described above) and a skewness of 5nm ($w_r=5$, described above) and channel 2 has a peak sensitivity at 540nm, a full width half maximum of 140nm ($w_G = 70$) and a skewness of 5nm ($w_G=5$), then consulting the table, one possible solution would be found on the following line:

Sensitivity						Green	Center Peaks in			
w_R	w_G	w_B	Δw_R	Δw_G	Δw_B	$P_{\lambda G}$	$P_{\lambda R}$	$P_{\lambda B}$	HalfAxis _R	HalfAxis _B
50	70	40	5	5	5	540	597	448	3	2

As shown here for the aforementioned channels 1 and 2, there is a satisfactory third channel with peak wavelength sensitivity of 448nm, a full width half maximum of 80nm and a skewness of 5nm which would be determined to be the spectral sensitivity curve for this example. Although in this particular embodiment, the spectral sensitivity curve(s) is determined using tables, the selected image quality value, and the known spectral sensitivity curves, other methods for determining the spectral sensitivity curve may also be used.

Referring to FIG. 4B is a flow chart of a method for designing a spectral sensitivity curve for one or more color channels of a color imaging device in accordance with another embodiment of the present invention is illustrated. In step 86, this method starts. Next, in step 88, an image quality value is obtained. Since the process in step 88 is identical to that described earlier in step 76, it will not described again here.

Next, in step 90 the SS processing system 12 uses the obtained image quality value to obtain or retrieve one or more tables, sets, or enumerations of

combinations of spectral sensitivity curves from memory 18. Since the process in step 90 is identical to that described earlier in step 78, it will not be described again here.

5 Next, in step 92 one or more characteristics are used by SS processing system 12 to identify a combination or combinations of spectral sensitivity curves in the obtained table that could be used for the particular application. A variety of different characteristics, numbers of characteristics (one or more than one, and a variety of different combinations can be used as needed or desired for the particular application. The characteristics can be obtained in a variety of different
10 manners, such as from memory 18 or via operator input using user input device 23.

 Next, in step 94 one of the identified combinations of spectral sensitivity
15 curves is selected. A variety of factors could be used by SS processing system 12 to determine how this selection is made, such as which combination of spectral sensitivity curves would have the best color rendering capability or by an operator making a selection using user input device 23.

20 Next, in step 96 the desired spectral sensitivity curves are obtained from the selected combination. The selected combination will contain the needed information and/or data on these spectral sensitivity curves.

 One example of this particular embodiment is discussed below. If, for
25 example, one chooses to design three channels for a three-channel system where the image quality metric value is based on a μ -factor with a desired value of 0.98, then Table I would be selected in this example. For that table, every channel sensitivity combination described in that table is associated with a μ -factor of 0.98. One could search for a characteristic such as a green curve which is easily
30 manufactured. For example, say a channel with a peak sensitivity at 540nm, a full width half maximum of 140nm ($w_G = 70$) and a skewness of 5nm ($w_G = 5$) is easily made. Surveying Table I shows a possible second curve could have a peak sensitivity at 604nm, a full width half maximum of 100nm ($w_R = 50$) and a

skewness of -5nm ($w_R=-5$). If the second curve with its negative skewness is considered difficult to manufacturer, the table can be further consulted by SS processing system 12 until a combination which meets all manufacturing criteria is met. For example, the following combination, also found in Table I, may be considered a good manufacturing candidate: the same first curve along with a second curve with peak sensitivity at 597nm, a full width half maximum of 100nm ($w_R = 50$) and a skewness of 5nm ($w_R=5$) and a third channel sensitivity with peak sensitivity at 448nm, a full width half maximum of 80nm ($w_B = 40$) and a skewness of 5nm ($w_B=5$).

10

Sensitivity						Green	Center Peaks in			
w_R	w_G	w_B	Δw_R	Δw_G	Δw_B	$P_{\lambda G}$	$P_{\lambda R}$	$P_{\lambda B}$	HalfAxis _R	HalfAxis _B
50	70	30	-5	5	0	540	604	450	2	1
50	70	40	5	5	5	540	597	448	3	2

Accordingly, with this method once an image quality value is selected, then one or more spectral sensitivity curves can be determined.

15 In yet another embodiment, as discussed earlier the μ -factor for an image quality value can be used to select a set or table of spectral sensitivity curves. Next, to select a combination of spectral sensitivity curves an optimization approach can be used by SS processing system 12 to select one of the combinations of spectral sensitivity curves. For example, three or more spectral sensitivity curves could be optimized by maximizing the image quality metric within one or more constraints. By way of example only, these constraints can be:

- (1) *Non-negativity:*
The transmittance of spectral sensitivity at each wavelength is non-negative.
- (2) *Smoothness:*
- 25 The second derivative of the physical sensitivity can be used as a measure of curvature and therefore as a measure of smoothness of the sensitivity.

$$|S(\lambda_{i-1}) - 2S(\lambda_i) + S(\lambda_{i+1})| = \Delta_i; \text{ where } 2 \leq i \leq 30$$
$$\Delta \leq \Delta_{\max}$$

(3) *Boundedness:*

In general, the transmittance at each wavelength cannot exceed one, or a constant that is less than one.

5 (4) *Single Peak:*

The transmittance of the filter has one global maximum, and without local maximum.

Although four constraints are discussed above, a variety of different types of constraints and combinations of them can be used depending upon the particular
10 application and its requirements.

In FIG. 5 a flow chart of a method for determining the tolerances for one or more color channels in a color imaging device in accordance with another embodiment of the present invention is illustrated. In step 98, this method starts.
15 Next, in step 100 a spectral sensitivity curve for at least one of the multiple color channels in the color imaging device is obtained in a manner as described in greater detail earlier. Meanwhile in step 102 an image quality value is obtained. Since methods and systems for obtaining spectral sensitivity curve(s) and/or image quality values are discussed earlier, they will not be described here again.

20

Next, in step 104 a first pair of upper and lower tolerances on the peak wavelength is determined for the obtained spectral sensitivity curves for one of the multiple color channels. These tolerances may be obtained by processor 16 through reference to the tables stored in memory 18, such as the tables which are
25 set forth below as examples. The table used is selected based on the obtained image quality value as described in greater detail earlier. The tables are useful in determining desirable channel spectral sensitivities for three-channel imaging devices. These tables provide manufacturing guidance on the choice of curves. The μ -factor used in deriving the tables is a color quality metric. The tables
30 describe tolerances on the specification of the “red” and “blue” channels in a three-channel system. The tolerances are in terms of peak wavelength error which

maintain the μ -factor at or above the desired level. The first table maintains a μ -factor of at least 0.98, the second maintains at least a μ -factor of 0.95.

5 Next, in step 106 a second pair of upper and lower tolerances on the full width half maximum is determined from the obtained spectral sensitivity curve for one of the multiple color channels. These tolerances may also be obtained through reference to the tables, such as the exemplary tables incorporated below in the same manner as described above in step 104.

10 Next, in step 108 the spectral sensitivity curve or curves are evaluated based on the determined first and second pair of tolerances. For example, the first and second pair of tolerances may provide an indication on the ease or difficulty in reproducing an imaging device with the same color rendering capability. If the tolerances are small, then it will be difficult to obtain imaging devices with the
15 same color rendering capability.

EXAMPLES OF TWO TABLES

20 **Table I: Peak wavelength tolerances based on single-peak symmetric or asymmetric channel sensitivities for three channel cameras with μ -factor of .98 or larger**

Sensitivity						Green	Center Peaks in			
w_R	w_G	w_B	Δw_R	Δw_G	Δw_B	$P_{\lambda G}$	$P_{\lambda R}$	$P_{\lambda B}$	HalfAxis _R	HalfAxis _B
50	50	30	-5	-5	0	540	604	450	2	1
50	50	30	-5	-5	5	540	604	446	2	2
50	50	30	-5	-5	5	550	602	446	1	1
50	50	30	-5	0	-5	540	604	454	1	1
50	50	30	-5	0	0	540	604	450	2	2
50	50	30	-5	0	5	540	603	446	2	2
50	50	30	-5	5	0	540	603	450	2	1
50	50	30	-5	5	5	540	603	446	2	2
50	50	30	0	-5	0	540	601	450	2	1
50	50	30	0	-5	5	540	600	446	2	2
50	50	30	0	-5	5	550	598	446	2	1
50	50	30	0	0	-5	540	600	454	2	1
50	50	30	0	0	0	540	600	450	2	2
50	50	30	0	0	5	540	600	446	2	2
50	50	30	0	5	0	540	599	450	2	1
50	50	30	0	5	5	540	600	446	2	2
50	50	30	5	-5	0	540	598	450	1	1
50	50	30	5	-5	5	540	597	446	2	1
50	50	30	5	-5	5	550	595	446	1	1
50	50	30	5	0	-5	540	597	454	1	1
50	50	30	5	0	0	540	597	450	2	2

50	50	30	5	0	5	540	597	446	2	2
50	50	30	5	5	0	540	597	450	2	1
50	50	30	5	5	5	540	596	446	2	2
50	50	40	-5	-5	-5	540	604	454	3	2
50	50	40	-5	-5	-5	550	601	454	2	2
50	50	40	-5	-5	0	540	603	451	3	2
50	50	40	-5	-5	0	550	601	451	3	2
50	50	40	-5	-5	5	540	604	447	3	2
50	50	40	-5	-5	5	550	601	448	3	2
50	50	40	-5	0	-5	540	603	454	3	2
50	50	40	-5	0	0	540	604	451	3	2
50	50	40	-5	0	0	550	600	451	2	1
50	50	40	-5	0	5	540	603	447	3	2
50	50	40	-5	0	5	550	600	448	2	2
50	50	40	-5	5	-5	530	604	454	2	1
50	50	40	-5	5	-5	540	603	454	3	2
50	50	40	-5	5	0	530	604	451	2	2
50	50	40	-5	5	0	540	603	451	3	2
50	50	40	-5	5	5	530	605	447	2	2
50	50	40	-5	5	5	540	602	447	3	2
50	50	40	0	-5	-5	540	600	454	3	2
50	50	40	0	-5	-5	550	598	454	3	2
50	50	40	0	-5	0	540	601	451	3	2
50	50	40	0	-5	0	550	597	450	3	2
50	50	40	0	-5	5	540	600	447	3	2
50	50	40	0	-5	5	550	598	448	3	2
50	50	40	0	0	-5	540	600	454	3	2
50	50	40	0	0	0	540	600	451	3	2
50	50	40	0	0	0	550	597	451	2	1
50	50	40	0	0	5	540	600	447	3	2
50	50	40	0	0	5	550	597	448	2	2
50	50	40	0	5	-5	530	601	454	2	1
50	50	40	0	5	-5	540	599	454	3	2
50	50	40	0	5	0	530	602	451	2	2
50	50	40	0	5	0	540	600	451	3	2
50	50	40	0	5	5	530	601	447	2	2
50	50	40	0	5	5	540	600	447	3	2
50	50	40	5	-5	-5	540	598	454	2	2
50	50	40	5	-5	-5	550	595	454	2	2
50	50	40	5	-5	0	540	597	451	3	2
50	50	40	5	-5	0	550	595	451	3	2
50	50	40	5	-5	5	540	597	447	3	2
50	50	40	5	-5	5	550	594	448	3	2
50	50	40	5	0	-5	540	597	454	3	2
50	50	40	5	0	0	540	597	451	3	2
50	50	40	5	0	0	550	593	451	2	1
50	50	40	5	0	5	540	597	447	3	2
50	50	40	5	0	5	550	594	448	2	2
50	50	40	5	5	-5	530	598	454	1	1
50	50	40	5	5	-5	540	596	454	3	2
50	50	40	5	5	0	530	598	451	2	2
50	50	40	5	5	0	540	596	451	3	2
50	50	40	5	5	5	530	598	447	2	2
50	50	40	5	5	5	540	596	447	3	2
50	50	50	-5	0	5	540	604	448	1	1
50	50	50	0	0	5	540	600	449	1	1

50	60	30	-5	-5	-5	550	601	454	2	2
50	60	30	-5	-5	0	540	603	450	2	1
50	60	30	-5	-5	0	550	601	450	2	2
50	60	30	-5	-5	5	540	604	446	2	2
50	60	30	-5	-5	5	550	601	446	3	2
50	60	30	-5	-5	5	560	597	446	1	1
50	60	30	-5	0	-5	540	603	454	2	1
50	60	30	-5	0	-5	550	601	454	2	1
50	60	30	-5	0	0	540	603	450	2	2
50	60	30	-5	0	0	550	601	450	2	2
50	60	30	-5	0	5	540	603	446	2	2
50	60	30	-5	0	5	550	600	446	3	2
50	60	30	-5	5	-5	540	603	454	2	2
50	60	30	-5	5	0	540	603	450	2	2
50	60	30	-5	5	0	550	601	450	2	1
50	60	30	-5	5	5	540	602	446	2	2
50	60	30	-5	5	5	550	600	446	2	2
50	60	30	0	-5	-5	550	598	454	2	2
50	60	30	0	-5	0	540	601	450	2	1
50	60	30	0	-5	0	550	598	450	3	2
50	60	30	0	-5	0	560	594	450	1	1
50	60	30	0	-5	5	540	600	446	2	2
50	60	30	0	-5	5	550	598	446	3	2
50	60	30	0	-5	5	560	594	446	2	1
50	60	30	0	0	-5	540	600	454	2	1
50	60	30	0	0	-5	550	597	454	2	2
50	60	30	0	0	0	540	600	450	2	2
50	60	30	0	0	0	550	597	450	2	2
50	60	30	0	0	5	540	600	446	2	2
50	60	30	0	0	5	550	598	446	2	2
50	60	30	0	5	-5	540	600	454	2	2
50	60	30	0	5	-5	550	597	454	1	0
50	60	30	0	5	0	540	600	450	2	2
50	60	30	0	5	0	550	597	450	2	2
50	60	30	0	5	5	540	600	446	3	2
50	60	30	0	5	5	550	597	446	2	2
50	60	30	5	-5	-5	550	595	454	2	2
50	60	30	5	-5	0	540	597	450	2	1
50	60	30	5	-5	0	550	595	450	2	2
50	60	30	5	-5	0	560	591	450	2	1
50	60	30	5	-5	5	540	597	446	2	2
50	60	30	5	-5	5	550	595	446	3	2
50	60	30	5	-5	5	560	591	446	2	1
50	60	30	5	0	-5	540	597	454	2	1
50	60	30	5	0	-5	550	595	454	2	1
50	60	30	5	0	0	540	597	450	2	2
50	60	30	5	0	0	550	595	450	2	2
50	60	30	5	0	5	540	597	446	2	2
50	60	30	5	0	5	550	594	446	3	2
50	60	30	5	5	-5	540	597	454	2	2
50	60	30	5	5	0	540	597	450	2	2
50	60	30	5	5	0	550	594	450	2	1
50	60	30	5	5	5	540	596	446	2	2
50	60	30	5	5	5	550	594	446	2	2
50	60	40	-5	-5	-5	540	604	454	3	2
50	60	40	-5	-5	-5	550	602	454	3	2

50	60	40	-5	-5	-5	560	597	454	2	2
50	60	40	-5	-5	0	540	603	451	3	2
50	60	40	-5	-5	0	550	601	451	3	3
50	60	40	-5	-5	0	560	598	451	3	2
50	60	40	-5	-5	5	540	604	448	3	2
50	60	40	-5	-5	5	550	601	448	3	3
50	60	40	-5	-5	5	560	597	448	3	2
50	60	40	-5	-5	5	570	594	447	1	1
50	60	40	-5	0	-5	540	603	454	3	2
50	60	40	-5	0	-5	550	601	454	3	2
50	60	40	-5	0	-5	560	597	455	2	1
50	60	40	-5	0	0	540	603	451	3	3
50	60	40	-5	0	0	550	601	451	3	2
50	60	40	-5	0	0	560	597	451	2	2
50	60	40	-5	0	5	530	605	448	1	1
50	60	40	-5	0	5	540	603	448	3	3
50	60	40	-5	0	5	550	601	448	3	3
50	60	40	-5	0	5	560	597	447	2	2
50	60	40	-5	5	-5	530	605	455	1	1
50	60	40	-5	5	-5	540	603	454	3	2
50	60	40	-5	5	-5	550	600	454	3	2
50	60	40	-5	5	0	530	604	451	2	2
50	60	40	-5	5	0	540	603	451	3	3
50	60	40	-5	5	0	550	601	451	3	2
50	60	40	-5	5	5	530	604	448	2	2
50	60	40	-5	5	5	540	603	448	3	3
50	60	40	-5	5	5	550	600	447	3	2
50	60	40	0	-5	-5	540	600	454	3	2
50	60	40	0	-5	-5	550	598	454	3	2
50	60	40	0	-5	-5	560	594	454	3	2
50	60	40	0	-5	-5	570	591	454	1	2
50	60	40	0	-5	0	540	600	451	3	2
50	60	40	0	-5	0	550	598	451	3	3
50	60	40	0	-5	0	560	595	451	3	2
50	60	40	0	-5	0	570	590	450	2	2
50	60	40	0	-5	5	540	600	448	3	2
50	60	40	0	-5	5	550	598	448	3	3
50	60	40	0	-5	5	560	594	447	3	2
50	60	40	0	-5	5	570	591	447	2	2
50	60	40	0	0	-5	540	600	454	3	2
50	60	40	0	0	-5	550	598	454	3	2
50	60	40	0	0	-5	560	594	454	2	2
50	60	40	0	0	0	540	600	451	3	3
50	60	40	0	0	0	550	597	451	3	3
50	60	40	0	0	0	560	594	451	2	2
50	60	40	0	0	5	530	601	448	1	1
50	60	40	0	0	5	540	600	448	3	3
50	60	40	0	0	5	550	597	448	3	3
50	60	40	0	0	5	560	594	448	2	2
50	60	40	0	5	-5	530	601	455	2	1
50	60	40	0	5	-5	540	600	454	3	2
50	60	40	0	5	-5	550	597	454	3	2
50	60	40	0	5	0	530	601	451	2	2
50	60	40	0	5	0	540	600	451	3	3
50	60	40	0	5	0	550	597	451	3	2
50	60	40	0	5	5	530	601	448	2	2

50	60	40	0	5	5	540	599	448	3	3
50	60	40	0	5	5	550	598	447	3	2
50	60	40	5	-5	-5	540	597	454	3	2
50	60	40	5	-5	-5	550	595	454	3	2
50	60	40	5	-5	-5	560	590	454	2	2
50	60	40	5	-5	-5	570	587	454	1	1
50	60	40	5	-5	0	540	597	451	3	2
50	60	40	5	-5	0	550	595	451	3	3
50	60	40	5	-5	0	560	591	451	3	2
50	60	40	5	-5	0	570	587	450	2	2
50	60	40	5	-5	5	540	597	448	3	2
50	60	40	5	-5	5	550	594	448	3	3
50	60	40	5	-5	5	560	591	447	3	2
50	60	40	5	-5	5	570	588	447	2	2
50	60	40	5	0	-5	540	597	454	3	2
50	60	40	5	0	-5	550	594	454	3	2
50	60	40	5	0	-5	560	591	454	2	2
50	60	40	5	0	0	540	597	451	3	2
50	60	40	5	0	0	550	594	451	3	2
50	60	40	5	0	0	560	591	451	2	2
50	60	40	5	0	5	530	598	448	1	1
50	60	40	5	0	5	540	597	448	3	3
50	60	40	5	0	5	550	595	448	3	3
50	60	40	5	0	5	560	591	447	2	2
50	60	40	5	5	-5	530	598	454	1	1
50	60	40	5	5	-5	540	596	454	3	2
50	60	40	5	5	-5	550	594	454	3	2
50	60	40	5	5	0	530	598	451	2	2
50	60	40	5	5	0	540	596	451	3	3
50	60	40	5	5	0	550	594	451	3	2
50	60	40	5	5	5	530	598	447	2	2
50	60	40	5	5	5	540	597	448	3	3
50	60	40	5	5	5	550	594	447	3	2
50	60	50	-5	-5	-5	550	601	454	1	1
50	60	50	-5	-5	0	550	601	452	2	2
50	60	50	-5	-5	5	540	604	450	1	2
50	60	50	-5	-5	5	550	601	449	2	2
50	60	50	-5	0	0	540	603	452	2	2
50	60	50	-5	0	0	550	601	452	1	1
50	60	50	-5	0	5	540	603	449	2	2
50	60	50	-5	0	5	550	600	449	2	2
50	60	50	-5	5	-5	540	603	454	1	1
50	60	50	-5	5	0	540	603	452	2	2
50	60	50	-5	5	5	540	603	449	2	2
50	60	50	0	-5	-5	550	598	454	1	1
50	60	50	0	-5	0	550	598	452	2	2
50	60	50	0	-5	5	540	600	450	2	2
50	60	50	0	-5	5	550	598	449	2	2
50	60	50	0	0	-5	540	600	454	1	1
50	60	50	0	0	0	540	600	452	2	2
50	60	50	0	0	0	550	597	451	2	1
50	60	50	0	0	5	540	600	449	2	2
50	60	50	0	0	5	550	597	448	2	2
50	60	50	0	5	-5	540	600	454	1	1
50	60	50	0	5	0	540	600	452	2	2
50	60	50	0	5	5	540	600	449	2	2

50	60	50	5	-5	-5	550	595	454	1	1
50	60	50	5	-5	0	550	595	452	2	2
50	60	50	5	-5	5	540	597	449	1	1
50	60	50	5	-5	5	550	595	449	2	2
50	60	50	5	0	0	540	597	452	2	1
50	60	50	5	0	0	550	594	451	1	1
50	60	50	5	0	5	540	597	449	2	2
50	60	50	5	0	5	550	594	449	2	1
50	60	50	5	5	-5	540	597	454	1	1
50	60	50	5	5	0	540	597	452	2	2
50	60	50	5	5	5	540	597	449	2	2
50	70	30	-5	-5	-5	550	602	454	1	1
50	70	30	-5	-5	-5	560	601	454	2	1
50	70	30	-5	-5	-5	570	600	454	1	1
50	70	30	-5	-5	0	550	602	450	2	2
50	70	30	-5	-5	0	560	601	450	2	2
50	70	30	-5	-5	0	570	600	450	2	2
50	70	30	-5	-5	5	550	602	446	2	2
50	70	30	-5	-5	5	560	601	446	2	2
50	70	30	-5	-5	5	570	600	446	2	2
50	70	30	-5	0	-5	550	603	454	2	1
50	70	30	-5	0	-5	560	601	454	2	1
50	70	30	-5	0	0	550	602	450	2	2
50	70	30	-5	0	0	560	601	450	2	2
50	70	30	-5	0	5	540	604	446	1	1
50	70	30	-5	0	5	550	603	446	2	2
50	70	30	-5	0	5	560	601	446	2	2
50	70	30	-5	0	5	570	600	446	0	0
50	70	30	-5	5	-5	550	603	454	2	2
50	70	30	-5	5	0	540	604	450	2	1
50	70	30	-5	5	0	550	603	450	2	2
50	70	30	-5	5	0	560	602	450	2	1
50	70	30	-5	5	5	540	604	446	2	2
50	70	30	-5	5	5	550	603	446	2	2
50	70	30	-5	5	5	560	601	446	2	2
50	70	30	0	-5	-5	550	599	454	2	1
50	70	30	0	-5	-5	560	597	454	2	2
50	70	30	0	-5	-5	570	596	454	2	1
50	70	30	0	-5	0	550	599	450	2	2
50	70	30	0	-5	0	560	597	450	2	2
50	70	30	0	-5	0	570	597	450	2	2
50	70	30	0	-5	0	580	598	450	1	1
50	70	30	0	-5	5	550	599	446	2	2
50	70	30	0	-5	5	560	597	446	2	2
50	70	30	0	-5	5	570	597	446	2	2
50	70	30	0	-5	5	580	598	447	1	1
50	70	30	0	0	-5	550	599	454	2	2
50	70	30	0	0	-5	560	598	454	2	2
50	70	30	0	0	0	550	599	450	2	2
50	70	30	0	0	0	560	598	450	2	2
50	70	30	0	0	0	570	597	450	1	1
50	70	30	0	0	5	540	601	446	1	1
50	70	30	0	0	5	550	599	446	2	2
50	70	30	0	0	5	560	598	446	2	2
50	70	30	0	0	5	570	598	446	2	1
50	70	30	0	5	-5	550	599	454	2	2

50	70	30	0	5	-5	560	599	454	1	1
50	70	30	0	5	0	540	601	450	2	1
50	70	30	0	5	0	550	599	450	2	2
50	70	30	0	5	0	560	599	450	2	2
50	70	30	0	5	5	540	601	446	2	2
50	70	30	0	5	5	550	599	446	2	2
50	70	30	0	5	5	560	598	446	2	2
50	70	30	5	-5	-5	550	596	454	1	1
50	70	30	5	-5	-5	560	595	454	2	2
50	70	30	5	-5	-5	570	594	454	1	1
50	70	30	5	-5	0	550	596	450	2	2
50	70	30	5	-5	0	560	594	450	2	2
50	70	30	5	-5	0	570	593	450	2	2
50	70	30	5	-5	0	580	595	450	1	1
50	70	30	5	-5	5	550	596	446	2	2
50	70	30	5	-5	5	560	595	446	2	2
50	70	30	5	-5	5	570	594	446	2	2
50	70	30	5	-5	5	580	595	446	1	1
50	70	30	5	0	-5	550	596	454	2	2
50	70	30	5	0	-5	560	595	454	2	2
50	70	30	5	0	0	550	596	450	2	2
50	70	30	5	0	0	560	595	450	2	2
50	70	30	5	0	0	570	594	450	1	1
50	70	30	5	0	5	540	597	446	1	1
50	70	30	5	0	5	550	596	446	2	2
50	70	30	5	0	5	560	595	446	2	2
50	70	30	5	0	5	570	594	446	2	2
50	70	30	5	5	-5	550	597	454	2	2
50	70	30	5	5	-5	560	595	454	1	1
50	70	30	5	5	0	540	598	450	2	1
50	70	30	5	5	0	550	596	450	2	2
50	70	30	5	5	0	560	595	450	2	2
50	70	30	5	5	5	540	597	446	2	2
50	70	30	5	5	5	550	597	446	2	2
50	70	30	5	5	5	560	595	446	2	2
50	70	40	-5	-5	-5	540	604	455	2	2
50	70	40	-5	-5	-5	550	603	455	3	2
50	70	40	-5	-5	-5	560	601	454	3	2
50	70	40	-5	-5	-5	570	600	454	2	2
50	70	40	-5	-5	-5	580	601	454	1	1
50	70	40	-5	-5	0	540	604	452	2	2
50	70	40	-5	-5	0	550	602	451	3	2
50	70	40	-5	-5	0	560	601	451	3	2
50	70	40	-5	-5	0	570	601	451	2	2
50	70	40	-5	-5	0	580	602	451	2	2
50	70	40	-5	-5	5	540	604	448	3	2
50	70	40	-5	-5	5	550	602	448	3	3
50	70	40	-5	-5	5	560	601	448	3	3
50	70	40	-5	-5	5	570	600	447	2	2
50	70	40	-5	-5	5	580	602	447	2	2
50	70	40	-5	0	-5	540	604	455	2	2
50	70	40	-5	0	-5	550	603	454	3	2
50	70	40	-5	0	-5	560	602	454	2	2
50	70	40	-5	0	-5	570	601	454	2	2
50	70	40	-5	0	0	540	604	452	3	2
50	70	40	-5	0	0	550	602	451	3	3

50	70	40	-5	0	0	560	601	451	3	2
50	70	40	-5	0	0	570	601	451	2	2
50	70	40	-5	0	5	540	603	448	3	2
50	70	40	-5	0	5	550	602	448	3	3
50	70	40	-5	0	5	560	601	448	3	3
50	70	40	-5	0	5	570	602	448	2	2
50	70	40	-5	5	-5	540	604	454	2	2
50	70	40	-5	5	-5	550	603	454	3	2
50	70	40	-5	5	-5	560	602	454	2	2
50	70	40	-5	5	0	540	604	451	3	2
50	70	40	-5	5	0	550	603	451	3	3
50	70	40	-5	5	0	560	602	451	2	2
50	70	40	-5	5	5	530	605	448	1	1
50	70	40	-5	5	5	540	604	448	3	2
50	70	40	-5	5	5	550	602	448	3	3
50	70	40	-5	5	5	560	602	447	2	2
50	70	40	0	-5	-5	540	600	455	2	2
50	70	40	0	-5	-5	550	599	455	3	2
50	70	40	0	-5	-5	560	597	454	3	2
50	70	40	0	-5	-5	570	597	454	2	2
50	70	40	0	-5	-5	580	598	454	2	2
50	70	40	0	-5	0	540	600	452	3	2
50	70	40	0	-5	0	550	599	451	3	3
50	70	40	0	-5	0	560	598	451	3	3
50	70	40	0	-5	0	570	597	451	3	2
50	70	40	0	-5	0	580	599	450	2	2
50	70	40	0	-5	5	540	600	448	3	2
50	70	40	0	-5	5	550	599	448	3	3
50	70	40	0	-5	5	560	598	448	3	3
50	70	40	0	-5	5	570	597	448	3	3
50	70	40	0	-5	5	580	598	448	2	2
50	70	40	0	0	-5	540	601	454	2	2
50	70	40	0	0	-5	550	599	454	3	2
50	70	40	0	0	-5	560	598	454	3	2
50	70	40	0	0	-5	570	598	454	2	2
50	70	40	0	0	0	540	600	451	3	2
50	70	40	0	0	0	550	600	451	3	3
50	70	40	0	0	0	560	598	451	3	3
50	70	40	0	0	0	570	598	451	2	2
50	70	40	0	0	5	540	601	448	3	2
50	70	40	0	0	5	550	599	448	3	3
50	70	40	0	0	5	560	598	448	3	3
50	70	40	0	0	5	570	597	447	2	2
50	70	40	0	5	-5	540	600	454	3	2
50	70	40	0	5	-5	550	599	454	3	2
50	70	40	0	5	-5	560	599	454	2	2
50	70	40	0	5	0	540	601	451	3	2
50	70	40	0	5	0	550	600	451	3	3
50	70	40	0	5	0	560	598	451	3	2
50	70	40	0	5	0	570	599	451	1	1
50	70	40	0	5	5	530	602	449	1	1
50	70	40	0	5	5	540	601	448	3	2
50	70	40	0	5	5	550	600	448	3	3
50	70	40	0	5	5	560	598	447	3	2
50	70	40	0	5	5	570	598	448	2	2
50	70	40	5	-5	-5	540	598	455	2	2

50	70	40	5	-5	-5	550	596	455	3	2
50	70	40	5	-5	-5	560	595	454	3	2
50	70	40	5	-5	-5	570	594	454	2	2
50	70	40	5	-5	-5	580	595	454	2	2
50	70	40	5	-5	0	540	597	452	2	2
50	70	40	5	-5	0	550	596	451	3	2
50	70	40	5	-5	0	560	595	451	3	3
50	70	40	5	-5	0	570	594	451	3	2
50	70	40	5	-5	0	580	595	450	2	2
50	70	40	5	-5	5	540	598	448	3	2
50	70	40	5	-5	5	550	596	448	3	3
50	70	40	5	-5	5	560	594	448	3	3
50	70	40	5	-5	5	570	594	448	3	2
50	70	40	5	-5	5	580	595	448	2	2
50	70	40	5	0	-5	540	597	455	2	2
50	70	40	5	0	-5	550	597	454	3	2
50	70	40	5	0	-5	560	595	454	3	2
50	70	40	5	0	-5	570	594	454	2	2
50	70	40	5	0	0	540	598	452	3	2
50	70	40	5	0	0	550	596	451	3	3
50	70	40	5	0	0	560	595	451	3	2
50	70	40	5	0	0	570	594	451	2	2
50	70	40	5	0	5	540	597	448	3	2
50	70	40	5	0	5	550	596	448	3	3
50	70	40	5	0	5	560	595	448	3	3
50	70	40	5	0	5	570	595	447	2	2
50	70	40	5	0	5	580	596	448	0	1
50	70	40	5	5	-5	540	598	454	2	2
50	70	40	5	5	-5	550	597	454	3	2
50	70	40	5	5	-5	560	595	454	2	2
50	70	40	5	5	0	540	597	451	3	2
50	70	40	5	5	0	550	596	451	3	3
50	70	40	5	5	0	560	596	451	2	2
50	70	40	5	5	0	570	595	451	1	1
50	70	40	5	5	5	530	599	449	1	1
50	70	40	5	5	5	540	597	448	3	2
50	70	40	5	5	5	550	596	448	3	3
50	70	40	5	5	5	560	596	447	3	2
50	70	40	5	5	5	570	595	448	2	2
50	70	50	-5	-5	0	550	602	452	2	2
50	70	50	-5	-5	0	560	600	452	2	2
50	70	50	-5	-5	5	550	602	449	2	2
50	70	50	-5	-5	5	560	600	449	2	2
50	70	50	-5	0	-5	550	603	455	1	1
50	70	50	-5	0	0	550	602	452	2	2
50	70	50	-5	0	0	560	601	451	1	1
50	70	50	-5	0	5	540	604	450	0	0
50	70	50	-5	0	5	550	602	449	2	2
50	70	50	-5	0	5	560	601	449	1	2
50	70	50	-5	5	-5	550	603	455	1	1
50	70	50	-5	5	0	550	602	452	2	2
50	70	50	-5	5	5	540	604	450	1	2
50	70	50	-5	5	5	550	603	449	2	2
50	70	50	0	-5	-5	550	599	454	1	1
50	70	50	0	-5	-5	560	597	455	1	1
50	70	50	0	-5	0	550	599	452	2	2

50	70	50	0	-5	0	560	597	452	2	2
50	70	50	0	-5	0	570	596	451	2	1
50	70	50	0	-5	5	550	599	449	2	2
50	70	50	0	-5	5	560	597	449	2	2
50	70	50	0	-5	5	570	597	449	1	2
50	70	50	0	0	-5	550	599	455	1	1
50	70	50	0	0	-5	560	598	454	1	1
50	70	50	0	0	0	550	599	452	2	2
50	70	50	0	0	0	560	598	452	1	2
50	70	50	0	0	5	540	601	450	1	2
50	70	50	0	0	5	550	599	449	2	2
50	70	50	0	0	5	560	598	449	2	2
50	70	50	0	5	-5	550	599	454	2	1
50	70	50	0	5	0	540	600	452	1	1
50	70	50	0	5	0	550	599	451	2	2
50	70	50	0	5	5	540	600	450	2	2
50	70	50	0	5	5	550	599	449	2	2
50	70	50	5	-5	-5	560	594	454	1	1
50	70	50	5	-5	0	550	596	452	2	2
50	70	50	5	-5	0	560	594	452	2	2
50	70	50	5	-5	5	550	595	449	2	2
50	70	50	5	-5	5	560	594	449	2	2
50	70	50	5	-5	5	570	593	449	1	1
50	70	50	5	0	-5	550	596	455	1	1
50	70	50	5	0	0	550	596	452	2	2
50	70	50	5	0	0	560	595	451	1	1
50	70	50	5	0	5	550	596	449	2	2
50	70	50	5	0	5	560	594	448	2	2
50	70	50	5	5	-5	550	596	454	1	1
50	70	50	5	5	0	550	596	452	2	2
50	70	50	5	5	5	540	597	449	1	1
50	70	50	5	5	5	550	597	449	2	2
60	50	30	-5	-5	-5	540	600	454	2	1
60	50	30	-5	-5	-5	550	595	454	2	1
60	50	30	-5	-5	0	540	599	450	2	2
60	50	30	-5	-5	0	550	594	450	3	2
60	50	30	-5	-5	5	540	599	446	3	2
60	50	30	-5	-5	5	550	594	446	3	2
60	50	30	-5	0	-5	540	598	454	2	2
60	50	30	-5	0	0	540	598	450	3	2
60	50	30	-5	0	5	540	598	446	3	2
60	50	30	-5	5	-5	540	598	454	2	1
60	50	30	-5	5	0	540	597	450	3	2
60	50	30	-5	5	5	540	597	446	3	2
60	50	30	0	-5	-5	540	597	454	1	0
60	50	30	0	-5	-5	550	591	454	2	1
60	50	30	0	-5	0	540	597	450	2	2
60	50	30	0	-5	0	550	591	450	3	2
60	50	30	0	-5	5	540	596	446	3	2
60	50	30	0	-5	5	550	591	446	3	2
60	50	30	0	0	-5	540	595	454	2	2
60	50	30	0	0	0	540	595	450	3	2
60	50	30	0	0	5	540	595	446	3	2
60	50	30	0	0	5	550	589	446	1	1
60	50	30	0	5	-5	540	594	454	2	1
60	50	30	0	5	0	540	594	450	3	2

60	50	30	0	5	5	540	594	446	3	2
60	50	30	5	-5	-5	550	587	454	2	1
60	50	30	5	-5	0	540	594	450	2	1
60	50	30	5	-5	0	550	587	450	3	2
60	50	30	5	-5	5	540	593	446	2	2
60	50	30	5	-5	5	550	586	446	3	2
60	50	30	5	0	-5	540	593	454	2	1
60	50	30	5	0	0	540	592	450	3	2
60	50	30	5	0	5	540	592	446	3	2
60	50	30	5	0	5	550	584	446	1	1
60	50	30	5	5	-5	540	591	454	1	1
60	50	30	5	5	0	540	591	450	2	2
60	50	30	5	5	5	540	591	446	3	2
60	50	40	-5	-5	-5	540	599	454	3	2
60	50	40	-5	-5	-5	550	594	454	3	2
60	50	40	-5	-5	0	540	599	451	3	2
60	50	40	-5	-5	0	550	594	451	4	2
60	50	40	-5	-5	5	540	599	448	3	3
60	50	40	-5	-5	5	550	593	447	4	2
60	50	40	-5	0	-5	540	598	454	3	2
60	50	40	-5	0	-5	550	592	454	3	2
60	50	40	-5	0	0	540	598	451	4	3
60	50	40	-5	0	0	550	592	451	3	2
60	50	40	-5	0	5	540	598	448	4	3
60	50	40	-5	0	5	550	593	448	3	2
60	50	40	-5	5	-5	530	601	454	2	2
60	50	40	-5	5	-5	540	597	454	3	2
60	50	40	-5	5	0	530	601	451	2	2
60	50	40	-5	5	0	540	597	451	3	2
60	50	40	-5	5	5	530	601	447	3	2
60	50	40	-5	5	5	540	596	448	4	3
60	50	40	0	-5	-5	540	597	454	3	2
60	50	40	0	-5	-5	550	590	454	4	2
60	50	40	0	-5	0	540	596	451	3	2
60	50	40	0	-5	0	550	590	451	4	2
60	50	40	0	-5	5	540	596	447	3	2
60	50	40	0	-5	5	550	589	447	4	2
60	50	40	0	0	-5	540	595	454	3	2
60	50	40	0	0	-5	550	588	454	3	2
60	50	40	0	0	0	540	595	451	4	2
60	50	40	0	0	0	550	588	451	3	2
60	50	40	0	0	5	540	595	448	4	3
60	50	40	0	0	5	550	588	448	3	2
60	50	40	0	5	-5	530	598	455	1	1
60	50	40	0	5	-5	540	594	454	3	2
60	50	40	0	5	0	530	598	451	2	2
60	50	40	0	5	0	540	594	451	3	2
60	50	40	0	5	5	530	598	447	3	2
60	50	40	0	5	5	540	593	448	4	2
60	50	40	5	-5	-5	540	594	454	3	2
60	50	40	5	-5	-5	550	585	454	4	2
60	50	40	5	-5	0	540	593	451	3	2
60	50	40	5	-5	0	550	585	451	4	2
60	50	40	5	-5	5	540	593	447	3	2
60	50	40	5	-5	5	550	580	447	4	2
60	50	40	5	0	-5	540	592	454	3	2

60	50	40	5	0	-5	550	583	454	3	2
60	50	40	5	0	0	540	592	451	3	2
60	50	40	5	0	0	550	580	451	4	2
60	50	40	5	0	5	540	592	448	4	3
60	50	40	5	0	5	550	579	448	4	2
60	50	40	5	5	-5	540	591	454	3	2
60	50	40	5	5	0	530	595	451	2	1
60	50	40	5	5	0	540	591	451	3	2
60	50	40	5	5	5	530	595	448	2	2
60	50	40	5	5	5	540	590	447	4	2
60	50	50	-5	-5	5	540	599	449	2	1
60	50	50	-5	0	-5	540	599	454	1	1
60	50	50	-5	0	0	540	598	452	2	2
60	50	50	-5	0	5	540	598	449	2	2
60	50	50	-5	5	5	540	597	449	2	1
60	50	50	0	-5	5	540	597	449	1	1
60	50	50	0	0	0	540	595	451	2	1
60	50	50	0	0	5	540	596	449	2	2
60	50	50	0	5	5	540	594	449	2	1
60	50	50	5	0	5	540	593	449	2	1
60	60	30	-5	-5	-5	550	595	454	3	2
60	60	30	-5	-5	-5	560	587	454	2	1
60	60	30	-5	-5	0	540	599	450	2	2
60	60	30	-5	-5	0	550	595	450	3	2
60	60	30	-5	-5	0	560	587	450	3	2
60	60	30	-5	-5	0	570	576	450	1	1
60	60	30	-5	-5	5	540	599	446	2	2
60	60	30	-5	-5	5	550	594	446	3	2
60	60	30	-5	-5	5	560	587	446	3	2
60	60	30	-5	-5	5	570	576	446	2	1
60	60	30	-5	0	-5	540	598	454	2	2
60	60	30	-5	0	-5	550	593	454	3	2
60	60	30	-5	0	0	540	599	450	3	2
60	60	30	-5	0	0	550	593	450	3	2
60	60	30	-5	0	0	560	586	450	2	1
60	60	30	-5	0	5	540	598	446	3	2
60	60	30	-5	0	5	550	594	446	3	2
60	60	30	-5	0	5	560	586	446	2	2
60	60	30	-5	5	-5	540	598	454	2	2
60	60	30	-5	5	-5	550	592	454	3	2
60	60	30	-5	5	0	540	598	450	3	2
60	60	30	-5	5	0	550	592	450	3	2
60	60	30	-5	5	5	540	598	446	3	2
60	60	30	-5	5	5	550	593	446	3	2
60	60	30	0	-5	-5	550	592	454	3	2
60	60	30	0	-5	-5	560	584	454	2	2
60	60	30	0	-5	0	540	597	450	2	1
60	60	30	0	-5	0	550	592	450	3	2
60	60	30	0	-5	0	560	584	450	3	2
60	60	30	0	-5	5	540	597	446	2	2
60	60	30	0	-5	5	550	592	446	3	2
60	60	30	0	-5	5	560	584	446	3	2
60	60	30	0	0	-5	540	596	454	2	1
60	60	30	0	0	-5	550	591	454	3	2
60	60	30	0	0	-5	560	582	454	2	1
60	60	30	0	0	0	540	596	450	3	2

60	60	30	0	0	0	550	591	450	3	2
60	60	30	0	0	0	560	582	450	3	2
60	60	30	0	0	0	570	573	450	1	1
60	60	30	0	0	5	540	596	446	3	2
60	60	30	0	0	5	550	590	446	3	2
60	60	30	0	0	5	560	582	446	3	2
60	60	30	0	0	5	570	573	446	1	1
60	60	30	0	5	-5	540	595	454	2	2
60	60	30	0	5	-5	550	590	454	2	2
60	60	30	0	5	0	540	595	450	3	2
60	60	30	0	5	0	550	590	450	3	2
60	60	30	0	5	5	540	594	446	3	2
60	60	30	0	5	5	550	589	446	3	2
60	60	30	5	-5	-5	550	589	454	3	2
60	60	30	5	-5	-5	560	582	454	2	1
60	60	30	5	-5	0	540	594	450	1	1
60	60	30	5	-5	0	550	589	450	3	2
60	60	30	5	-5	0	560	582	450	3	2
60	60	30	5	-5	5	540	594	446	2	1
60	60	30	5	-5	5	550	589	446	3	2
60	60	30	5	-5	5	560	582	446	3	2
60	60	30	5	0	-5	540	594	454	2	1
60	60	30	5	0	-5	550	588	454	3	2
60	60	30	5	0	0	540	593	450	2	2
60	60	30	5	0	0	550	588	450	3	2
60	60	30	5	0	0	560	580	450	2	1
60	60	30	5	0	5	540	594	446	2	2
60	60	30	5	0	5	550	588	446	3	2
60	60	30	5	0	5	560	579	446	3	2
60	60	30	5	5	-5	540	592	454	2	1
60	60	30	5	5	-5	550	587	454	2	1
60	60	30	5	5	0	540	592	450	3	2
60	60	30	5	5	0	550	587	450	3	2
60	60	30	5	5	5	540	593	446	3	2
60	60	30	5	5	5	550	587	446	3	2
60	60	30	5	5	5	560	578	446	1	1
60	60	40	-5	-5	-5	540	599	455	3	2
60	60	40	-5	-5	-5	550	594	454	4	3
60	60	40	-5	-5	-5	560	587	454	3	2
60	60	40	-5	-5	-5	570	578	454	2	2
60	60	40	-5	-5	0	540	599	451	3	2
60	60	40	-5	-5	0	550	594	451	4	3
60	60	40	-5	-5	0	560	587	451	4	2
60	60	40	-5	-5	0	570	579	450	3	2
60	60	40	-5	-5	5	540	599	448	3	3
60	60	40	-5	-5	5	550	594	448	4	3
60	60	40	-5	-5	5	560	586	448	4	3
60	60	40	-5	-5	5	570	580	448	3	2
60	60	40	-5	0	-5	540	598	454	3	2
60	60	40	-5	0	-5	550	594	454	3	3
60	60	40	-5	0	-5	560	587	454	3	2
60	60	40	-5	0	0	540	599	451	3	3
60	60	40	-5	0	0	550	593	451	4	3
60	60	40	-5	0	0	560	587	451	3	2
60	60	40	-5	0	5	540	598	448	4	3
60	60	40	-5	0	5	550	593	448	4	3

המחיר המוצג הוא מחיר מומלץ לציוד חדש, המחיר בפועל עשוי להשתנות בהתאם למצב השוק ולמדיניות החברה.

60	60	40	-5	0	5	560	587	447	3	2
60	60	40	-5	5	-5	540	597	454	3	2
60	60	40	-5	5	-5	550	593	454	3	2
60	60	40	-5	5	0	530	601	451	2	2
60	60	40	-5	5	0	540	597	451	3	3
60	60	40	-5	5	0	550	593	450	3	3
60	60	40	-5	5	0	560	588	451	2	1
60	60	40	-5	5	5	530	601	448	2	2
60	60	40	-5	5	5	540	598	448	4	3
60	60	40	-5	5	5	550	592	448	4	3
60	60	40	-5	5	5	560	588	448	2	2
60	60	40	0	-5	-5	540	596	454	3	2
60	60	40	0	-5	-5	550	591	454	4	3
60	60	40	0	-5	-5	560	583	454	4	2
60	60	40	0	-5	-5	570	578	454	2	2
60	60	40	0	-5	0	540	596	451	3	2
60	60	40	0	-5	0	550	591	451	4	3
60	60	40	0	-5	0	560	583	451	4	3
60	60	40	0	-5	0	570	579	451	2	2
60	60	40	0	-5	5	540	596	448	3	2
60	60	40	0	-5	5	550	591	448	4	3
60	60	40	0	-5	5	560	583	448	4	3
60	60	40	0	-5	5	570	580	448	2	2
60	60	40	0	0	-5	540	596	454	3	2
60	60	40	0	0	-5	550	590	454	4	3
60	60	40	0	0	-5	560	581	454	3	2
60	60	40	0	0	-5	570	575	454	2	2
60	60	40	0	0	0	540	595	451	3	2
60	60	40	0	0	0	550	590	451	4	3
60	60	40	0	0	0	560	582	451	4	2
60	60	40	0	0	0	570	576	451	2	2
60	60	40	0	0	5	540	595	448	3	3
60	60	40	0	0	5	550	590	448	4	3
60	60	40	0	0	5	560	581	447	4	2
60	60	40	0	0	5	570	577	448	2	2
60	60	40	0	5	-5	540	595	454	3	2
60	60	40	0	5	-5	550	589	454	3	2
60	60	40	0	5	-5	560	583	454	2	2
60	60	40	0	5	0	530	598	451	2	1
60	60	40	0	5	0	540	595	451	3	3
60	60	40	0	5	0	550	590	451	4	3
60	60	40	0	5	0	560	583	451	3	2
60	60	40	0	5	5	530	598	448	2	2
60	60	40	0	5	5	540	594	448	4	3
60	60	40	0	5	5	550	589	448	4	3
60	60	40	0	5	5	560	583	448	3	2
60	60	40	5	-5	-5	540	594	454	3	2
60	60	40	5	-5	-5	550	588	454	3	2
60	60	40	5	-5	-5	560	581	454	3	2
60	60	40	5	-5	0	540	593	451	3	2
60	60	40	5	-5	0	550	589	451	4	3
60	60	40	5	-5	0	560	582	451	4	2
60	60	40	5	-5	5	540	594	447	3	2
60	60	40	5	-5	5	550	588	448	4	3
60	60	40	5	-5	5	560	581	448	4	2
60	60	40	5	-5	5	570	580	447	2	1

60	60	40	5	0	-5	540	593	454	3	2
60	60	40	5	0	-5	550	588	454	3	2
60	60	40	5	0	-5	560	580	454	3	2
60	60	40	5	0	0	540	593	451	3	2
60	60	40	5	0	0	550	587	451	4	3
60	60	40	5	0	0	560	580	451	3	2
60	60	40	5	0	0	570	576	451	1	1
60	60	40	5	0	5	540	593	448	3	3
60	60	40	5	0	5	550	588	448	4	3
60	60	40	5	0	5	560	579	447	4	2
60	60	40	5	0	5	570	577	447	2	1
60	60	40	5	5	-5	540	592	454	3	2
60	60	40	5	5	-5	550	587	454	3	2
60	60	40	5	5	-5	560	578	454	3	2
60	60	40	5	5	0	530	595	452	1	1
60	60	40	5	5	0	540	592	451	3	2
60	60	40	5	5	0	550	586	451	4	2
60	60	40	5	5	0	560	577	451	3	2
60	60	40	5	5	0	570	573	451	1	1
60	60	40	5	5	5	530	596	448	2	2
60	60	40	5	5	5	540	592	448	3	3
60	60	40	5	5	5	550	587	448	4	3
60	60	40	5	5	5	560	577	448	3	2
60	60	40	5	5	5	570	573	448	1	1
60	60	50	-5	-5	-5	550	594	454	3	2
60	60	50	-5	-5	0	540	599	452	2	1
60	60	50	-5	-5	0	550	594	452	3	2
60	60	50	-5	-5	0	560	587	452	1	1
60	60	50	-5	-5	5	540	599	450	2	2
60	60	50	-5	-5	5	550	594	449	3	2
60	60	50	-5	-5	5	560	587	449	2	1
60	60	50	-5	0	-5	540	598	455	2	1
60	60	50	-5	0	-5	550	593	454	2	2
60	60	50	-5	0	0	540	598	452	2	2
60	60	50	-5	0	0	550	593	452	3	2
60	60	50	-5	0	5	540	598	450	3	2
60	60	50	-5	0	5	550	593	448	3	2
60	60	50	-5	5	-5	540	598	454	2	2
60	60	50	-5	5	-5	550	592	454	2	1
60	60	50	-5	5	0	540	597	451	2	2
60	60	50	-5	5	0	550	592	451	2	2
60	60	50	-5	5	5	540	598	449	3	2
60	60	50	-5	5	5	550	593	449	2	2
60	60	50	0	-5	-5	550	591	454	2	2
60	60	50	0	-5	0	540	596	452	1	1
60	60	50	0	-5	0	550	591	452	3	2
60	60	50	0	-5	0	560	583	451	2	1
60	60	50	0	-5	5	540	596	450	2	2
60	60	50	0	-5	5	550	591	449	3	2
60	60	50	0	-5	5	560	583	448	2	2
60	60	50	0	0	-5	540	595	454	1	1
60	60	50	0	0	-5	550	591	454	2	2
60	60	50	0	0	0	540	596	452	2	2
60	60	50	0	0	0	550	590	451	3	2
60	60	50	0	0	5	540	595	449	2	2
60	60	50	0	0	5	550	591	448	3	2

60	60	50	0	0	5	560	582	448	1	0
60	60	50	0	5	-5	540	595	454	2	1
60	60	50	0	5	-5	550	590	454	1	1
60	60	50	0	5	0	540	595	452	2	2
60	60	50	0	5	0	550	590	452	2	2
60	60	50	0	5	5	540	595	449	2	2
60	60	50	0	5	5	550	589	449	2	2
60	60	50	5	-5	-5	550	589	454	2	2
60	60	50	5	-5	0	550	589	451	2	2
60	60	50	5	-5	5	540	594	450	1	1
60	60	50	5	-5	5	550	589	449	3	2
60	60	50	5	-5	5	560	582	449	1	1
60	60	50	5	0	-5	550	588	454	2	1
60	60	50	5	0	0	540	593	452	1	1
60	60	50	5	0	0	550	588	452	2	2
60	60	50	5	0	5	540	593	450	2	2
60	60	50	5	0	5	550	588	449	3	2
60	60	50	5	5	0	540	592	451	2	1
60	60	50	5	5	0	550	586	452	1	0
60	60	50	5	5	5	540	592	449	2	2
60	60	50	5	5	5	550	587	449	2	1
60	70	30	-5	-5	-5	550	597	454	1	1
60	70	30	-5	-5	-5	560	594	454	2	2
60	70	30	-5	-5	-5	570	593	454	2	2
60	70	30	-5	-5	-5	580	595	454	2	2
60	70	30	-5	-5	0	550	598	450	2	2
60	70	30	-5	-5	0	560	594	450	3	2
60	70	30	-5	-5	0	570	593	450	2	2
60	70	30	-5	-5	0	580	595	450	2	2
60	70	30	-5	-5	0	590	600	450	1	1
60	70	30	-5	-5	5	550	597	446	2	2
60	70	30	-5	-5	5	560	595	446	3	2
60	70	30	-5	-5	5	570	593	446	2	2
60	70	30	-5	-5	5	580	595	446	2	2
60	70	30	-5	-5	5	590	600	446	1	1
60	70	30	-5	0	-5	550	597	454	2	2
60	70	30	-5	0	-5	560	595	454	2	2
60	70	30	-5	0	-5	570	594	454	2	2
60	70	30	-5	0	0	550	597	450	3	2
60	70	30	-5	0	0	560	594	450	3	2
60	70	30	-5	0	0	570	594	450	2	2
60	70	30	-5	0	0	580	596	450	1	1
60	70	30	-5	0	5	550	597	446	3	2
60	70	30	-5	0	5	560	595	446	3	2
60	70	30	-5	0	5	570	594	446	2	2
60	70	30	-5	0	5	580	597	446	1	1
60	70	30	-5	5	-5	550	597	454	2	2
60	70	30	-5	5	-5	560	595	454	2	2
60	70	30	-5	5	0	540	600	450	1	1
60	70	30	-5	5	0	550	597	450	3	2
60	70	30	-5	5	0	560	596	450	2	2
60	70	30	-5	5	0	570	596	450	2	1
60	70	30	-5	5	5	540	600	446	1	1
60	70	30	-5	5	5	550	597	446	3	2
60	70	30	-5	5	5	560	596	446	3	2
60	70	30	-5	5	5	570	596	446	2	2

60 60 50 0 0 5 560 582 448 1 0

60	70	30	0	-5	-5	560	592	454	2	1
60	70	30	0	-5	-5	570	591	454	2	2
60	70	30	0	-5	-5	580	592	454	2	2
60	70	30	0	-5	-5	590	597	454	1	1
60	70	30	0	-5	0	550	595	450	2	1
60	70	30	0	-5	0	560	593	450	2	2
60	70	30	0	-5	0	570	591	450	2	2
60	70	30	0	-5	0	580	592	450	2	2
60	70	30	0	-5	0	590	597	450	1	2
60	70	30	0	-5	5	550	595	446	2	2
60	70	30	0	-5	5	560	592	446	3	2
60	70	30	0	-5	5	570	591	446	2	2
60	70	30	0	-5	5	580	592	446	2	2
60	70	30	0	-5	5	590	597	446	1	2
60	70	30	0	0	-5	550	595	454	2	1
60	70	30	0	0	-5	560	592	454	2	2
60	70	30	0	0	-5	570	591	454	2	2
60	70	30	0	0	0	550	595	450	2	2
60	70	30	0	0	0	560	592	450	3	2
60	70	30	0	0	0	570	591	450	2	2
60	70	30	0	0	0	580	594	450	2	2
60	70	30	0	0	5	550	595	446	3	2
60	70	30	0	0	5	560	592	446	3	2
60	70	30	0	0	5	570	591	446	2	2
60	70	30	0	0	5	580	593	446	2	2
60	70	30	0	5	-5	550	594	454	2	2
60	70	30	0	5	-5	560	592	454	2	2
60	70	30	0	5	-5	570	592	454	2	2
60	70	30	0	5	0	550	594	450	3	2
60	70	30	0	5	0	560	592	450	3	2
60	70	30	0	5	0	570	592	450	2	2
60	70	30	0	5	5	540	597	446	1	1
60	70	30	0	5	5	550	595	446	3	2
60	70	30	0	5	5	560	592	446	3	2
60	70	30	0	5	5	570	592	446	2	2
60	70	30	5	-5	-5	560	590	454	1	1
60	70	30	5	-5	0	550	593	450	2	1
60	70	30	5	-5	0	560	590	450	2	2
60	70	30	5	-5	0	570	588	450	2	1
60	70	30	5	-5	0	580	590	450	1	1
60	70	30	5	-5	0	590	594	450	1	1
60	70	30	5	-5	5	550	593	446	2	1
60	70	30	5	-5	5	560	590	446	2	2
60	70	30	5	-5	5	570	589	446	2	2
60	70	30	5	-5	5	580	590	446	1	1
60	70	30	5	-5	5	590	594	446	1	1
60	70	30	5	0	-5	560	589	454	2	1
60	70	30	5	0	-5	570	588	454	2	1
60	70	30	5	0	-5	580	591	454	1	1
60	70	30	5	0	0	550	592	450	2	2
60	70	30	5	0	0	560	590	450	2	2
60	70	30	5	0	0	570	589	450	2	2
60	70	30	5	0	0	580	590	450	2	2
60	70	30	5	0	5	550	593	446	2	2
60	70	30	5	0	5	560	590	446	2	2

60	70	30	5	0	5	570	589	446	2	2
60	70	30	5	0	5	580	590	446	2	2
60	70	30	5	5	-5	550	592	454	2	1
60	70	30	5	5	-5	560	589	454	2	2
60	70	30	5	5	-5	570	589	454	2	1
60	70	30	5	5	0	550	593	450	2	2
60	70	30	5	5	0	560	590	450	2	2
60	70	30	5	5	0	570	589	450	2	2
60	70	30	5	5	5	550	592	446	3	2
60	70	30	5	5	5	560	590	446	2	2
60	70	30	5	5	5	570	589	446	2	2
60	70	30	5	5	5	580	592	446	1	1
60	70	40	-5	-5	-5	540	600	455	2	2
60	70	40	-5	-5	-5	550	598	455	3	2
60	70	40	-5	-5	-5	560	595	454	3	2
60	70	40	-5	-5	-5	570	594	454	3	2
60	70	40	-5	-5	-5	580	595	454	2	2
60	70	40	-5	-5	-5	590	600	454	1	2
60	70	40	-5	-5	0	540	600	452	3	2
60	70	40	-5	-5	0	550	597	451	3	2
60	70	40	-5	-5	0	560	595	451	3	3
60	70	40	-5	-5	0	570	593	451	3	3
60	70	40	-5	-5	0	580	595	451	2	3
60	70	40	-5	-5	0	590	600	451	2	2
60	70	40	-5	-5	5	540	599	448	3	2
60	70	40	-5	-5	5	550	598	448	3	3
60	70	40	-5	-5	5	560	595	448	3	3
60	70	40	-5	-5	5	570	594	448	3	3
60	70	40	-5	-5	5	580	595	448	2	3
60	70	40	-5	-5	5	590	600	447	2	2
60	70	40	-5	0	-5	540	599	455	2	2
60	70	40	-5	0	-5	550	597	455	3	2
60	70	40	-5	0	-5	560	595	454	3	3
60	70	40	-5	0	-5	570	594	454	3	2
60	70	40	-5	0	-5	580	596	454	2	2
60	70	40	-5	0	0	540	599	452	3	2
60	70	40	-5	0	0	550	597	451	3	3
60	70	40	-5	0	0	560	595	451	3	3
60	70	40	-5	0	0	570	594	451	3	3
60	70	40	-5	0	0	580	597	451	2	2
60	70	40	-5	0	5	540	600	448	3	2
60	70	40	-5	0	5	550	598	448	3	3
60	70	40	-5	0	5	560	595	448	3	3
60	70	40	-5	0	5	570	595	448	3	3
60	70	40	-5	0	5	580	597	447	2	2
60	70	40	-5	5	-5	540	600	454	3	2
60	70	40	-5	5	-5	550	597	454	3	3
60	70	40	-5	5	-5	560	596	454	3	2
60	70	40	-5	5	-5	570	596	454	2	2
60	70	40	-5	5	0	540	600	451	3	2
60	70	40	-5	5	0	550	597	451	3	3
60	70	40	-5	5	0	560	596	451	3	3
60	70	40	-5	5	0	570	596	451	2	2
60	70	40	-5	5	5	540	600	448	3	2
60	70	40	-5	5	5	550	598	448	3	3
60	70	40	-5	5	5	560	596	448	3	3

60	70	40	-5	5	5	570	596	447	2	2
60	70	40	0	-5	-5	540	597	455	2	1
60	70	40	0	-5	-5	550	595	455	3	2
60	70	40	0	-5	-5	560	592	455	3	2
60	70	40	0	-5	-5	570	591	454	3	2
60	70	40	0	-5	-5	580	592	454	2	2
60	70	40	0	-5	-5	590	596	454	2	2
60	70	40	0	-5	0	540	597	451	2	2
60	70	40	0	-5	0	550	595	451	3	2
60	70	40	0	-5	0	560	593	451	3	2
60	70	40	0	-5	0	570	591	451	3	3
60	70	40	0	-5	0	580	593	451	2	3
60	70	40	0	-5	0	590	597	451	2	2
60	70	40	0	-5	5	540	597	448	3	2
60	70	40	0	-5	5	550	594	448	3	2
60	70	40	0	-5	5	560	592	448	3	3
60	70	40	0	-5	5	570	591	448	3	3
60	70	40	0	-5	5	580	593	448	2	3
60	70	40	0	-5	5	590	597	448	2	3
60	70	40	0	0	-5	540	597	455	2	2
60	70	40	0	0	-5	550	595	455	3	2
60	70	40	0	0	-5	560	592	454	3	2
60	70	40	0	0	-5	570	592	454	3	2
60	70	40	0	0	-5	580	594	454	2	2
60	70	40	0	0	0	540	597	452	3	2
60	70	40	0	0	0	550	595	451	3	2
60	70	40	0	0	0	560	593	451	3	3
60	70	40	0	0	0	570	592	451	3	3
60	70	40	0	0	0	580	594	451	2	2
60	70	40	0	0	0	590	598	451	1	1
60	70	40	0	0	5	540	597	448	3	2
60	70	40	0	0	5	550	594	448	3	3
60	70	40	0	0	5	560	593	448	3	3
60	70	40	0	0	5	570	591	448	3	3
60	70	40	0	0	5	580	594	448	2	3
60	70	40	0	0	5	590	599	448	1	1
60	70	40	0	5	-5	540	597	455	3	2
60	70	40	0	5	-5	550	595	454	3	2
60	70	40	0	5	-5	560	592	454	3	3
60	70	40	0	5	-5	570	593	454	2	2
60	70	40	0	5	0	540	597	451	3	2
60	70	40	0	5	0	550	595	451	3	3
60	70	40	0	5	0	560	593	451	3	3
60	70	40	0	5	0	570	593	451	2	2
60	70	40	0	5	0	580	595	451	1	1
60	70	40	0	5	5	540	597	448	3	2
60	70	40	0	5	5	550	594	448	3	3
60	70	40	0	5	5	560	593	448	3	3
60	70	40	0	5	5	570	592	448	3	3
60	70	40	0	5	5	580	595	448	1	2
60	70	40	5	-5	-5	540	595	455	1	1
60	70	40	5	-5	-5	550	593	454	3	2
60	70	40	5	-5	-5	560	590	454	3	2
60	70	40	5	-5	-5	570	589	454	2	2
60	70	40	5	-5	-5	580	590	454	2	2
60	70	40	5	-5	-5	590	594	454	1	2

60	70	40	5	-5	0	540	595	452	2	2
60	70	40	5	-5	0	550	592	451	3	2
60	70	40	5	-5	0	560	590	451	3	2
60	70	40	5	-5	0	570	588	451	3	2
60	70	40	5	-5	0	580	590	451	2	2
60	70	40	5	-5	0	590	594	451	1	2
60	70	40	5	-5	5	540	594	449	3	2
60	70	40	5	-5	5	550	593	448	3	2
60	70	40	5	-5	5	560	590	448	3	2
60	70	40	5	-5	5	570	589	447	3	2
60	70	40	5	-5	5	580	590	447	2	2
60	70	40	5	-5	5	590	594	448	2	2
60	70	40	5	0	-5	540	595	454	2	2
60	70	40	5	0	-5	550	592	454	3	2
60	70	40	5	0	-5	560	590	454	3	2
60	70	40	5	0	-5	570	589	454	2	2
60	70	40	5	0	-5	580	591	454	2	2
60	70	40	5	0	-5	590	595	454	1	2
60	70	40	5	0	0	540	595	451	2	2
60	70	40	5	0	0	550	592	451	3	2
60	70	40	5	0	0	560	590	451	3	2
60	70	40	5	0	0	570	589	451	3	2
60	70	40	5	0	0	580	591	451	2	2
60	70	40	5	0	0	590	595	451	1	2
60	70	40	5	0	5	540	595	448	3	2
60	70	40	5	0	5	550	592	448	3	2
60	70	40	5	0	5	560	590	448	3	3
60	70	40	5	0	5	570	589	448	3	3
60	70	40	5	0	5	580	591	448	2	2
60	70	40	5	0	5	590	596	448	1	2
60	70	40	5	5	-5	540	595	455	2	2
60	70	40	5	5	-5	550	592	454	3	2
60	70	40	5	5	-5	560	590	454	3	2
60	70	40	5	5	-5	570	589	454	2	2
60	70	40	5	5	-5	580	592	454	2	2
60	70	40	5	5	0	540	595	451	3	2
60	70	40	5	5	0	550	593	451	3	2
60	70	40	5	5	0	560	590	451	3	2
60	70	40	5	5	0	570	590	451	2	2
60	70	40	5	5	0	580	592	450	2	2
60	70	40	5	5	5	540	595	448	3	2
60	70	40	5	5	5	550	592	448	3	3
60	70	40	5	5	5	560	590	448	3	3
60	70	40	5	5	5	570	590	448	3	2
60	70	40	5	5	5	580	592	448	2	2
60	70	50	-5	-5	-5	560	594	454	2	2
60	70	50	-5	-5	-5	570	592	455	2	2
60	70	50	-5	-5	-5	580	595	454	1	2
60	70	50	-5	-5	0	550	597	452	2	2
60	70	50	-5	-5	0	560	594	452	2	2
60	70	50	-5	-5	0	570	593	452	2	2
60	70	50	-5	-5	0	580	594	452	2	2
60	70	50	-5	-5	5	550	597	450	2	2
60	70	50	-5	-5	5	560	593	450	2	2
60	70	50	-5	-5	5	570	592	449	2	2
60	70	50	-5	-5	5	580	594	449	2	2

60	70	50	-5	0	-5	550	597	454	2	2
60	70	50	-5	0	-5	560	594	454	2	2
60	70	50	-5	0	-5	570	594	454	2	2
60	70	50	-5	0	0	550	596	452	2	2
60	70	50	-5	0	0	560	594	452	2	2
60	70	50	-5	0	0	570	594	451	2	2
60	70	50	-5	0	5	550	597	450	2	2
60	70	50	-5	0	5	560	595	449	2	2
60	70	50	-5	0	5	570	593	449	2	2
60	70	50	-5	5	-5	550	597	455	2	2
60	70	50	-5	5	-5	560	595	454	2	2
60	70	50	-5	5	0	550	597	452	2	2
60	70	50	-5	5	0	560	595	452	2	2
60	70	50	-5	5	5	540	599	450	1	1
60	70	50	-5	5	5	550	597	449	2	2
60	70	50	-5	5	5	560	595	449	2	2
60	70	50	0	-5	-5	560	591	455	2	1
60	70	50	0	-5	-5	570	590	454	1	1
60	70	50	0	-5	-5	580	591	454	1	2
60	70	50	0	-5	0	550	594	453	2	1
60	70	50	0	-5	0	560	591	452	2	2
60	70	50	0	-5	0	570	590	452	2	2
60	70	50	0	-5	0	580	592	451	2	2
60	70	50	0	-5	0	590	596	452	1	2
60	70	50	0	-5	5	550	594	450	2	2
60	70	50	0	-5	5	560	591	449	2	2
60	70	50	0	-5	5	570	590	449	2	2
60	70	50	0	-5	5	580	592	449	2	2
60	70	50	0	-5	5	590	596	449	1	2
60	70	50	0	0	-5	550	594	455	1	1
60	70	50	0	0	-5	560	591	454	2	2
60	70	50	0	0	-5	570	590	454	2	2
60	70	50	0	0	-5	580	593	454	1	1
60	70	50	0	0	0	550	594	452	2	2
60	70	50	0	0	0	560	592	451	2	2
60	70	50	0	0	0	570	591	452	2	2
60	70	50	0	0	0	580	593	452	1	2
60	70	50	0	0	5	550	594	449	2	2
60	70	50	0	0	5	560	591	449	2	2
60	70	50	0	0	5	570	591	448	2	2
60	70	50	0	0	5	580	593	449	1	2
60	70	50	0	5	-5	550	594	454	2	2
60	70	50	0	5	-5	560	592	454	2	2
60	70	50	0	5	-5	570	592	454	1	1
60	70	50	0	5	0	550	594	451	2	2
60	70	50	0	5	0	560	592	451	2	2
60	70	50	0	5	0	570	591	451	1	2
60	70	50	0	5	5	550	594	449	2	2
60	70	50	0	5	5	560	592	448	2	2
60	70	50	0	5	5	570	592	449	2	2
60	70	50	5	-5	5	550	592	449	1	1
60	70	50	5	-5	5	560	589	449	2	2
60	70	50	5	0	0	550	592	452	1	1
60	70	50	5	0	0	560	589	451	2	1
60	70	50	5	0	0	570	589	451	1	1

www.mcafee.com

60	70	50	5	0	0	580	590	451	1	1
60	70	50	5	0	5	550	591	450	2	2
60	70	50	5	0	5	560	589	449	2	2
60	70	50	5	0	5	570	588	449	2	2
60	70	50	5	0	5	580	590	448	1	1
60	70	50	5	5	-5	560	590	454	1	1
60	70	50	5	5	0	550	592	451	1	1
60	70	50	5	5	0	560	590	452	2	2
60	70	50	5	5	0	570	588	451	2	1
60	70	50	5	5	5	550	591	449	2	2
60	70	50	5	5	5	560	589	449	2	2
60	70	50	5	5	5	570	589	448	1	1
70	50	30	-5	-5	0	540	592	450	2	2
70	50	30	-5	-5	0	550	587	450	2	1
70	50	30	-5	-5	5	540	592	446	3	2
70	50	30	-5	-5	5	550	587	446	2	1
70	50	30	-5	0	-5	540	590	454	2	1
70	50	30	-5	0	0	540	590	450	3	2
70	50	30	-5	0	5	540	590	446	3	2
70	50	30	-5	5	-5	540	589	454	1	1
70	50	30	-5	5	0	540	589	450	3	2
70	50	30	-5	5	5	540	589	446	3	2
70	50	30	0	-5	0	540	589	450	2	1
70	50	30	0	-5	0	550	581	450	3	1
70	50	30	0	-5	5	540	588	446	3	1
70	50	30	0	-5	5	550	581	446	3	2
70	50	30	0	0	-5	540	587	454	2	1
70	50	30	0	0	0	540	586	450	3	2
70	50	30	0	0	5	540	585	446	3	2
70	50	30	0	5	0	540	585	450	3	2
70	50	30	0	5	5	540	585	446	3	2
70	50	30	5	-5	-5	550	575	454	2	1
70	50	30	5	-5	0	550	575	450	3	2
70	50	30	5	-5	5	540	586	446	2	1
70	50	30	5	-5	5	550	576	446	3	2
70	50	30	5	0	0	540	581	450	3	2
70	50	30	5	0	5	540	581	446	3	2
70	50	30	5	5	0	540	580	450	3	1
70	50	30	5	5	5	540	579	446	3	2
70	50	40	-5	-5	-5	540	591	454	3	2
70	50	40	-5	-5	-5	550	586	454	3	2
70	50	40	-5	-5	0	540	591	451	4	2
70	50	40	-5	-5	0	550	586	451	4	2
70	50	40	-5	-5	5	540	591	447	4	2
70	50	40	-5	-5	5	550	587	448	4	2
70	50	40	-5	0	-5	540	590	454	4	2
70	50	40	-5	0	0	540	589	451	4	2
70	50	40	-5	0	5	540	589	448	4	3
70	50	40	-5	5	-5	540	589	454	3	2
70	50	40	-5	5	0	530	594	451	2	1
70	50	40	-5	5	0	540	589	451	4	2
70	50	40	-5	5	5	530	594	448	3	2
70	50	40	-5	5	5	540	588	447	4	2
70	50	40	0	-5	-5	540	588	454	3	2
70	50	40	0	-5	-5	550	582	454	4	2
70	50	40	0	-5	0	540	587	451	4	2

70	50	40	0	-5	0	550	582	451	4	2
70	50	40	0	-5	5	540	587	447	4	2
70	50	40	0	-5	5	550	581	447	4	2
70	50	40	0	0	-5	540	585	454	4	2
70	50	40	0	0	0	540	585	451	4	2
70	50	40	0	0	5	540	584	448	4	2
70	50	40	0	0	5	550	582	447	2	1
70	50	40	0	5	-5	540	585	454	4	2
70	50	40	0	5	0	540	584	451	4	2
70	50	40	0	5	5	530	592	447	2	1
70	50	40	0	5	5	540	584	447	4	2
70	50	40	5	-5	-5	540	585	454	3	2
70	50	40	5	-5	-5	550	576	454	4	2
70	50	40	5	-5	0	540	584	451	4	2
70	50	40	5	-5	0	550	577	451	4	2
70	50	40	5	-5	5	540	583	448	4	2
70	50	40	5	-5	5	550	578	447	4	2
70	50	40	5	0	-5	540	579	454	4	2
70	50	40	5	0	0	540	579	451	5	2
70	50	40	5	0	0	550	577	451	2	1
70	50	40	5	0	5	540	578	447	5	2
70	50	40	5	0	5	550	577	448	3	2
70	50	40	5	5	-5	540	579	454	4	2
70	50	40	5	5	0	540	579	451	4	2
70	50	40	5	5	5	540	578	447	4	2
70	50	50	-5	0	0	540	590	451	2	1
70	50	50	-5	0	5	540	590	448	2	2
70	50	50	0	0	5	540	586	449	2	1
70	60	30	-5	-5	-5	550	578	454	4	2
70	60	30	-5	-5	0	540	591	450	1	1
70	60	30	-5	-5	0	550	579	450	4	2
70	60	30	-5	-5	5	540	591	446	2	1
70	60	30	-5	-5	5	550	578	446	4	2
70	60	30	-5	0	-5	540	589	454	2	1
70	60	30	-5	0	-5	550	580	454	3	2
70	60	30	-5	0	0	540	589	450	3	2
70	60	30	-5	0	0	550	580	450	4	2
70	60	30	-5	0	5	540	589	446	3	2
70	60	30	-5	0	5	550	581	446	4	2
70	60	30	-5	5	-5	540	587	454	3	2
70	60	30	-5	5	0	540	588	450	3	2
70	60	30	-5	5	0	550	583	450	2	1
70	60	30	-5	5	5	540	587	446	3	2
70	60	30	-5	5	5	550	583	446	3	2
70	60	30	0	-5	-5	550	572	454	4	2
70	60	30	0	-5	0	550	574	450	4	2
70	60	30	0	-5	5	550	574	446	4	2
70	60	30	0	0	-5	550	574	454	3	2
70	60	30	0	0	0	540	587	450	2	1
70	60	30	0	0	0	550	575	450	4	2
70	60	30	0	0	5	540	587	446	3	2
70	60	30	0	0	5	550	576	446	4	2
70	60	30	0	5	-5	540	585	454	2	1
70	60	30	0	5	-5	550	576	454	2	1
70	60	30	0	5	0	540	584	450	3	2
70	60	30	0	5	0	550	577	450	3	2

70	60	30	0	5	5	540	584	446	3	2
70	60	30	0	5	5	550	578	446	3	2
70	60	30	5	-5	-5	550	568	454	4	1
70	60	30	5	-5	0	550	569	450	4	2
70	60	30	5	-5	5	550	570	446	4	2
70	60	30	5	0	-5	550	569	454	3	2
70	60	30	5	0	0	540	546	450	1	1
70	60	30	5	0	0	550	570	450	4	2
70	60	30	5	0	5	540	546	446	1	1
70	60	30	5	0	5	550	571	446	4	2
70	60	30	5	5	0	540	583	450	1	1
70	60	30	5	5	0	550	572	450	2	1
70	60	30	5	5	5	540	582	446	2	1
70	60	30	5	5	5	550	572	446	3	2
70	60	40	-5	-5	-5	540	590	454	3	2
70	60	40	-5	-5	-5	550	580	454	4	3
70	60	40	-5	-5	0	540	590	451	4	2
70	60	40	-5	-5	0	550	579	451	5	3
70	60	40	-5	-5	5	540	590	448	4	2
70	60	40	-5	-5	5	550	580	448	5	3
70	60	40	-5	0	-5	540	589	454	4	2
70	60	40	-5	0	-5	550	581	454	4	3
70	60	40	-5	0	0	540	588	451	4	2
70	60	40	-5	0	0	550	581	451	4	3
70	60	40	-5	0	5	540	588	448	4	3
70	60	40	-5	0	5	550	581	448	4	3
70	60	40	-5	5	-5	540	587	454	4	2
70	60	40	-5	5	-5	550	583	454	3	2
70	60	40	-5	5	0	540	587	451	4	2
70	60	40	-5	5	0	550	583	451	3	2
70	60	40	-5	5	5	530	594	448	1	1
70	60	40	-5	5	5	540	587	448	4	3
70	60	40	-5	5	5	550	584	447	3	2
70	60	40	0	-5	-5	540	589	455	3	2
70	60	40	0	-5	-5	550	576	454	5	3
70	60	40	0	-5	0	540	588	451	3	2
70	60	40	0	-5	0	550	576	451	5	3
70	60	40	0	-5	5	540	587	448	4	2
70	60	40	0	-5	5	550	576	448	5	3
70	60	40	0	0	-5	540	586	454	4	2
70	60	40	0	0	-5	550	577	454	4	2
70	60	40	0	0	0	540	585	451	4	2
70	60	40	0	0	0	550	576	451	4	3
70	60	40	0	0	5	540	584	448	4	2
70	60	40	0	0	5	550	578	448	4	3
70	60	40	0	5	-5	540	583	454	4	2
70	60	40	0	5	-5	550	579	454	3	2
70	60	40	0	5	0	540	582	451	4	2
70	60	40	0	5	0	550	579	451	4	2
70	60	40	0	5	5	540	582	448	4	2
70	60	40	0	5	5	550	579	447	4	2
70	60	40	5	-5	-5	540	586	454	2	2
70	60	40	5	-5	-5	540	542	455	1	1
70	60	40	5	-5	-5	550	571	454	4	2
70	60	40	5	-5	0	540	586	451	3	2
70	60	40	5	-5	0	540	543	451	1	2

70	60	40	5	-5	0	550	572	451	4	3
70	60	40	5	-5	5	540	585	448	3	2
70	60	40	5	-5	5	540	544	448	1	2
70	60	40	5	-5	5	550	574	448	5	3
70	60	40	5	0	-5	540	547	454	2	2
70	60	40	5	0	-5	540	584	455	3	2
70	60	40	5	0	-5	550	572	454	4	2
70	60	40	5	0	0	540	547	451	2	2
70	60	40	5	0	0	540	583	451	4	2
70	60	40	5	0	0	550	573	451	4	2
70	60	40	5	0	5	540	548	447	2	2
70	60	40	5	0	5	540	582	448	4	2
70	60	40	5	0	5	550	574	448	4	3
70	60	40	5	5	-5	540	580	454	4	2
70	60	40	5	5	-5	540	553	454	2	2
70	60	40	5	5	-5	550	574	454	3	2
70	60	40	5	5	0	540	572	451	4	2
70	60	40	5	5	0	550	575	451	4	2
70	60	40	5	5	5	540	572	448	5	2
70	60	40	5	5	5	550	575	447	4	2
70	60	50	-5	-5	-5	550	579	454	3	2
70	60	50	-5	-5	0	550	578	452	4	2
70	60	50	-5	-5	5	540	591	450	2	1
70	60	50	-5	-5	5	550	578	449	4	2
70	60	50	-5	0	-5	550	579	454	3	2
70	60	50	-5	0	0	540	589	452	2	1
70	60	50	-5	0	0	550	580	451	3	2
70	60	50	-5	0	5	540	589	449	3	2
70	60	50	-5	0	5	550	580	449	3	2
70	60	50	-5	5	-5	540	588	455	1	1
70	60	50	-5	5	0	540	588	452	2	2
70	60	50	-5	5	5	540	587	449	3	2
70	60	50	0	-5	-5	550	571	454	4	2
70	60	50	0	-5	0	550	572	452	4	2
70	60	50	0	-5	5	550	572	449	4	2
70	60	50	0	0	-5	550	572	454	3	2
70	60	50	0	0	0	550	574	451	3	2
70	60	50	0	0	5	540	586	449	2	1
70	60	50	0	0	5	550	573	449	3	2
70	60	50	0	5	5	540	584	449	2	1
70	60	50	5	-5	-5	550	564	455	3	2
70	60	50	5	-5	0	550	566	452	4	2
70	60	50	5	-5	5	550	568	449	4	2
70	60	50	5	0	-5	550	565	454	2	1
70	60	50	5	0	0	550	567	451	3	2
70	60	50	5	0	5	550	568	449	3	2
70	70	30	-5	-5	0	560	580	450	2	1
70	70	30	-5	-5	0	570	574	450	1	1
70	70	30	-5	-5	5	560	580	446	3	2
70	70	30	-5	-5	5	570	575	446	2	1
70	70	30	-5	0	-5	560	580	454	3	2
70	70	30	-5	0	0	550	587	450	2	1
70	70	30	-5	0	0	560	580	450	3	2
70	70	30	-5	0	0	570	581	450	1	1
70	70	30	-5	0	5	550	587	446	2	2
70	70	30	-5	0	5	560	581	446	3	2

70	70	30	-5	0	5	570	581	446	2	2
70	70	30	-5	5	-5	550	586	454	2	1
70	70	30	-5	5	-5	560	583	454	2	2
70	70	30	-5	5	0	550	587	450	3	2
70	70	30	-5	5	0	560	584	450	2	2
70	70	30	-5	5	5	550	586	446	3	2
70	70	30	-5	5	5	560	584	446	3	2
70	70	30	0	0	0	560	578	450	1	1
70	70	30	0	0	0	570	572	450	1	1
70	70	30	0	0	5	560	578	446	2	1
70	70	30	0	0	5	570	573	446	1	1
70	70	30	0	5	-5	560	577	454	2	2
70	70	30	0	5	0	550	584	450	2	1
70	70	30	0	5	0	560	578	450	3	2
70	70	30	0	5	5	550	584	446	2	1
70	70	30	0	5	5	560	578	446	3	2
70	70	40	-5	-5	-5	550	587	455	3	2
70	70	40	-5	-5	-5	560	579	454	3	2
70	70	40	-5	-5	-5	570	577	454	2	2
70	70	40	-5	-5	0	540	593	452	1	1
70	70	40	-5	-5	0	550	587	452	3	2
70	70	40	-5	-5	0	560	579	451	4	2
70	70	40	-5	-5	0	570	578	451	2	2
70	70	40	-5	-5	5	540	593	448	2	1
70	70	40	-5	-5	5	550	586	448	3	2
70	70	40	-5	-5	5	560	579	448	4	2
70	70	40	-5	-5	5	570	577	448	2	2
70	70	40	-5	0	-5	550	586	454	3	2
70	70	40	-5	0	-5	560	581	454	3	2
70	70	40	-5	0	-5	570	582	454	2	2
70	70	40	-5	0	0	540	592	452	2	2
70	70	40	-5	0	0	550	587	451	3	2
70	70	40	-5	0	0	560	582	451	3	2
70	70	40	-5	0	0	570	582	451	2	2
70	70	40	-5	0	5	540	592	448	3	2
70	70	40	-5	0	5	550	587	448	4	2
70	70	40	-5	0	5	560	582	448	4	3
70	70	40	-5	0	5	570	582	447	2	2

70	70	40	-5	5	-5	540	592	455	2	1
70	70	40	-5	5	-5	550	587	454	3	2
70	70	40	-5	5	-5	560	584	454	3	2
70	70	40	-5	5	0	540	592	451	3	2
70	70	40	-5	5	0	550	587	451	3	2
70	70	40	-5	5	0	560	584	451	3	3
70	70	40	-5	5	5	540	592	448	3	2
70	70	40	-5	5	5	550	587	448	4	3
70	70	40	-5	5	5	560	585	448	3	3
70	70	40	0	-5	-5	550	586	455	2	1
70	70	40	0	-5	-5	560	580	455	2	1
70	70	40	0	-5	0	550	586	451	3	2
70	70	40	0	-5	0	560	580	451	3	2
70	70	40	0	-5	5	550	586	448	3	2
70	70	40	0	-5	5	560	581	448	3	2
70	70	40	0	0	-5	550	585	455	3	2
70	70	40	0	0	-5	560	578	454	3	2
70	70	40	0	0	-5	570	575	454	2	2
70	70	40	0	0	0	550	585	451	3	2
70	70	40	0	0	0	560	576	451	3	2
70	70	40	0	0	0	570	575	451	2	2
70	70	40	0	0	5	540	590	449	2	1
70	70	40	0	0	5	550	585	448	3	2
70	70	40	0	0	5	560	577	448	4	2
70	70	40	0	0	5	570	577	448	2	2
70	70	40	0	5	-5	550	585	454	3	2
70	70	40	0	5	-5	560	579	454	3	2
70	70	40	0	5	-5	570	580	455	1	1
70	70	40	0	5	0	540	590	451	1	1
70	70	40	0	5	0	550	584	451	3	2
70	70	40	0	5	0	560	580	451	3	2
70	70	40	0	5	0	570	581	451	1	2
70	70	40	0	5	5	540	590	448	2	2
70	70	40	0	5	5	550	584	448	3	2
70	70	40	0	5	5	560	580	448	3	2
70	70	40	0	5	5	570	580	447	2	2
70	70	40	5	-5	0	550	585	452	1	1
70	70	40	5	-5	5	550	585	448	2	2
70	70	40	5	0	0	550	584	451	2	1
70	70	40	5	0	0	560	580	452	0	0
70	70	40	5	0	5	550	584	448	3	2
70	70	40	5	0	5	560	579	448	2	2
70	70	40	5	5	-5	550	583	455	2	1
70	70	40	5	5	-5	560	575	454	3	2
70	70	40	5	5	-5	570	573	454	1	1
70	70	40	5	5	0	550	583	451	3	2
70	70	40	5	5	0	560	575	451	3	2
70	70	40	5	5	0	570	574	451	1	2
70	70	40	5	5	5	550	583	447	3	2
70	70	40	5	5	5	560	575	448	3	2
70	70	40	5	5	5	570	574	447	1	2
70	70	50	-5	-5	5	560	578	450	2	2
70	70	50	-5	-5	5	570	573	449	1	1
70	70	50	-5	0	-5	560	580	454	2	2

70	70	50	-5	0	0	560	579	452	2	2
70	70	50	-5	0	5	550	586	450	2	2
70	70	50	-5	0	5	560	580	449	3	2
70	70	50	-5	5	-5	550	586	454	1	1
70	70	50	-5	5	-5	560	583	454	2	2
70	70	50	-5	5	0	550	586	452	2	2
70	70	50	-5	5	0	560	583	451	2	2
70	70	50	-5	5	5	550	586	449	2	2
70	70	50	-5	5	5	560	583	449	2	2
70	70	50	0	5	-5	560	576	454	1	1
70	70	50	0	5	0	560	577	452	2	2
70	70	50	0	5	5	560	577	449	2	2

5 **Table II: Peak wavelength tolerances based on single-peak symmetric or asymmetric channel sensitivities for three channel cameras with μ -factor of .95 or larger**

Sensitivity Widths			Sensitivity Skews			Green Sensitivity Peak	Center Peaks in Red/Blue Peak Plane		Ellipse Axes in Red/Blue Peak Plane	
W_R	W_G	W_B	ΔW_R	ΔW_G	ΔW_B	$P_{\lambda G}$	$P_{\lambda R}$	$P_{\lambda B}$	HalfAxis _R	HalfAxis _B
50	50	30	-5	-5	-5	530	604	454	3	2
50	50	30	-5	-5	-5	540	604	454	4	3
50	50	30	-5	-5	-5	550	601	454	4	3
50	50	30	-5	-5	-5	560	595	454	3	2
50	50	30	-5	-5	0	530	604	450	3	2
50	50	30	-5	-5	0	540	603	450	4	3
50	50	30	-5	-5	0	550	600	450	4	3
50	50	30	-5	-5	0	560	595	450	3	2
50	50	30	-5	-5	5	530	604	446	3	2
50	50	30	-5	-5	5	540	603	446	4	3
50	50	30	-5	-5	5	550	600	446	4	3
50	50	30	-5	-5	5	560	595	446	3	2
50	50	30	-5	0	-5	530	604	454	3	3
50	50	30	-5	0	-5	540	603	454	4	3
50	50	30	-5	0	-5	550	600	454	4	3
50	50	30	-5	0	0	530	605	450	3	3
50	50	30	-5	0	0	540	603	450	4	3
50	50	30	-5	0	0	550	600	450	4	3
50	50	30	-5	0	5	530	604	446	3	3
50	50	30	-5	0	5	540	602	446	4	3
50	50	30	-5	0	5	550	600	446	4	3
50	50	30	-5	0	5	560	595	446	1	1
50	50	30	-5	5	-5	530	604	454	4	3
50	50	30	-5	5	-5	540	602	454	4	3
50	50	30	-5	5	-5	550	600	454	3	2
50	50	30	-5	5	0	530	604	450	4	3
50	50	30	-5	5	0	540	603	450	4	3
50	50	30	-5	5	0	550	599	450	3	2
50	50	30	-5	5	5	530	604	446	4	3
50	50	30	-5	5	5	540	602	446	4	3
50	50	30	-5	5	5	550	599	446	3	2
50	50	30	0	-5	-5	530	601	454	3	2

50	50	30	0	-5	-5	540	600	454	4	3
50	50	30	0	-5	-5	550	597	454	4	3
50	50	30	0	-5	-5	560	590	454	3	2
50	50	30	0	-5	-5	570	575	454	2	2
50	50	30	0	-5	0	530	601	450	3	2
50	50	30	0	-5	0	540	600	450	4	3
50	50	30	0	-5	0	550	597	450	4	3
50	50	30	0	-5	0	560	590	450	4	2
50	50	30	0	-5	0	570	575	450	2	2
50	50	30	0	-5	5	530	601	446	3	2
50	50	30	0	-5	5	540	600	446	4	3
50	50	30	0	-5	5	550	597	446	4	3
50	50	30	0	-5	5	560	590	446	4	2
50	50	30	0	-5	5	570	576	446	2	2
50	50	30	0	0	-5	530	601	454	3	3
50	50	30	0	0	-5	540	599	454	4	3
50	50	30	0	0	-5	550	596	454	4	3
50	50	30	0	0	-5	560	589	454	1	1
50	50	30	0	0	0	530	601	450	3	3
50	50	30	0	0	0	540	600	450	4	3
50	50	30	0	0	0	550	596	450	4	3
50	50	30	0	0	0	560	590	450	2	2
50	50	30	0	0	5	530	601	446	3	3
50	50	30	0	0	5	540	600	446	4	3
50	50	30	0	0	5	550	596	446	4	3
50	50	30	0	0	5	560	589	446	3	2
50	50	30	0	5	-5	530	601	454	4	3
50	50	30	0	5	-5	540	599	454	4	3
50	50	30	0	5	-5	550	595	454	3	2
50	50	30	0	5	0	530	601	450	4	3
50	50	30	0	5	0	540	599	450	4	3
50	50	30	0	5	0	550	596	450	4	2
50	50	30	0	5	5	530	601	446	4	3
50	50	30	0	5	5	540	599	446	4	3
50	50	30	0	5	5	550	595	446	4	2
50	50	30	5	-5	-5	530	598	454	3	2
50	50	30	5	-5	-5	540	596	454	4	3
50	50	30	5	-5	-5	550	594	454	4	3
50	50	30	5	-5	-5	560	585	454	4	2
50	50	30	5	-5	-5	570	576	454	2	2
50	50	30	5	-5	0	530	597	450	3	2
50	50	30	5	-5	0	540	597	450	4	3
50	50	30	5	-5	0	550	593	450	4	3
50	50	30	5	-5	0	560	585	450	4	2
50	50	30	5	-5	0	570	576	450	2	2
50	50	30	5	-5	5	530	598	446	3	2
50	50	30	5	-5	5	540	597	446	4	3
50	50	30	5	-5	5	550	593	446	4	3
50	50	30	5	-5	5	560	584	446	4	2
50	50	30	5	-5	5	570	577	446	2	2
50	50	30	5	0	-5	530	598	454	3	3
50	50	30	5	0	-5	540	597	454	4	3
50	50	30	5	0	-5	550	593	454	4	3
50	50	30	5	0	-5	560	583	454	3	2

50	50	30	5	0	-5	570	572	454	1	1
50	50	30	5	0	0	530	597	450	3	3
50	50	30	5	0	0	540	596	450	4	3
50	50	30	5	0	0	550	592	450	4	3
50	50	30	5	0	0	560	583	450	3	2
50	50	30	5	0	0	570	573	450	1	2
50	50	30	5	0	5	530	597	446	3	3
50	50	30	5	0	5	540	596	446	4	3
50	50	30	5	0	5	550	592	446	4	3
50	50	30	5	0	5	560	583	446	3	2
50	50	30	5	0	5	570	574	446	1	1
50	50	30	5	5	-5	530	598	454	3	3
50	50	30	5	5	-5	540	595	454	4	3
50	50	30	5	5	-5	550	592	454	3	2
50	50	30	5	5	0	530	597	450	4	3
50	50	30	5	5	0	540	596	450	4	3
50	50	30	5	5	0	550	592	450	4	2
50	50	30	5	5	5	530	597	446	4	3
50	50	30	5	5	5	540	596	446	4	3
50	50	30	5	5	5	550	592	446	4	2
50	50	40	-5	-5	-5	530	604	455	3	3
50	50	40	-5	-5	-5	540	603	454	4	3
50	50	40	-5	-5	-5	550	601	454	4	3
50	50	40	-5	-5	-5	560	595	454	4	3
50	50	40	-5	-5	0	530	604	451	3	3
50	50	40	-5	-5	0	540	603	451	4	3
50	50	40	-5	-5	0	550	600	451	4	3
50	50	40	-5	-5	0	560	595	451	4	3
50	50	40	-5	-5	5	530	604	448	3	3
50	50	40	-5	-5	5	540	603	447	4	3
50	50	40	-5	-5	5	550	600	448	4	3
50	50	40	-5	-5	5	560	595	447	4	3
50	50	40	-5	0	-5	530	604	454	4	3
50	50	40	-5	0	-5	540	603	454	4	3
50	50	40	-5	0	-5	550	600	454	4	3
50	50	40	-5	0	-5	560	594	454	3	2
50	50	40	-5	0	0	530	604	451	4	3
50	50	40	-5	0	0	540	603	451	4	3
50	50	40	-5	0	0	550	600	451	4	3
50	50	40	-5	0	0	560	594	451	3	2
50	50	40	-5	0	5	530	604	447	4	3
50	50	40	-5	0	5	540	602	447	4	3
50	50	40	-5	0	5	550	599	448	4	3
50	50	40	-5	0	5	560	595	448	3	2
50	50	40	-5	5	-5	520	605	454	2	1
50	50	40	-5	5	-5	530	604	454	4	3
50	50	40	-5	5	-5	540	602	454	4	3
50	50	40	-5	5	-5	550	599	454	4	3
50	50	40	-5	5	0	520	604	451	2	2
50	50	40	-5	5	0	530	604	451	4	3
50	50	40	-5	5	0	540	603	451	4	3
50	50	40	-5	5	0	550	599	451	4	3
50	50	40	-5	5	5	520	604	448	2	2
50	50	40	-5	5	5	530	604	448	4	3

50	50	40	-5	5	5	540	602	447	4	3
50	50	40	-5	5	5	550	600	448	4	3
50	50	40	0	-5	-5	530	601	455	3	3
50	50	40	0	-5	-5	540	600	454	4	3
50	50	40	0	-5	-5	550	597	454	4	3
50	50	40	0	-5	-5	560	590	454	4	3
50	50	40	0	-5	-5	570	578	454	2	2
50	50	40	0	-5	0	530	601	451	3	3
50	50	40	0	-5	0	540	600	451	4	3
50	50	40	0	-5	0	550	597	451	4	3
50	50	40	0	-5	0	560	589	451	4	3
50	50	40	0	-5	0	570	578	450	3	2
50	50	40	0	-5	5	530	601	448	3	3
50	50	40	0	-5	5	540	599	447	4	3
50	50	40	0	-5	5	550	597	447	4	3
50	50	40	0	-5	5	560	589	447	4	3
50	50	40	0	-5	5	570	579	448	3	2
50	50	40	0	0	-5	530	601	454	4	3
50	50	40	0	0	-5	540	599	454	4	3
50	50	40	0	0	-5	550	596	454	4	3
50	50	40	0	0	-5	560	589	454	3	2
50	50	40	0	0	0	530	601	451	4	3
50	50	40	0	0	0	540	599	451	4	3
50	50	40	0	0	0	550	596	451	4	3
50	50	40	0	0	0	560	589	451	4	2
50	50	40	0	0	5	530	600	447	4	3
50	50	40	0	0	5	540	600	447	4	3
50	50	40	0	0	5	550	596	448	4	3
50	50	40	0	0	5	560	589	447	4	2
50	50	40	0	5	-5	520	601	454	2	2
50	50	40	0	5	-5	530	600	454	4	3
50	50	40	0	5	-5	540	599	454	4	3
50	50	40	0	5	-5	550	596	454	4	3
50	50	40	0	5	0	520	601	451	2	2
50	50	40	0	5	0	530	601	451	4	3
50	50	40	0	5	0	540	599	451	4	3
50	50	40	0	5	0	550	595	451	4	3
50	50	40	0	5	5	520	601	448	3	2
50	50	40	0	5	5	530	601	448	4	3
50	50	40	0	5	5	540	598	447	4	3
50	50	40	0	5	5	550	595	448	4	3
50	50	40	5	-5	-5	530	597	455	3	3
50	50	40	5	-5	-5	540	596	454	4	3
50	50	40	5	-5	-5	550	593	454	4	3
50	50	40	5	-5	-5	560	584	454	4	3
50	50	40	5	-5	-5	570	578	454	2	2
50	50	40	5	-5	0	530	598	451	3	3
50	50	40	5	-5	0	540	597	451	4	3
50	50	40	5	-5	0	550	593	451	4	3
50	50	40	5	-5	0	560	584	451	4	3
50	50	40	5	-5	0	570	578	451	3	2
50	50	40	5	-5	5	530	597	448	3	3
50	50	40	5	-5	5	540	596	447	4	3
50	50	40	5	-5	5	550	593	448	4	3

www.mcafee.com

50	50	40	5	-5	5	560	584	448	5	3
50	50	40	5	-5	5	570	579	448	3	2
50	50	40	5	0	-5	530	597	454	4	3
50	50	40	5	0	-5	540	596	454	4	3
50	50	40	5	0	-5	550	592	454	4	3
50	50	40	5	0	-5	560	581	454	4	2
50	50	40	5	0	-5	570	575	454	2	2
50	50	40	5	0	0	530	597	451	4	3
50	50	40	5	0	0	540	596	451	4	3
50	50	40	5	0	0	550	592	451	4	3
50	50	40	5	0	0	560	581	451	4	2
50	50	40	5	0	0	570	575	451	2	2
50	50	40	5	0	5	530	597	447	4	3
50	50	40	5	0	5	540	596	447	4	3
50	50	40	5	0	5	550	592	448	4	3
50	50	40	5	0	5	560	581	448	4	2
50	50	40	5	0	5	570	576	447	2	2
50	50	40	5	5	-5	520	598	455	2	1
50	50	40	5	5	-5	530	598	454	4	3
50	50	40	5	5	-5	540	595	454	4	3
50	50	40	5	5	-5	550	591	454	4	3
50	50	40	5	5	0	520	598	451	2	2
50	50	40	5	5	0	530	597	451	4	3
50	50	40	5	5	0	540	595	451	4	3
50	50	40	5	5	0	550	591	451	4	3
50	50	40	5	5	5	520	598	448	2	2
50	50	40	5	5	5	530	597	448	4	3
50	50	40	5	5	5	540	596	447	4	3
50	50	40	5	5	5	550	592	448	4	3
50	50	40	5	5	5	560	583	448	2	1
50	50	50	-5	-5	-5	530	604	455	3	2
50	50	50	-5	-5	-5	540	603	454	4	3
50	50	50	-5	-5	-5	550	601	454	4	3
50	50	50	-5	-5	-5	560	596	454	3	2
50	50	50	-5	-5	0	530	605	452	3	3
50	50	50	-5	-5	0	540	604	452	4	4
50	50	50	-5	-5	0	550	601	451	4	3
50	50	50	-5	-5	0	560	596	451	3	2
50	50	50	-5	-5	5	530	604	450	3	3
50	50	50	-5	-5	5	540	604	449	4	4
50	50	50	-5	-5	5	550	601	449	4	3
50	50	50	-5	-5	5	560	596	448	3	2
50	50	50	-5	0	-5	530	604	455	3	3
50	50	50	-5	0	-5	540	603	454	4	3
50	50	50	-5	0	-5	550	600	453	4	3
50	50	50	-5	0	0	530	604	452	3	3
50	50	50	-5	0	0	540	603	451	4	4
50	50	50	-5	0	0	550	600	451	4	3
50	50	50	-5	0	5	530	604	449	3	3
50	50	50	-5	0	5	540	603	448	4	3
50	50	50	-5	0	5	550	600	449	4	3
50	50	50	-5	5	-5	530	604	454	4	3
50	50	50	-5	5	-5	540	602	454	4	3
50	50	50	-5	5	-5	550	599	454	3	3

50	50	50	-5	5	0	530	604	452	4	3
50	50	50	-5	5	0	540	602	451	4	3
50	50	50	-5	5	0	550	599	451	3	3
50	50	50	-5	5	5	530	604	449	4	3
50	50	50	-5	5	5	540	602	449	4	3
50	50	50	-5	5	5	550	599	449	3	3
50	50	50	0	-5	-5	530	601	455	3	2
50	50	50	0	-5	-5	540	600	454	4	3
50	50	50	0	-5	-5	550	597	454	4	3
50	50	50	0	-5	-5	560	591	453	3	2
50	50	50	0	-5	-5	570	573	454	1	2
50	50	50	0	-5	0	530	601	452	3	3
50	50	50	0	-5	0	540	600	452	4	3
50	50	50	0	-5	0	550	597	451	4	3
50	50	50	0	-5	0	560	590	451	3	2
50	50	50	0	-5	0	570	574	451	1	2
50	50	50	0	-5	5	530	601	450	3	3
50	50	50	0	-5	5	540	600	449	4	3
50	50	50	0	-5	5	550	597	449	4	3
50	50	50	0	-5	5	560	591	449	3	3
50	50	50	0	-5	5	570	574	449	1	2
50	50	50	0	0	-5	530	601	455	3	3
50	50	50	0	0	-5	540	600	454	4	3
50	50	50	0	0	-5	550	597	454	4	3
50	50	50	0	0	0	530	601	452	3	3
50	50	50	0	0	0	540	599	451	4	3
50	50	50	0	0	0	550	596	451	4	3
50	50	50	0	0	5	530	601	449	3	3
50	50	50	0	0	5	540	599	448	4	3
50	50	50	0	0	5	550	596	449	4	3
50	50	50	0	5	-5	530	601	454	3	3
50	50	50	0	5	-5	540	600	454	4	3
50	50	50	0	5	-5	550	596	454	3	3
50	50	50	0	5	0	530	601	452	4	3
50	50	50	0	5	0	540	599	451	4	3
50	50	50	0	5	0	550	596	451	3	3
50	50	50	0	5	5	530	601	449	4	3
50	50	50	0	5	5	540	599	449	4	3
50	50	50	0	5	5	550	596	449	3	3
50	50	50	5	-5	-5	530	598	455	2	2
50	50	50	5	-5	-5	540	597	454	4	3
50	50	50	5	-5	-5	550	594	454	4	3
50	50	50	5	-5	-5	560	586	454	3	3
50	50	50	5	-5	-5	570	574	454	2	2
50	50	50	5	-5	0	530	598	452	3	2
50	50	50	5	-5	0	540	596	451	4	3
50	50	50	5	-5	0	550	593	451	4	3
50	50	50	5	-5	0	560	585	451	4	3
50	50	50	5	-5	0	570	575	451	2	2
50	50	50	5	-5	5	530	598	450	3	3
50	50	50	5	-5	5	540	596	449	4	3
50	50	50	5	-5	5	550	594	449	4	3
50	50	50	5	-5	5	560	585	448	4	3
50	50	50	5	-5	5	570	575	449	2	2

50 50 50 -5 5 0 530 604 452 4 3
50 50 50 -5 5 0 540 602 451 4 3
50 50 50 -5 5 0 550 599 451 3 3
50 50 50 -5 5 5 530 604 449 4 3
50 50 50 -5 5 5 540 602 449 4 3
50 50 50 -5 5 5 550 599 449 3 3
50 50 50 0 -5 -5 530 601 455 3 2
50 50 50 0 -5 -5 540 600 454 4 3
50 50 50 0 -5 -5 550 597 454 4 3
50 50 50 0 -5 -5 560 591 453 3 2
50 50 50 0 -5 -5 570 573 454 1 2
50 50 50 0 -5 0 530 601 452 3 3
50 50 50 0 -5 0 540 600 452 4 3
50 50 50 0 -5 0 550 597 451 4 3
50 50 50 0 -5 0 560 590 451 3 2
50 50 50 0 -5 0 570 574 451 1 2
50 50 50 0 -5 5 530 601 450 3 3
50 50 50 0 -5 5 540 600 449 4 3
50 50 50 0 -5 5 550 597 449 4 3
50 50 50 0 -5 5 560 591 449 3 3
50 50 50 0 -5 5 570 574 449 1 2
50 50 50 0 0 -5 530 601 455 3 3
50 50 50 0 0 -5 540 600 454 4 3
50 50 50 0 0 -5 550 597 454 4 3
50 50 50 0 0 0 530 601 452 3 3
50 50 50 0 0 0 540 599 451 4 3
50 50 50 0 0 0 550 596 451 4 3
50 50 50 0 0 5 530 601 449 3 3
50 50 50 0 0 5 540 599 448 4 3
50 50 50 0 0 5 550 596 449 4 3
50 50 50 0 5 -5 530 601 454 3 3
50 50 50 0 5 -5 540 600 454 4 3
50 50 50 0 5 -5 550 596 454 3 3
50 50 50 0 5 0 530 601 452 4 3
50 50 50 0 5 0 540 599 451 4 3
50 50 50 0 5 0 550 596 451 3 3
50 50 50 0 5 5 530 601 449 4 3
50 50 50 0 5 5 540 599 449 4 3
50 50 50 0 5 5 550 596 449 3 3
50 50 50 5 -5 -5 530 598 455 2 2
50 50 50 5 -5 -5 540 597 454 4 3
50 50 50 5 -5 -5 550 594 454 4 3
50 50 50 5 -5 -5 560 586 454 3 3
50 50 50 5 -5 -5 570 574 454 2 2
50 50 50 5 -5 0 530 598 452 3 2
50 50 50 5 -5 0 540 596 451 4 3
50 50 50 5 -5 0 550 593 451 4 3
50 50 50 5 -5 0 560 585 451 4 3
50 50 50 5 -5 0 570 575 451 2 2
50 50 50 5 -5 5 530 598 450 3 3
50 50 50 5 -5 5 540 596 449 4 3
50 50 50 5 -5 5 550 594 449 4 3
50 50 50 5 -5 5 560 585 448 4 3
50 50 50 5 -5 5 570 575 449 2 2

50	50	50	5	0	-5	530	598	455	3	3
50	50	50	5	0	-5	540	596	454	4	3
50	50	50	5	0	-5	550	593	453	4	3
50	50	50	5	0	0	530	598	452	3	3
50	50	50	5	0	0	540	596	451	4	3
50	50	50	5	0	0	550	593	451	4	3
50	50	50	5	0	0	560	584	451	2	1
50	50	50	5	0	5	530	597	449	3	3
50	50	50	5	0	5	540	596	449	4	3
50	50	50	5	0	5	550	593	449	4	3
50	50	50	5	0	5	560	584	448	2	2
50	50	50	5	5	-5	530	597	454	3	3
50	50	50	5	5	-5	540	596	453	4	3
50	50	50	5	5	-5	550	592	454	3	3
50	50	50	5	5	0	530	598	452	3	3
50	50	50	5	5	0	540	596	451	4	3
50	50	50	5	5	0	550	592	451	3	3
50	50	50	5	5	5	530	598	449	4	3
50	50	50	5	5	5	540	596	449	4	3
50	50	50	5	5	5	550	592	449	3	3
50	60	30	-5	-5	-5	530	604	454	3	2
50	60	30	-5	-5	-5	540	604	454	4	3
50	60	30	-5	-5	-5	550	601	454	4	3
50	60	30	-5	-5	-5	560	598	454	4	3
50	60	30	-5	-5	-5	570	595	454	3	3
50	60	30	-5	-5	-5	580	596	454	2	2
50	60	30	-5	-5	0	530	605	450	3	2
50	60	30	-5	-5	0	540	603	450	4	3
50	60	30	-5	-5	0	550	601	450	4	3
50	60	30	-5	-5	0	560	598	450	4	3
50	60	30	-5	-5	0	570	596	450	3	3
50	60	30	-5	-5	0	580	595	450	2	2
50	60	30	-5	-5	0	590	600	450	0	0
50	60	30	-5	-5	5	530	605	446	3	2
50	60	30	-5	-5	5	540	603	446	4	3
50	60	30	-5	-5	5	550	602	446	4	3
50	60	30	-5	-5	5	560	598	446	4	3
50	60	30	-5	-5	5	570	596	446	3	3
50	60	30	-5	-5	5	580	595	446	2	2
50	60	30	-5	-5	5	590	600	446	1	1
50	60	30	-5	0	-5	530	604	454	3	3
50	60	30	-5	0	-5	540	603	454	4	3
50	60	30	-5	0	-5	550	601	454	4	3
50	60	30	-5	0	-5	560	598	454	3	3
50	60	30	-5	0	-5	570	596	454	3	2
50	60	30	-5	0	0	530	605	450	3	3
50	60	30	-5	0	0	540	603	450	4	3
50	60	30	-5	0	0	550	601	450	4	3
50	60	30	-5	0	0	560	598	450	4	3
50	60	30	-5	0	0	570	596	450	3	2
50	60	30	-5	0	5	530	605	446	3	3
50	60	30	-5	0	5	540	603	446	4	3
50	60	30	-5	0	5	550	601	446	4	3
50	60	30	-5	0	5	560	598	446	4	3

50	60	30	-5	0	5	570	596	446	3	2
50	60	30	-5	5	-5	530	604	454	3	3
50	60	30	-5	5	-5	540	603	454	4	3
50	60	30	-5	5	-5	550	601	454	4	3
50	60	30	-5	5	-5	560	599	454	3	2
50	60	30	-5	5	0	530	604	450	4	3
50	60	30	-5	5	0	540	603	450	4	3
50	60	30	-5	5	0	550	600	450	4	3
50	60	30	-5	5	0	560	598	450	3	3
50	60	30	-5	5	5	520	605	446	1	1
50	60	30	-5	5	5	530	604	446	4	3
50	60	30	-5	5	5	540	603	446	4	3
50	60	30	-5	5	5	550	601	446	4	3
50	60	30	-5	5	5	560	598	446	3	3
50	60	30	-5	5	5	570	596	446	0	0
50	60	30	0	-5	-5	530	601	454	3	2
50	60	30	0	-5	-5	540	600	454	4	3
50	60	30	0	-5	-5	550	598	454	4	3
50	60	30	0	-5	-5	560	594	454	4	3
50	60	30	0	-5	-5	570	592	454	3	3
50	60	30	0	-5	-5	580	592	454	2	2
50	60	30	0	-5	-5	590	596	454	2	2
50	60	30	0	-5	0	530	601	450	3	2
50	60	30	0	-5	0	540	600	450	4	3
50	60	30	0	-5	0	550	598	450	4	3
50	60	30	0	-5	0	560	595	450	4	3
50	60	30	0	-5	0	570	592	450	3	3
50	60	30	0	-5	0	580	592	450	3	3
50	60	30	0	-5	0	590	596	450	2	2
50	60	30	0	-5	5	530	601	446	3	2
50	60	30	0	-5	5	540	600	446	4	3
50	60	30	0	-5	5	550	598	446	4	3
50	60	30	0	-5	5	560	595	446	4	3
50	60	30	0	-5	5	570	592	446	3	3
50	60	30	0	-5	5	580	592	446	3	3
50	60	30	0	-5	5	590	596	446	2	2
50	60	30	0	0	-5	530	601	454	3	3
50	60	30	0	0	-5	540	600	454	4	3
50	60	30	0	0	-5	550	597	454	4	3
50	60	30	0	0	-5	560	594	454	4	3
50	60	30	0	0	-5	570	593	454	3	2
50	60	30	0	0	-5	580	593	454	2	2
50	60	30	0	0	0	530	601	450	3	3
50	60	30	0	0	0	540	599	450	4	3
50	60	30	0	0	0	550	598	450	4	3
50	60	30	0	0	0	560	595	450	4	3
50	60	30	0	0	0	570	592	450	3	3
50	60	30	0	0	0	580	593	450	2	2
50	60	30	0	0	5	530	601	446	3	3
50	60	30	0	0	5	540	600	446	4	3
50	60	30	0	0	5	550	598	446	4	3
50	60	30	0	0	5	560	595	446	4	3
50	60	30	0	0	5	570	592	446	3	3
50	60	30	0	0	5	580	593	446	2	2

50	60	30	0	5	-5	530	601	454	3	3
50	60	30	0	5	-5	540	600	454	4	3
50	60	30	0	5	-5	550	598	454	4	3
50	60	30	0	5	-5	560	594	454	3	3
50	60	30	0	5	-5	570	593	454	2	2
50	60	30	0	5	0	530	601	450	4	3
50	60	30	0	5	0	540	599	450	4	3
50	60	30	0	5	0	550	598	450	4	3
50	60	30	0	5	0	560	595	450	3	3
50	60	30	0	5	0	570	593	450	2	2
50	60	30	0	5	5	520	602	446	1	1
50	60	30	0	5	5	530	601	446	4	3
50	60	30	0	5	5	540	600	446	4	3
50	60	30	0	5	5	550	597	446	4	3
50	60	30	0	5	5	560	595	446	3	3
50	60	30	0	5	5	570	593	446	2	2
50	60	30	5	-5	-5	530	598	454	3	2
50	60	30	5	-5	-5	540	596	454	4	3
50	60	30	5	-5	-5	550	595	454	4	3
50	60	30	5	-5	-5	560	592	454	4	3
50	60	30	5	-5	-5	570	589	454	3	3
50	60	30	5	-5	-5	580	589	454	2	3
50	60	30	5	-5	-5	590	593	454	1	2
50	60	30	5	-5	0	530	598	450	3	2
50	60	30	5	-5	0	540	597	450	4	3
50	60	30	5	-5	0	550	594	450	4	3
50	60	30	5	-5	0	560	591	450	4	3
50	60	30	5	-5	0	570	589	450	3	3
50	60	30	5	-5	0	580	590	450	2	3
50	60	30	5	-5	0	590	594	450	1	2
50	60	30	5	-5	5	530	598	446	3	2
50	60	30	5	-5	5	540	597	446	4	3
50	60	30	5	-5	5	550	594	446	4	3
50	60	30	5	-5	5	560	591	446	4	3
50	60	30	5	-5	5	570	589	446	3	3
50	60	30	5	-5	5	580	590	446	3	3
50	60	30	5	-5	5	590	594	446	1	2
50	60	30	5	0	-5	530	598	454	3	3
50	60	30	5	0	-5	540	596	454	4	3
50	60	30	5	0	-5	550	595	454	4	3
50	60	30	5	0	-5	560	591	454	4	3
50	60	30	5	0	-5	570	589	454	3	2
50	60	30	5	0	-5	580	590	454	2	2
50	60	30	5	0	0	530	597	450	3	3
50	60	30	5	0	0	540	597	450	4	3
50	60	30	5	0	0	550	594	450	4	3
50	60	30	5	0	0	560	591	450	4	3
50	60	30	5	0	0	570	590	450	3	2
50	60	30	5	0	0	580	590	450	2	2
50	60	30	5	0	5	530	597	446	3	3
50	60	30	5	0	5	540	597	446	4	3
50	60	30	5	0	5	550	594	446	4	3
50	60	30	5	0	5	560	591	446	4	3
50	60	30	5	0	5	570	589	446	3	3

50	60	30	5	0	5	580	590	446	2	2
50	60	30	5	5	-5	530	598	454	3	3
50	60	30	5	5	-5	540	596	454	4	3
50	60	30	5	5	-5	550	594	454	4	3
50	60	30	5	5	-5	560	592	454	3	3
50	60	30	5	5	-5	570	589	454	2	2
50	60	30	5	5	0	530	598	450	4	3
50	60	30	5	5	0	540	597	450	4	3
50	60	30	5	5	0	550	594	450	4	3
50	60	30	5	5	0	560	591	450	3	3
50	60	30	5	5	0	570	589	450	2	2
50	60	30	5	5	5	520	599	446	1	1
50	60	30	5	5	5	530	598	446	4	3
50	60	30	5	5	5	540	597	446	4	3
50	60	30	5	5	5	550	595	446	4	3
50	60	30	5	5	5	560	591	446	3	3
50	60	30	5	5	5	570	589	446	2	2
50	60	40	-5	-5	-5	530	605	455	3	3
50	60	40	-5	-5	-5	540	604	455	4	3
50	60	40	-5	-5	-5	550	601	454	4	3
50	60	40	-5	-5	-5	560	599	454	4	3
50	60	40	-5	-5	-5	570	596	454	3	3
50	60	40	-5	-5	-5	580	596	454	2	3
50	60	40	-5	-5	-5	590	600	454	1	2
50	60	40	-5	-5	0	530	604	452	4	3
50	60	40	-5	-5	0	540	603	451	4	3
50	60	40	-5	-5	0	550	601	451	4	3
50	60	40	-5	-5	0	560	598	451	4	3
50	60	40	-5	-5	0	570	596	451	3	3
50	60	40	-5	-5	0	580	596	450	3	3
50	60	40	-5	-5	0	590	600	451	1	2
50	60	40	-5	-5	5	530	604	449	4	3
50	60	40	-5	-5	5	540	603	448	4	3
50	60	40	-5	-5	5	550	602	448	4	3
50	60	40	-5	-5	5	560	598	448	4	3
50	60	40	-5	-5	5	570	596	447	3	3
50	60	40	-5	-5	5	580	596	448	3	3
50	60	40	-5	-5	5	590	600	448	2	2
50	60	40	-5	0	-5	530	604	455	4	3
50	60	40	-5	0	-5	540	603	454	4	3
50	60	40	-5	0	-5	550	601	454	4	3
50	60	40	-5	0	-5	560	599	454	4	3
50	60	40	-5	0	-5	570	596	454	3	3
50	60	40	-5	0	-5	580	597	455	1	1
50	60	40	-5	0	0	520	605	452	2	1
50	60	40	-5	0	0	530	604	452	4	3
50	60	40	-5	0	0	540	603	451	4	3
50	60	40	-5	0	0	550	601	451	4	3
50	60	40	-5	0	0	560	598	450	4	3
50	60	40	-5	0	0	570	596	451	3	3
50	60	40	-5	0	0	580	597	451	1	2
50	60	40	-5	0	5	520	604	449	2	2
50	60	40	-5	0	5	530	604	448	4	3
50	60	40	-5	0	5	540	603	448	4	4

50	60	40	-5	0	5	550	601	447	4	3
50	60	40	-5	0	5	560	598	448	4	3
50	60	40	-5	0	5	570	597	448	3	3
50	60	40	-5	0	5	580	598	447	2	2
50	60	40	-5	5	-5	520	605	455	2	2
50	60	40	-5	5	-5	530	604	454	4	3
50	60	40	-5	5	-5	540	603	454	4	3
50	60	40	-5	5	-5	550	601	454	4	3
50	60	40	-5	5	-5	560	599	454	3	3
50	60	40	-5	5	-5	570	597	454	2	2
50	60	40	-5	5	0	520	605	452	3	2
50	60	40	-5	5	0	530	604	451	4	3
50	60	40	-5	5	0	540	603	451	4	3
50	60	40	-5	5	0	550	601	451	4	3
50	60	40	-5	5	0	560	599	451	3	3
50	60	40	-5	5	0	570	597	451	2	2
50	60	40	-5	5	5	520	605	449	3	3
50	60	40	-5	5	5	530	604	448	4	3
50	60	40	-5	5	5	540	603	448	4	4
50	60	40	-5	5	5	550	602	447	4	3
50	60	40	-5	5	5	560	599	447	3	3
50	60	40	-5	5	5	570	598	448	2	2
50	60	40	0	-5	-5	530	601	455	3	3
50	60	40	0	-5	-5	540	600	455	4	3
50	60	40	0	-5	-5	550	598	454	4	3
50	60	40	0	-5	-5	560	595	454	4	3
50	60	40	0	-5	-5	570	592	454	3	3
50	60	40	0	-5	-5	580	593	454	3	3
50	60	40	0	-5	-5	590	597	454	2	3
50	60	40	0	-5	0	530	601	452	4	3
50	60	40	0	-5	0	540	600	451	4	3
50	60	40	0	-5	0	550	598	451	4	4
50	60	40	0	-5	0	560	595	451	4	3
50	60	40	0	-5	0	570	592	451	3	3
50	60	40	0	-5	0	580	593	451	3	3
50	60	40	0	-5	0	590	597	451	2	3
50	60	40	0	-5	5	530	601	449	4	3
50	60	40	0	-5	5	540	599	448	4	3
50	60	40	0	-5	5	550	598	448	4	4
50	60	40	0	-5	5	560	595	447	4	3
50	60	40	0	-5	5	570	593	448	4	3
50	60	40	0	-5	5	580	593	447	3	3
50	60	40	0	-5	5	590	597	447	2	3
50	60	40	0	0	-5	530	601	455	4	3
50	60	40	0	0	-5	540	600	454	4	3
50	60	40	0	0	-5	550	597	454	4	3
50	60	40	0	0	-5	560	595	454	4	3
50	60	40	0	0	-5	570	593	454	3	3
50	60	40	0	0	-5	580	594	454	2	2
50	60	40	0	0	0	520	601	452	2	2
50	60	40	0	0	0	530	601	452	4	3
50	60	40	0	0	0	540	599	451	4	3
50	60	40	0	0	0	550	597	451	4	3
50	60	40	0	0	0	560	595	451	4	3

50	60	40	0	0	0	570	593	451	3	3
50	60	40	0	0	0	580	594	450	2	2
50	60	40	0	0	5	520	602	449	2	2
50	60	40	0	0	5	530	601	448	4	3
50	60	40	0	0	5	540	599	448	4	3
50	60	40	0	0	5	550	598	448	4	3
50	60	40	0	0	5	560	595	448	4	3
50	60	40	0	0	5	570	593	447	3	3
50	60	40	0	0	5	580	594	448	2	3
50	60	40	0	5	-5	520	602	455	2	2
50	60	40	0	5	-5	530	601	454	4	3
50	60	40	0	5	-5	540	600	454	4	3
50	60	40	0	5	-5	550	598	454	4	3
50	60	40	0	5	-5	560	595	454	4	3
50	60	40	0	5	-5	570	593	454	2	2
50	60	40	0	5	0	520	601	452	3	2
50	60	40	0	5	0	530	601	451	4	3
50	60	40	0	5	0	540	599	451	4	3
50	60	40	0	5	0	550	598	451	4	3
50	60	40	0	5	0	560	596	451	4	3
50	60	40	0	5	0	570	594	451	2	2
50	60	40	0	5	5	520	602	449	3	3
50	60	40	0	5	5	530	601	448	4	3
50	60	40	0	5	5	540	599	448	4	4
50	60	40	0	5	5	550	598	447	4	3
50	60	40	0	5	5	560	595	447	4	3
50	60	40	0	5	5	570	594	448	3	3
50	60	40	5	-5	-5	530	598	455	3	3
50	60	40	5	-5	-5	540	596	455	4	3
50	60	40	5	-5	-5	550	595	454	4	3
50	60	40	5	-5	-5	560	592	454	4	3
50	60	40	5	-5	-5	570	589	454	3	3
50	60	40	5	-5	-5	580	590	454	3	3
50	60	40	5	-5	-5	590	594	454	1	2
50	60	40	5	-5	0	530	598	452	3	3
50	60	40	5	-5	0	540	596	451	4	3
50	60	40	5	-5	0	550	594	451	4	3
50	60	40	5	-5	0	560	592	451	4	3
50	60	40	5	-5	0	570	590	451	3	3
50	60	40	5	-5	0	580	590	451	3	3
50	60	40	5	-5	0	590	594	451	1	3
50	60	40	5	-5	5	530	598	449	4	3
50	60	40	5	-5	5	540	597	448	4	3
50	60	40	5	-5	5	550	594	448	4	3
50	60	40	5	-5	5	560	592	447	4	3
50	60	40	5	-5	5	570	590	448	4	3
50	60	40	5	-5	5	580	590	447	3	3
50	60	40	5	-5	5	590	594	447	2	3
50	60	40	5	0	-5	530	598	455	4	3
50	60	40	5	0	-5	540	596	454	4	3
50	60	40	5	0	-5	550	595	454	4	3
50	60	40	5	0	-5	560	592	454	4	3
50	60	40	5	0	-5	570	590	454	3	3
50	60	40	5	0	-5	580	590	454	2	3

50	60	40	5	0	0	520	598	452	2	1
50	60	40	5	0	0	530	597	452	4	3
50	60	40	5	0	0	540	597	451	4	3
50	60	40	5	0	0	550	595	451	4	3
50	60	40	5	0	0	560	592	451	4	3
50	60	40	5	0	0	570	590	451	3	3
50	60	40	5	0	0	580	591	451	2	3
50	60	40	5	0	5	520	598	449	2	2
50	60	40	5	0	5	530	598	448	4	3
50	60	40	5	0	5	540	597	448	4	3
50	60	40	5	0	5	550	594	447	4	3
50	60	40	5	0	5	560	591	448	4	3
50	60	40	5	0	5	570	590	447	3	3
50	60	40	5	0	5	580	591	447	2	3
50	60	40	5	5	-5	520	598	455	3	2
50	60	40	5	5	-5	530	598	454	4	3
50	60	40	5	5	-5	540	596	454	4	3
50	60	40	5	5	-5	550	594	454	4	3
50	60	40	5	5	-5	560	592	454	4	3
50	60	40	5	5	-5	570	590	454	3	2
50	60	40	5	5	0	520	599	452	3	2
50	60	40	5	5	0	530	598	451	4	3
50	60	40	5	5	0	540	597	451	4	3
50	60	40	5	5	0	550	594	451	4	3
50	60	40	5	5	0	560	592	451	4	3
50	60	40	5	5	0	570	590	451	3	3
50	60	40	5	5	5	520	598	449	3	3
50	60	40	5	5	5	530	597	448	4	3
50	60	40	5	5	5	540	597	448	4	4
50	60	40	5	5	5	550	594	447	4	3
50	60	40	5	5	5	560	592	447	4	3
50	60	40	5	5	5	570	591	448	3	3
50	60	50	-5	-5	-5	530	604	456	3	3
50	60	50	-5	-5	-5	540	603	454	4	3
50	60	50	-5	-5	-5	550	601	454	4	4
50	60	50	-5	-5	-5	560	598	454	4	3
50	60	50	-5	-5	-5	570	595	454	3	3
50	60	50	-5	-5	-5	580	595	454	2	3
50	60	50	-5	-5	0	530	604	453	3	3
50	60	50	-5	-5	0	540	604	452	4	4
50	60	50	-5	-5	0	550	601	452	4	4
50	60	50	-5	-5	0	560	598	451	4	3
50	60	50	-5	-5	0	570	595	451	3	3
50	60	50	-5	-5	0	580	595	451	2	3
50	60	50	-5	-5	5	530	604	451	3	3
50	60	50	-5	-5	5	540	603	450	4	4
50	60	50	-5	-5	5	550	601	449	4	4
50	60	50	-5	-5	5	560	597	449	4	3
50	60	50	-5	-5	5	570	595	449	3	3
50	60	50	-5	-5	5	580	595	449	2	3
50	60	50	-5	0	-5	530	604	456	3	3
50	60	50	-5	0	-5	540	603	454	4	4
50	60	50	-5	0	-5	550	600	454	4	4
50	60	50	-5	0	-5	560	598	454	3	3

50	60	50	-5	0	-5	570	595	454	2	3
50	60	50	-5	0	0	530	604	453	3	3
50	60	50	-5	0	0	540	603	452	4	4
50	60	50	-5	0	0	550	600	451	4	4
50	60	50	-5	0	0	560	597	451	3	3
50	60	50	-5	0	0	570	595	451	2	3
50	60	50	-5	0	5	530	604	450	3	3
50	60	50	-5	0	5	540	603	449	4	4
50	60	50	-5	0	5	550	601	448	4	3
50	60	50	-5	0	5	560	598	448	3	3
50	60	50	-5	0	5	570	596	448	2	3
50	60	50	-5	5	-5	520	605	456	1	1
50	60	50	-5	5	-5	530	604	455	3	3
50	60	50	-5	5	-5	540	603	454	4	4
50	60	50	-5	5	-5	550	601	454	4	3
50	60	50	-5	5	-5	560	598	454	3	3
50	60	50	-5	5	0	520	605	455	2	2
50	60	50	-5	5	0	530	604	453	4	3
50	60	50	-5	5	0	540	602	452	4	4
50	60	50	-5	5	0	550	601	451	4	3
50	60	50	-5	5	0	560	598	451	3	3
50	60	50	-5	5	5	520	605	452	2	2
50	60	50	-5	5	5	530	604	450	4	3
50	60	50	-5	5	5	540	603	449	4	4
50	60	50	-5	5	5	550	601	449	4	3
50	60	50	-5	5	5	560	598	448	3	3
50	60	50	0	-5	-5	530	601	456	3	3
50	60	50	0	-5	-5	540	600	454	4	3
50	60	50	0	-5	-5	550	597	454	4	4
50	60	50	0	-5	-5	560	595	454	4	3
50	60	50	0	-5	-5	570	591	454	3	3
50	60	50	0	-5	-5	580	592	454	2	3
50	60	50	0	-5	-5	590	596	454	1	2
50	60	50	0	-5	0	530	601	453	3	3
50	60	50	0	-5	0	540	600	452	4	4
50	60	50	0	-5	0	550	597	452	4	4
50	60	50	0	-5	0	560	595	451	4	3
50	60	50	0	-5	0	570	592	451	3	3
50	60	50	0	-5	0	580	592	451	2	3
50	60	50	0	-5	0	590	596	451	2	2
50	60	50	0	-5	5	530	601	451	3	3
50	60	50	0	-5	5	540	600	450	4	4
50	60	50	0	-5	5	550	598	449	4	4
50	60	50	0	-5	5	560	594	449	4	3
50	60	50	0	-5	5	570	592	448	3	3
50	60	50	0	-5	5	580	592	449	2	3
50	60	50	0	-5	5	590	596	449	2	2
50	60	50	0	0	-5	530	601	456	3	3
50	60	50	0	0	-5	540	600	454	4	4
50	60	50	0	0	-5	550	598	454	4	4
50	60	50	0	0	-5	560	595	454	3	3
50	60	50	0	0	-5	570	592	454	3	3
50	60	50	0	0	-5	580	593	454	1	2
50	60	50	0	0	0	530	601	453	3	3

50	60	50	0	0	0	540	600	452	4	4
50	60	50	0	0	0	550	597	451	4	4
50	60	50	0	0	0	560	594	451	4	3
50	60	50	0	0	0	570	592	451	3	3
50	60	50	0	0	0	580	593	451	1	2
50	60	50	0	0	5	530	601	450	3	3
50	60	50	0	0	5	540	599	449	4	4
50	60	50	0	0	5	550	597	448	4	4
50	60	50	0	0	5	560	594	448	4	3
50	60	50	0	0	5	570	592	448	3	3
50	60	50	0	0	5	580	593	449	1	2
50	60	50	0	5	-5	520	601	457	1	1
50	60	50	0	5	-5	530	601	455	3	3
50	60	50	0	5	-5	540	600	454	4	4
50	60	50	0	5	-5	550	597	454	4	3
50	60	50	0	5	-5	560	595	454	3	3
50	60	50	0	5	-5	570	592	454	0	0
50	60	50	0	5	0	520	602	454	2	2
50	60	50	0	5	0	530	601	453	4	3
50	60	50	0	5	0	540	600	452	4	4
50	60	50	0	5	0	550	597	451	4	3
50	60	50	0	5	0	560	595	451	3	3
50	60	50	0	5	0	570	593	451	1	1
50	60	50	0	5	5	520	601	451	2	2
50	60	50	0	5	5	530	601	450	4	3
50	60	50	0	5	5	540	599	449	4	4
50	60	50	0	5	5	550	597	449	4	3
50	60	50	0	5	5	560	595	448	3	3
50	60	50	0	5	5	570	593	448	1	2
50	60	50	5	-5	-5	530	598	456	3	3
50	60	50	5	-5	-5	540	597	454	4	3
50	60	50	5	-5	-5	550	595	454	4	4
50	60	50	5	-5	-5	560	591	454	4	3
50	60	50	5	-5	-5	570	589	454	3	3
50	60	50	5	-5	-5	580	589	454	2	3
50	60	50	5	-5	-5	590	593	454	1	2
50	60	50	5	-5	0	530	598	454	3	3
50	60	50	5	-5	0	540	596	452	4	4
50	60	50	5	-5	0	550	595	452	4	4
50	60	50	5	-5	0	560	591	451	4	3
50	60	50	5	-5	0	570	589	451	3	3
50	60	50	5	-5	0	580	589	451	2	3
50	60	50	5	-5	0	590	593	451	1	2
50	60	50	5	-5	5	530	598	451	3	3
50	60	50	5	-5	5	540	596	450	4	4
50	60	50	5	-5	5	550	594	449	4	4
50	60	50	5	-5	5	560	592	449	4	3
50	60	50	5	-5	5	570	589	448	3	3
50	60	50	5	-5	5	580	589	448	2	3
50	60	50	5	-5	5	590	593	449	1	2
50	60	50	5	0	-5	530	598	456	3	3
50	60	50	5	0	-5	540	596	454	4	4
50	60	50	5	0	-5	550	594	454	4	4
50	60	50	5	0	-5	560	591	454	4	3

המחיר הממוצע של המוצר הוא 50 שקלים

50	60	50	5	0	-5	570	589	454	3	3
50	60	50	5	0	-5	580	590	454	2	2
50	60	50	5	0	0	530	597	453	3	3
50	60	50	5	0	0	540	596	452	4	4
50	60	50	5	0	0	550	594	451	4	4
50	60	50	5	0	0	560	592	451	3	3
50	60	50	5	0	0	570	589	451	3	3
50	60	50	5	0	0	580	590	451	2	2
50	60	50	5	0	5	530	597	450	3	3
50	60	50	5	0	5	540	596	449	4	4
50	60	50	5	0	5	550	594	448	4	4
50	60	50	5	0	5	560	592	448	3	3
50	60	50	5	0	5	570	589	448	3	3
50	60	50	5	0	5	580	590	449	2	2
50	60	50	5	5	-5	520	598	456	1	1
50	60	50	5	5	-5	530	597	455	3	3
50	60	50	5	5	-5	540	596	454	4	4
50	60	50	5	5	-5	550	595	454	4	3
50	60	50	5	5	-5	560	591	454	3	3
50	60	50	5	5	-5	570	589	454	2	2
50	60	50	5	5	0	520	598	454	2	2
50	60	50	5	5	0	530	598	453	4	3
50	60	50	5	5	0	540	596	452	4	4
50	60	50	5	5	0	550	594	451	4	3
50	60	50	5	5	0	560	591	451	3	3
50	60	50	5	5	0	570	589	451	2	2
50	60	50	5	5	5	520	599	452	2	2
50	60	50	5	5	5	530	598	449	4	3
50	60	50	5	5	5	540	596	449	4	4
50	60	50	5	5	5	550	594	449	4	3
50	60	50	5	5	5	560	591	448	3	3
50	60	50	5	5	5	570	589	448	2	2
50	70	30	-5	-5	-5	530	605	454	3	2
50	70	30	-5	-5	-5	540	604	454	3	3
50	70	30	-5	-5	-5	550	603	454	4	3
50	70	30	-5	-5	-5	560	602	454	4	3
50	70	30	-5	-5	-5	570	602	454	3	3
50	70	30	-5	-5	-5	580	602	454	3	3
50	70	30	-5	-5	-5	590	606	454	1	2
50	70	30	-5	-5	0	530	604	451	3	2
50	70	30	-5	-5	0	540	604	450	4	3
50	70	30	-5	-5	0	550	603	450	4	3
50	70	30	-5	-5	0	560	602	450	4	3
50	70	30	-5	-5	0	570	602	450	3	3
50	70	30	-5	-5	0	580	603	450	3	3
50	70	30	-5	-5	0	590	606	450	2	2
50	70	30	-5	-5	5	530	604	447	3	2
50	70	30	-5	-5	5	540	604	446	4	3
50	70	30	-5	-5	5	550	603	446	4	3
50	70	30	-5	-5	5	560	601	446	4	3
50	70	30	-5	-5	5	570	602	446	3	3
50	70	30	-5	-5	5	580	603	446	3	3
50	70	30	-5	-5	5	590	606	446	2	2
50	70	30	-5	0	-5	530	604	455	3	2

50	70	30	-5	0	-5	540	604	454	4	3
50	70	30	-5	0	-5	550	603	454	4	3
50	70	30	-5	0	-5	560	602	454	3	3
50	70	30	-5	0	-5	570	602	454	3	3
50	70	30	-5	0	-5	580	604	454	2	2
50	70	30	-5	0	0	530	605	450	3	2
50	70	30	-5	0	0	540	604	450	4	3
50	70	30	-5	0	0	550	603	450	4	3
50	70	30	-5	0	0	560	602	450	4	3
50	70	30	-5	0	0	570	602	450	3	3
50	70	30	-5	0	0	580	604	450	2	2
50	70	30	-5	0	5	530	605	446	3	2
50	70	30	-5	0	5	540	605	446	4	3
50	70	30	-5	0	5	550	603	446	4	3
50	70	30	-5	0	5	560	602	446	4	3
50	70	30	-5	0	5	570	602	446	3	3
50	70	30	-5	0	5	580	603	446	2	2
50	70	30	-5	5	-5	530	605	454	3	3
50	70	30	-5	5	-5	540	604	454	4	3
50	70	30	-5	5	-5	550	603	454	4	3
50	70	30	-5	5	-5	560	603	454	3	3
50	70	30	-5	5	-5	570	603	454	3	3
50	70	30	-5	5	0	530	604	450	3	3
50	70	30	-5	5	0	540	605	450	4	3
50	70	30	-5	5	0	550	603	450	4	3
50	70	30	-5	5	0	560	603	450	3	3
50	70	30	-5	5	0	570	603	450	3	3
50	70	30	-5	5	5	530	605	446	3	3
50	70	30	-5	5	5	540	605	446	4	3
50	70	30	-5	5	5	550	603	446	4	3
50	70	30	-5	5	5	560	603	446	3	3
50	70	30	-5	5	5	570	603	446	3	3
50	70	30	0	-5	-5	530	601	454	3	2
50	70	30	0	-5	-5	540	600	454	3	3
50	70	30	0	-5	-5	550	599	454	4	3
50	70	30	0	-5	-5	560	598	454	4	3
50	70	30	0	-5	-5	570	598	454	3	3
50	70	30	0	-5	-5	580	599	454	3	3
50	70	30	0	-5	-5	590	602	454	2	2
50	70	30	0	-5	0	530	602	451	3	2
50	70	30	0	-5	0	540	601	450	4	3
50	70	30	0	-5	0	550	600	450	4	3
50	70	30	0	-5	0	560	599	450	4	3
50	70	30	0	-5	0	570	598	450	3	3
50	70	30	0	-5	0	580	599	450	3	3
50	70	30	0	-5	0	590	602	450	2	2
50	70	30	0	-5	5	530	601	447	3	2
50	70	30	0	-5	5	540	601	446	4	3
50	70	30	0	-5	5	550	600	446	4	3
50	70	30	0	-5	5	560	599	446	4	3
50	70	30	0	-5	5	570	599	446	3	3
50	70	30	0	-5	5	580	600	446	3	3
50	70	30	0	-5	5	590	602	446	2	2
50	70	30	0	0	-5	530	602	454	3	2

50	70	30	0	0	-5	540	600	454	4	3
50	70	30	0	0	-5	550	599	454	4	3
50	70	30	0	0	-5	560	599	454	4	3
50	70	30	0	0	-5	570	599	454	3	3
50	70	30	0	0	-5	580	600	454	2	3
50	70	30	0	0	0	530	601	450	3	2
50	70	30	0	0	0	540	601	450	4	3
50	70	30	0	0	0	550	600	450	4	3
50	70	30	0	0	0	560	599	450	4	3
50	70	30	0	0	0	570	599	450	3	3
50	70	30	0	0	0	580	600	450	2	3
50	70	30	0	0	5	530	602	446	3	2
50	70	30	0	0	5	540	601	446	4	3
50	70	30	0	0	5	550	600	446	4	3
50	70	30	0	0	5	560	599	446	4	3
50	70	30	0	0	5	570	599	446	3	3
50	70	30	0	0	5	580	600	446	3	3
50	70	30	0	5	-5	530	601	454	3	3
50	70	30	0	5	-5	540	601	454	4	3
50	70	30	0	5	-5	550	600	454	4	3
50	70	30	0	5	-5	560	599	454	3	3
50	70	30	0	5	-5	570	599	454	3	3
50	70	30	0	5	-5	580	601	454	1	1
50	70	30	0	5	0	530	602	450	3	3
50	70	30	0	5	0	540	601	450	4	3
50	70	30	0	5	0	550	600	450	4	3
50	70	30	0	5	0	560	599	450	3	3
50	70	30	0	5	0	570	600	450	3	3
50	70	30	0	5	0	580	601	450	1	2
50	70	30	0	5	5	530	602	446	3	3
50	70	30	0	5	5	540	601	446	4	3
50	70	30	0	5	5	550	600	446	4	3
50	70	30	0	5	5	560	599	446	3	3
50	70	30	0	5	5	570	600	446	3	3
50	70	30	0	5	5	580	602	446	2	2
50	70	30	5	-5	-5	530	598	454	3	2
50	70	30	5	-5	-5	540	598	454	3	3
50	70	30	5	-5	-5	550	597	454	4	3
50	70	30	5	-5	-5	560	595	454	4	3
50	70	30	5	-5	-5	570	595	454	3	3
50	70	30	5	-5	-5	580	596	454	3	3
50	70	30	5	-5	-5	590	599	454	2	2
50	70	30	5	-5	0	530	598	451	3	2
50	70	30	5	-5	0	540	597	450	4	3
50	70	30	5	-5	0	550	596	450	4	3
50	70	30	5	-5	0	560	595	450	4	3
50	70	30	5	-5	0	570	595	450	3	3
50	70	30	5	-5	0	580	596	450	3	3
50	70	30	5	-5	0	590	598	450	2	3
50	70	30	5	-5	5	530	598	447	3	2
50	70	30	5	-5	5	540	597	446	4	3
50	70	30	5	-5	5	550	596	446	4	3
50	70	30	5	-5	5	560	595	446	4	3
50	70	30	5	-5	5	570	595	446	3	3

50	70	30	5	-5	5	580	596	446	3	3
50	70	30	5	-5	5	590	599	446	2	2
50	70	30	5	0	-5	530	598	454	3	2
50	70	30	5	0	-5	540	598	454	4	3
50	70	30	5	0	-5	550	597	454	4	3
50	70	30	5	0	-5	560	596	454	3	3
50	70	30	5	0	-5	570	595	454	3	3
50	70	30	5	0	-5	580	597	454	2	3
50	70	30	5	0	0	530	599	450	3	2
50	70	30	5	0	0	540	597	450	4	3
50	70	30	5	0	0	550	596	450	4	3
50	70	30	5	0	0	560	596	450	4	3
50	70	30	5	0	0	570	596	450	3	3
50	70	30	5	0	0	580	596	450	3	3
50	70	30	5	0	5	530	598	446	3	3
50	70	30	5	0	5	540	597	446	4	3
50	70	30	5	0	5	550	596	446	4	3
50	70	30	5	0	5	560	596	446	4	3
50	70	30	5	0	5	570	596	446	3	3
50	70	30	5	0	5	580	597	446	3	3
50	70	30	5	0	5	590	600	446	0	1
50	70	30	5	5	-5	530	599	454	3	3
50	70	30	5	5	-5	540	598	454	4	3
50	70	30	5	5	-5	550	597	454	4	3
50	70	30	5	5	-5	560	596	454	3	3
50	70	30	5	5	-5	570	596	454	3	3
50	70	30	5	5	-5	580	598	454	2	2
50	70	30	5	5	0	530	598	450	3	3
50	70	30	5	5	0	540	597	450	4	3
50	70	30	5	5	0	550	597	450	4	3
50	70	30	5	5	0	560	596	450	3	3
50	70	30	5	5	0	570	596	450	3	3
50	70	30	5	5	0	580	597	450	2	2
50	70	30	5	5	5	530	598	446	3	3
50	70	30	5	5	5	540	597	446	4	3
50	70	30	5	5	5	550	597	446	4	3
50	70	30	5	5	5	560	596	446	3	3
50	70	30	5	5	5	570	596	446	3	3
50	70	30	5	5	5	580	597	446	2	2
50	70	40	-5	-5	-5	530	605	456	3	3
50	70	40	-5	-5	-5	540	604	455	4	3
50	70	40	-5	-5	-5	550	603	455	4	3
50	70	40	-5	-5	-5	560	602	454	4	3
50	70	40	-5	-5	-5	570	601	454	3	3
50	70	40	-5	-5	-5	580	603	454	3	3
50	70	40	-5	-5	-5	590	606	454	2	2
50	70	40	-5	-5	0	520	605	453	2	2
50	70	40	-5	-5	0	530	604	452	3	3
50	70	40	-5	-5	0	540	604	451	4	3
50	70	40	-5	-5	0	550	603	451	4	3
50	70	40	-5	-5	0	560	602	451	4	3
50	70	40	-5	-5	0	570	602	451	3	3
50	70	40	-5	-5	0	580	603	450	3	3
50	70	40	-5	-5	0	590	606	451	2	3

50	70	40	-5	-5	5	520	605	450	2	2
50	70	40	-5	-5	5	530	604	449	4	3
50	70	40	-5	-5	5	540	603	448	4	3
50	70	40	-5	-5	5	550	603	448	4	3
50	70	40	-5	-5	5	560	602	448	4	3
50	70	40	-5	-5	5	570	602	447	3	3
50	70	40	-5	-5	5	580	603	448	3	3
50	70	40	-5	-5	5	590	606	448	2	3
50	70	40	-5	0	-5	520	605	456	2	2
50	70	40	-5	0	-5	530	605	455	3	3
50	70	40	-5	0	-5	540	604	455	4	3
50	70	40	-5	0	-5	550	603	454	4	3
50	70	40	-5	0	-5	560	603	454	4	3
50	70	40	-5	0	-5	570	602	454	3	3
50	70	40	-5	0	-5	580	604	454	2	3
50	70	40	-5	0	0	520	605	453	3	2
50	70	40	-5	0	0	530	604	452	4	3
50	70	40	-5	0	0	540	604	451	4	3
50	70	40	-5	0	0	550	603	451	4	3
50	70	40	-5	0	0	560	603	451	4	3
50	70	40	-5	0	0	570	602	451	3	3
50	70	40	-5	0	0	580	604	451	3	3
50	70	40	-5	0	5	520	605	449	3	2
50	70	40	-5	0	5	530	605	449	4	3
50	70	40	-5	0	5	540	604	448	4	3
50	70	40	-5	0	5	550	603	448	4	3
50	70	40	-5	0	5	560	602	448	4	3
50	70	40	-5	0	5	570	602	448	3	3
50	70	40	-5	0	5	580	604	448	3	3
50	70	40	-5	5	-5	520	606	456	2	2
50	70	40	-5	5	-5	530	604	455	4	3
50	70	40	-5	5	-5	540	604	455	4	3
50	70	40	-5	5	-5	550	604	454	4	3
50	70	40	-5	5	-5	560	603	454	4	3
50	70	40	-5	5	-5	570	604	454	3	3
50	70	40	-5	5	0	520	605	453	3	3
50	70	40	-5	5	0	530	605	452	4	3
50	70	40	-5	5	0	540	604	451	4	3
50	70	40	-5	5	0	550	604	451	4	3
50	70	40	-5	5	0	560	603	451	4	3
50	70	40	-5	5	0	570	603	451	3	3
50	70	40	-5	5	0	580	605	451	1	2
50	70	40	-5	5	5	520	606	450	3	3
50	70	40	-5	5	5	530	605	448	4	3
50	70	40	-5	5	5	540	605	448	4	3
50	70	40	-5	5	5	550	603	448	4	4
50	70	40	-5	5	5	560	603	447	4	3
50	70	40	-5	5	5	570	603	447	3	3
50	70	40	-5	5	5	580	605	448	2	2
50	70	40	0	-5	-5	520	602	457	1	1
50	70	40	0	-5	-5	530	601	456	3	3
50	70	40	0	-5	-5	540	600	455	4	3
50	70	40	0	-5	-5	550	599	455	4	3
50	70	40	0	-5	-5	560	598	454	4	3

50	70	40	0	-5	-5	570	598	454	3	3
50	70	40	0	-5	-5	580	600	454	3	3
50	70	40	0	-5	-5	590	602	454	2	3
50	70	40	0	-5	0	520	602	453	2	2
50	70	40	0	-5	0	530	601	452	4	3
50	70	40	0	-5	0	540	601	451	4	3
50	70	40	0	-5	0	550	600	451	4	3
50	70	40	0	-5	0	560	599	451	4	3
50	70	40	0	-5	0	570	598	451	4	3
50	70	40	0	-5	0	580	599	451	3	3
50	70	40	0	-5	0	590	603	450	2	3
50	70	40	0	-5	5	520	601	450	2	2
50	70	40	0	-5	5	530	601	449	4	3
50	70	40	0	-5	5	540	601	448	4	3
50	70	40	0	-5	5	550	600	448	4	3
50	70	40	0	-5	5	560	599	448	4	3
50	70	40	0	-5	5	570	598	448	4	3
50	70	40	0	-5	5	580	599	447	3	3
50	70	40	0	-5	5	590	603	448	2	3
50	70	40	0	0	-5	520	602	457	2	2
50	70	40	0	0	-5	530	601	455	3	3
50	70	40	0	0	-5	540	601	455	4	3
50	70	40	0	0	-5	550	600	454	4	3
50	70	40	0	0	-5	560	599	454	4	3
50	70	40	0	0	-5	570	599	454	3	3
50	70	40	0	0	-5	580	600	454	3	3
50	70	40	0	0	0	520	602	453	3	2
50	70	40	0	0	0	530	602	452	4	3
50	70	40	0	0	0	540	601	451	4	3
50	70	40	0	0	0	550	600	451	4	3
50	70	40	0	0	0	560	599	451	4	3
50	70	40	0	0	0	570	599	451	3	3
50	70	40	0	0	0	580	601	451	3	3
50	70	40	0	0	0	590	604	451	1	1
50	70	40	0	0	5	520	601	450	3	2
50	70	40	0	0	5	530	601	449	4	3
50	70	40	0	0	5	540	601	448	4	3
50	70	40	0	0	5	550	600	448	4	3
50	70	40	0	0	5	560	599	448	4	3
50	70	40	0	0	5	570	599	447	3	3
50	70	40	0	0	5	580	601	447	3	3
50	70	40	0	0	5	590	604	448	1	2
50	70	40	0	5	-5	520	602	456	3	2
50	70	40	0	5	-5	530	602	455	4	3
50	70	40	0	5	-5	540	601	455	4	3
50	70	40	0	5	-5	550	600	454	4	3
50	70	40	0	5	-5	560	600	454	4	3
50	70	40	0	5	-5	570	600	454	3	3
50	70	40	0	5	-5	580	601	454	2	2
50	70	40	0	5	0	520	602	453	3	3
50	70	40	0	5	0	530	601	452	4	3
50	70	40	0	5	0	540	601	451	4	3
50	70	40	0	5	0	550	600	451	4	3
50	70	40	0	5	0	560	600	451	4	3

50	70	40	0	5	0	570	599	451	3	3
50	70	40	0	5	0	580	601	451	2	2
50	70	40	0	5	5	520	602	450	3	3
50	70	40	0	5	5	530	601	448	4	3
50	70	40	0	5	5	540	601	448	4	3
50	70	40	0	5	5	550	601	448	4	3
50	70	40	0	5	5	560	599	447	4	3
50	70	40	0	5	5	570	600	448	3	3
50	70	40	0	5	5	580	602	447	2	2
50	70	40	5	-5	-5	520	598	456	0	0
50	70	40	5	-5	-5	530	598	456	3	3
50	70	40	5	-5	-5	540	598	455	4	3
50	70	40	5	-5	-5	550	597	455	4	3
50	70	40	5	-5	-5	560	596	454	4	3
50	70	40	5	-5	-5	570	595	454	3	3
50	70	40	5	-5	-5	580	596	454	3	3
50	70	40	5	-5	-5	590	599	454	2	3
50	70	40	5	-5	0	520	598	453	2	2
50	70	40	5	-5	0	530	598	452	3	3
50	70	40	5	-5	0	540	597	451	4	3
50	70	40	5	-5	0	550	596	451	4	3
50	70	40	5	-5	0	560	596	451	4	3
50	70	40	5	-5	0	570	595	451	3	3
50	70	40	5	-5	0	580	596	451	3	3
50	70	40	5	-5	0	590	599	451	2	3
50	70	40	5	-5	5	520	598	450	2	2
50	70	40	5	-5	5	530	598	449	4	3
50	70	40	5	-5	5	540	597	448	4	3
50	70	40	5	-5	5	550	596	448	4	4
50	70	40	5	-5	5	560	595	448	4	3
50	70	40	5	-5	5	570	595	447	3	3
50	70	40	5	-5	5	580	596	447	3	3
50	70	40	5	-5	5	590	599	448	2	3
50	70	40	5	0	-5	520	598	457	2	2
50	70	40	5	0	-5	530	598	455	3	3
50	70	40	5	0	-5	540	598	455	4	3
50	70	40	5	0	-5	550	597	454	4	3
50	70	40	5	0	-5	560	596	454	4	3
50	70	40	5	0	-5	570	596	454	3	3
50	70	40	5	0	-5	580	597	454	3	3
50	70	40	5	0	-5	590	600	455	1	2
50	70	40	5	0	0	520	598	453	3	2
50	70	40	5	0	0	530	598	452	4	3
50	70	40	5	0	0	540	597	451	4	3
50	70	40	5	0	0	550	597	451	4	3
50	70	40	5	0	0	560	596	451	4	3
50	70	40	5	0	0	570	596	451	3	3
50	70	40	5	0	0	580	597	451	3	3
50	70	40	5	0	0	590	600	451	2	2
50	70	40	5	0	5	520	599	449	3	2
50	70	40	5	0	5	530	598	449	4	3
50	70	40	5	0	5	540	597	448	4	3
50	70	40	5	0	5	550	597	448	4	3
50	70	40	5	0	5	560	596	448	4	3

50	70	40	5	0	5	570	595	447	3	3
50	70	40	5	0	5	580	597	447	3	3
50	70	40	5	0	5	590	600	448	2	2
50	70	40	5	5	-5	520	598	456	3	2
50	70	40	5	5	-5	530	598	455	4	3
50	70	40	5	5	-5	540	598	455	4	3
50	70	40	5	5	-5	550	597	454	4	3
50	70	40	5	5	-5	560	596	454	4	3
50	70	40	5	5	-5	570	596	454	3	3
50	70	40	5	5	-5	580	598	454	2	2
50	70	40	5	5	0	520	599	453	3	3
50	70	40	5	5	0	530	598	452	4	3
50	70	40	5	5	0	540	598	451	4	3
50	70	40	5	5	0	550	597	451	4	3
50	70	40	5	5	0	560	597	451	4	3
50	70	40	5	5	0	570	597	451	3	3
50	70	40	5	5	0	580	598	450	2	2
50	70	40	5	5	5	520	598	450	3	3
50	70	40	5	5	5	530	599	448	4	3
50	70	40	5	5	5	540	597	448	4	3
50	70	40	5	5	5	550	597	448	4	3
50	70	40	5	5	5	560	597	447	4	3
50	70	40	5	5	5	570	597	448	3	3
50	70	40	5	5	5	580	598	448	2	3
50	70	50	-5	-5	-5	530	605	457	3	3
50	70	50	-5	-5	-5	540	604	455	4	3
50	70	50	-5	-5	-5	550	603	454	4	4
50	70	50	-5	-5	-5	560	602	454	3	3
50	70	50	-5	-5	-5	570	601	454	3	3
50	70	50	-5	-5	-5	580	602	454	3	3
50	70	50	-5	-5	-5	590	605	454	1	2
50	70	50	-5	-5	0	520	604	456	1	1
50	70	50	-5	-5	0	530	604	455	3	3
50	70	50	-5	-5	0	540	603	453	4	3
50	70	50	-5	-5	0	550	603	452	4	4
50	70	50	-5	-5	0	560	602	452	3	4
50	70	50	-5	-5	0	570	601	451	3	3
50	70	50	-5	-5	0	580	602	451	3	3
50	70	50	-5	-5	0	590	605	451	1	2
50	70	50	-5	-5	5	520	604	454	2	2
50	70	50	-5	-5	5	530	604	452	3	3
50	70	50	-5	-5	5	540	603	450	4	3
50	70	50	-5	-5	5	550	602	449	4	4
50	70	50	-5	-5	5	560	601	449	4	4
50	70	50	-5	-5	5	570	601	449	3	3
50	70	50	-5	-5	5	580	602	448	3	3
50	70	50	-5	-5	5	590	605	449	1	2
50	70	50	-5	0	-5	520	605	459	1	1
50	70	50	-5	0	-5	530	605	457	3	3
50	70	50	-5	0	-5	540	604	455	4	3
50	70	50	-5	0	-5	550	603	454	4	4
50	70	50	-5	0	-5	560	601	454	3	4
50	70	50	-5	0	-5	570	602	454	3	3
50	70	50	-5	0	-5	580	603	454	2	3

50	70	50	-5	0	0	520	605	456	2	2
50	70	50	-5	0	0	530	604	454	3	3
50	70	50	-5	0	0	540	604	452	4	3
50	70	50	-5	0	0	550	603	452	4	4
50	70	50	-5	0	0	560	602	452	3	3
50	70	50	-5	0	0	570	602	451	3	3
50	70	50	-5	0	0	580	603	451	2	3
50	70	50	-5	0	5	520	605	453	2	2
50	70	50	-5	0	5	530	605	451	3	3
50	70	50	-5	0	5	540	603	450	4	4
50	70	50	-5	0	5	550	603	449	4	4
50	70	50	-5	0	5	560	602	448	3	3
50	70	50	-5	0	5	570	602	449	3	3
50	70	50	-5	0	5	580	604	448	2	2
50	70	50	-5	5	-5	520	605	458	2	2
50	70	50	-5	5	-5	530	604	456	3	3
50	70	50	-5	5	-5	540	604	454	4	3
50	70	50	-5	5	-5	550	603	454	3	4
50	70	50	-5	5	-5	560	602	454	3	3
50	70	50	-5	5	-5	570	602	454	3	3
50	70	50	-5	5	0	520	605	455	2	2
50	70	50	-5	5	0	530	605	454	3	3
50	70	50	-5	5	0	540	604	452	4	4
50	70	50	-5	5	0	550	603	452	4	4
50	70	50	-5	5	0	560	602	451	3	3
50	70	50	-5	5	0	570	602	451	3	3
50	70	50	-5	5	5	520	605	453	3	3
50	70	50	-5	5	5	530	605	451	3	3
50	70	50	-5	5	5	540	604	450	4	4
50	70	50	-5	5	5	550	603	449	4	4
50	70	50	-5	5	5	560	602	449	3	3
50	70	50	-5	5	5	570	602	448	3	3
50	70	50	0	-5	-5	530	601	457	3	3
50	70	50	0	-5	-5	540	600	455	4	3
50	70	50	0	-5	-5	550	599	454	4	4
50	70	50	0	-5	-5	560	598	454	4	4
50	70	50	0	-5	-5	570	598	454	3	3
50	70	50	0	-5	-5	580	599	454	3	3
50	70	50	0	-5	-5	590	602	454	2	3
50	70	50	0	-5	0	520	602	456	2	2
50	70	50	0	-5	0	530	601	454	3	3
50	70	50	0	-5	0	540	601	453	4	3
50	70	50	0	-5	0	550	599	452	4	4
50	70	50	0	-5	0	560	598	452	4	4
50	70	50	0	-5	0	570	598	451	3	3
50	70	50	0	-5	0	580	599	451	3	3
50	70	50	0	-5	0	590	602	451	2	3
50	70	50	0	-5	5	520	601	454	2	2
50	70	50	0	-5	5	530	601	452	3	3
50	70	50	0	-5	5	540	601	450	4	4
50	70	50	0	-5	5	550	599	449	4	4
50	70	50	0	-5	5	560	598	449	4	4
50	70	50	0	-5	5	570	598	448	3	3
50	70	50	0	-5	5	580	599	449	3	3

50	70	50	0	-5	5	590	602	449	2	3
50	70	50	0	0	-5	520	602	458	1	1
50	70	50	0	0	-5	530	601	457	3	3
50	70	50	0	0	-5	540	600	455	4	3
50	70	50	0	0	-5	550	599	454	4	4
50	70	50	0	0	-5	560	599	454	3	3
50	70	50	0	0	-5	570	598	454	3	3
50	70	50	0	0	-5	580	600	454	2	3
50	70	50	0	0	0	520	602	456	2	2
50	70	50	0	0	0	530	601	454	3	3
50	70	50	0	0	0	540	601	452	4	4
50	70	50	0	0	0	550	599	452	4	4
50	70	50	0	0	0	560	599	451	3	3
50	70	50	0	0	0	570	599	451	3	3
50	70	50	0	0	0	580	600	451	2	3
50	70	50	0	0	5	520	602	453	2	2
50	70	50	0	0	5	530	601	451	3	3
50	70	50	0	0	5	540	601	450	4	4
50	70	50	0	0	5	550	599	449	4	4
50	70	50	0	0	5	560	598	448	3	4
50	70	50	0	0	5	570	599	449	3	3
50	70	50	0	0	5	580	600	448	2	3
50	70	50	0	5	-5	520	602	458	2	2
50	70	50	0	5	-5	530	602	456	3	3
50	70	50	0	5	-5	540	600	454	4	3
50	70	50	0	5	-5	550	600	454	4	4
50	70	50	0	5	-5	560	599	454	3	3
50	70	50	0	5	-5	570	599	453	3	3
50	70	50	0	5	0	520	602	455	2	2
50	70	50	0	5	0	530	601	454	3	3
50	70	50	0	5	0	540	601	452	4	4
50	70	50	0	5	0	550	600	452	4	4
50	70	50	0	5	0	560	599	451	3	3
50	70	50	0	5	0	570	599	451	3	3
50	70	50	0	5	5	520	602	453	3	3
50	70	50	0	5	5	530	601	451	3	3
50	70	50	0	5	5	540	601	450	4	4
50	70	50	0	5	5	550	600	449	4	4
50	70	50	0	5	5	560	599	448	3	3
50	70	50	0	5	5	570	599	449	3	3
50	70	50	5	-5	-5	530	598	457	3	3
50	70	50	5	-5	-5	540	598	455	4	3
50	70	50	5	-5	-5	550	597	454	4	4
50	70	50	5	-5	-5	560	595	454	3	3
50	70	50	5	-5	-5	570	594	454	3	3
50	70	50	5	-5	-5	580	595	454	3	3
50	70	50	5	-5	-5	590	599	453	2	3
50	70	50	5	-5	0	520	598	456	1	1
50	70	50	5	-5	0	530	598	454	3	3
50	70	50	5	-5	0	540	597	453	4	3
50	70	50	5	-5	0	550	596	452	4	4
50	70	50	5	-5	0	560	595	452	4	4
50	70	50	5	-5	0	570	594	451	3	3
50	70	50	5	-5	0	580	595	451	3	3

50	70	50	5	-5	0	590	599	451	2	3
50	70	50	5	-5	5	520	598	454	2	2
50	70	50	5	-5	5	530	598	452	3	3
50	70	50	5	-5	5	540	597	450	4	3
50	70	50	5	-5	5	550	596	449	4	4
50	70	50	5	-5	5	560	595	449	4	4
50	70	50	5	-5	5	570	594	448	3	3
50	70	50	5	-5	5	580	595	449	3	3
50	70	50	5	-5	5	590	599	449	2	3
50	70	50	5	0	-5	520	599	459	1	1
50	70	50	5	0	-5	530	598	457	3	3
50	70	50	5	0	-5	540	598	455	4	3
50	70	50	5	0	-5	550	596	454	4	4
50	70	50	5	0	-5	560	595	454	3	4
50	70	50	5	0	-5	570	595	454	3	3
50	70	50	5	0	-5	580	597	454	2	3
50	70	50	5	0	0	520	598	456	2	2
50	70	50	5	0	0	530	598	454	3	3
50	70	50	5	0	0	540	597	452	4	3
50	70	50	5	0	0	550	597	452	4	4
50	70	50	5	0	0	560	595	452	3	4
50	70	50	5	0	0	570	595	451	3	3
50	70	50	5	0	0	580	597	451	2	3
50	70	50	5	0	5	520	598	453	2	2
50	70	50	5	0	5	530	598	451	3	3
50	70	50	5	0	5	540	597	450	4	4
50	70	50	5	0	5	550	596	449	4	4
50	70	50	5	0	5	560	596	448	3	3
50	70	50	5	0	5	570	595	449	3	3
50	70	50	5	0	5	580	597	449	2	3
50	70	50	5	5	-5	520	599	458	2	2
50	70	50	5	5	-5	530	598	456	3	3
50	70	50	5	5	-5	540	598	454	4	3
50	70	50	5	5	-5	550	596	454	4	4
50	70	50	5	5	-5	560	596	454	3	3
50	70	50	5	5	-5	570	595	453	3	3
50	70	50	5	5	-5	580	597	454	1	2
50	70	50	5	5	0	520	599	455	2	2
50	70	50	5	5	0	530	598	454	3	3
50	70	50	5	5	0	540	597	452	4	4
50	70	50	5	5	0	550	597	452	4	4
50	70	50	5	5	0	560	596	451	3	3
50	70	50	5	5	0	570	595	451	3	3
50	70	50	5	5	0	580	597	451	1	2
50	70	50	5	5	5	520	598	452	3	3
50	70	50	5	5	5	530	599	451	3	3
50	70	50	5	5	5	540	597	450	4	4
50	70	50	5	5	5	550	597	449	4	4
50	70	50	5	5	5	560	596	449	3	3
50	70	50	5	5	5	570	596	449	3	3
50	70	50	5	5	5	580	597	449	1	2
60	50	30	-5	-5	-5	530	601	454	3	2
60	50	30	-5	-5	-5	540	598	454	4	3
60	50	30	-5	-5	-5	550	592	454	5	3

60	50	30	-5	-5	-5	560	589	454	3	2
60	50	30	-5	-5	0	530	601	450	3	2
60	50	30	-5	-5	0	540	598	450	4	3
60	50	30	-5	-5	0	550	592	450	5	3
60	50	30	-5	-5	0	560	589	450	4	2
60	50	30	-5	-5	5	530	601	446	3	2
60	50	30	-5	-5	5	540	598	446	5	3
60	50	30	-5	-5	5	550	591	446	5	3
60	50	30	-5	-5	5	560	589	446	4	2
60	50	30	-5	0	-5	530	601	454	4	3
60	50	30	-5	0	-5	540	597	454	4	3
60	50	30	-5	0	-5	550	592	454	4	3
60	50	30	-5	0	0	530	600	450	4	3
60	50	30	-5	0	0	540	597	450	5	3
60	50	30	-5	0	0	550	591	450	5	3
60	50	30	-5	0	5	530	600	446	4	3
60	50	30	-5	0	5	540	597	446	5	3
60	50	30	-5	0	5	550	591	446	5	3
60	50	30	-5	5	-5	530	600	454	4	3
60	50	30	-5	5	-5	540	596	454	5	3
60	50	30	-5	5	-5	550	592	454	4	2
60	50	30	-5	5	0	530	600	450	4	3
60	50	30	-5	5	0	540	596	450	5	3
60	50	30	-5	5	0	550	593	450	4	3
60	50	30	-5	5	5	530	599	446	4	3
60	50	30	-5	5	5	540	596	446	5	3
60	50	30	-5	5	5	550	592	446	4	3
60	50	30	0	-5	-5	530	599	454	3	2
60	50	30	0	-5	-5	540	595	454	4	3
60	50	30	0	-5	-5	550	585	454	5	3
60	50	30	0	-5	-5	560	584	454	4	2
60	50	30	0	-5	0	530	598	450	3	2
60	50	30	0	-5	0	540	595	450	4	3
60	50	30	0	-5	0	550	585	450	5	3
60	50	30	0	-5	0	560	585	450	4	2
60	50	30	0	-5	5	530	598	446	3	2
60	50	30	0	-5	5	540	595	446	4	3
60	50	30	0	-5	5	550	585	446	5	3
60	50	30	0	-5	5	560	584	446	4	2
60	50	30	0	0	-5	530	598	454	4	3
60	50	30	0	0	-5	540	593	454	5	3
60	50	30	0	0	-5	550	585	454	5	3
60	50	30	0	0	0	530	598	450	4	3
60	50	30	0	0	0	540	593	450	5	3
60	50	30	0	0	0	550	586	450	5	3
60	50	30	0	0	0	560	585	450	1	1
60	50	30	0	0	5	530	598	446	4	3
60	50	30	0	0	5	540	593	446	5	3
60	50	30	0	0	5	550	585	446	5	3
60	50	30	0	0	5	560	584	446	2	1
60	50	30	0	5	-5	530	597	454	4	3
60	50	30	0	5	-5	540	592	454	5	3
60	50	30	0	5	-5	550	587	454	4	3
60	50	30	0	5	0	530	597	450	4	3

60	50	30	0	5	0	540	592	450	5	3
60	50	30	0	5	0	550	587	450	4	3
60	50	30	0	5	5	530	597	446	4	3
60	50	30	0	5	5	540	592	446	5	3
60	50	30	0	5	5	550	587	446	4	3
60	50	30	5	-5	-5	530	596	454	3	2
60	50	30	5	-5	-5	540	592	454	4	3
60	50	30	5	-5	-5	550	580	454	5	3
60	50	30	5	-5	-5	560	580	454	4	2
60	50	30	5	-5	0	530	596	450	3	2
60	50	30	5	-5	0	540	591	450	5	3
60	50	30	5	-5	0	550	581	450	5	3
60	50	30	5	-5	0	560	581	450	4	3
60	50	30	5	-5	5	530	595	446	3	2
60	50	30	5	-5	5	540	591	446	5	3
60	50	30	5	-5	5	550	581	446	5	3
60	50	30	5	-5	5	560	581	446	4	3
60	50	30	5	0	-5	530	595	454	4	2
60	50	30	5	0	-5	540	590	454	5	3
60	50	30	5	0	-5	550	581	454	5	3
60	50	30	5	0	-5	560	579	454	2	2
60	50	30	5	0	0	530	595	450	4	3
60	50	30	5	0	0	540	590	450	5	3
60	50	30	5	0	0	550	580	450	5	3
60	50	30	5	0	0	560	580	450	3	2
60	50	30	5	0	5	530	595	446	4	3
60	50	30	5	0	5	540	589	446	5	3
60	50	30	5	0	5	550	581	446	5	3
60	50	30	5	0	5	560	580	446	3	2
60	50	30	5	5	-5	530	594	454	4	3
60	50	30	5	5	-5	540	588	454	5	3
60	50	30	5	5	-5	550	581	454	5	3
60	50	30	5	5	0	530	594	450	4	3
60	50	30	5	5	0	540	586	450	5	3
60	50	30	5	5	0	550	582	450	5	3
60	50	30	5	5	5	530	594	446	4	3
60	50	30	5	5	5	540	587	446	5	3
60	50	30	5	5	5	550	582	446	5	3
60	50	40	-5	-5	-5	530	601	455	4	3
60	50	40	-5	-5	-5	540	598	454	5	3
60	50	40	-5	-5	-5	550	591	454	5	3
60	50	40	-5	-5	-5	560	589	454	4	3
60	50	40	-5	-5	0	530	601	451	4	3
60	50	40	-5	-5	0	540	598	451	5	3
60	50	40	-5	-5	0	550	591	451	5	3
60	50	40	-5	-5	0	560	590	451	4	3
60	50	40	-5	-5	5	530	601	448	4	3
60	50	40	-5	-5	5	540	598	448	5	3
60	50	40	-5	-5	5	550	591	447	5	3
60	50	40	-5	-5	5	560	590	447	4	3
60	50	40	-5	0	-5	530	600	454	4	3
60	50	40	-5	0	-5	540	596	454	5	3
60	50	40	-5	0	-5	550	591	454	5	3
60	50	40	-5	0	0	530	600	451	4	3

60	50	40	-5	0	0	540	596	451	5	3
60	50	40	-5	0	0	550	591	451	5	3
60	50	40	-5	0	0	560	590	451	2	1
60	50	40	-5	0	5	530	600	448	4	3
60	50	40	-5	0	5	540	596	448	5	3
60	50	40	-5	0	5	550	592	448	5	3
60	50	40	-5	0	5	560	591	448	2	2
60	50	40	-5	5	-5	520	602	455	2	1
60	50	40	-5	5	-5	530	600	454	4	3
60	50	40	-5	5	-5	540	596	454	5	3
60	50	40	-5	5	-5	550	593	454	4	3
60	50	40	-5	5	0	520	601	451	2	2
60	50	40	-5	5	0	530	599	451	4	3
60	50	40	-5	5	0	540	595	451	5	3
60	50	40	-5	5	0	550	592	451	4	3
60	50	40	-5	5	5	520	602	448	3	2
60	50	40	-5	5	5	530	599	448	4	3
60	50	40	-5	5	5	540	595	447	5	3
60	50	40	-5	5	5	550	592	448	4	3
60	50	40	0	-5	-5	530	598	455	3	3
60	50	40	0	-5	-5	540	594	454	5	3
60	50	40	0	-5	-5	550	585	454	5	3
60	50	40	0	-5	-5	560	585	454	4	3
60	50	40	0	-5	0	530	598	451	4	3
60	50	40	0	-5	0	540	594	451	5	3
60	50	40	0	-5	0	550	585	451	6	3
60	50	40	0	-5	0	560	586	451	4	3
60	50	40	0	-5	5	530	598	448	4	3
60	50	40	0	-5	5	540	594	447	5	3
60	50	40	0	-5	5	550	585	447	6	3
60	50	40	0	-5	5	560	586	448	4	3
60	50	40	0	0	-5	530	597	454	4	3
60	50	40	0	0	-5	540	593	454	5	3
60	50	40	0	0	-5	550	586	454	5	3
60	50	40	0	0	-5	560	585	454	3	2
60	50	40	0	0	0	530	597	451	4	3
60	50	40	0	0	0	540	592	451	5	3
60	50	40	0	0	0	550	586	451	5	3
60	50	40	0	0	0	560	585	451	3	2
60	50	40	0	0	5	530	597	447	4	3
60	50	40	0	0	5	540	592	448	5	3
60	50	40	0	0	5	550	586	448	5	3
60	50	40	0	0	5	560	586	448	3	2
60	50	40	0	5	-5	520	599	454	1	1
60	50	40	0	5	-5	530	596	454	4	3
60	50	40	0	5	-5	540	592	454	5	3
60	50	40	0	5	-5	550	588	454	4	3
60	50	40	0	5	0	520	599	451	2	2
60	50	40	0	5	0	530	597	451	4	3
60	50	40	0	5	0	540	591	451	5	3
60	50	40	0	5	0	550	588	451	5	3
60	50	40	0	5	5	520	599	448	2	2
60	50	40	0	5	5	530	597	448	4	3
60	50	40	0	5	5	540	591	447	5	3

60 50 40 -5 0 0 540 596 451 5 3

60	50	40	0	5	5	550	587	447	5	3
60	50	40	5	-5	-5	530	595	454	3	3
60	50	40	5	-5	-5	540	591	454	5	3
60	50	40	5	-5	-5	550	581	454	5	3
60	50	40	5	-5	-5	560	582	454	4	3
60	50	40	5	-5	0	530	596	451	3	3
60	50	40	5	-5	0	540	591	451	5	3
60	50	40	5	-5	0	550	582	451	5	3
60	50	40	5	-5	0	560	581	451	4	3
60	50	40	5	-5	5	530	595	448	4	3
60	50	40	5	-5	5	540	591	447	5	3
60	50	40	5	-5	5	550	582	447	5	3
60	50	40	5	-5	5	560	582	447	4	3
60	50	40	5	0	-5	530	595	454	4	3
60	50	40	5	0	-5	540	589	454	5	3
60	50	40	5	0	-5	550	581	454	5	3
60	50	40	5	0	-5	560	581	454	3	2
60	50	40	5	0	0	530	594	451	4	3
60	50	40	5	0	0	540	588	451	5	3
60	50	40	5	0	0	540	547	451	2	1
60	50	40	5	0	0	550	581	451	5	3
60	50	40	5	0	0	560	581	451	3	2
60	50	40	5	0	5	530	594	448	4	3
60	50	40	5	0	5	540	580	447	5	3
60	50	40	5	0	5	550	582	448	5	3
60	50	40	5	0	5	560	582	448	4	2
60	50	40	5	5	-5	530	594	454	4	3
60	50	40	5	5	-5	540	584	454	5	3
60	50	40	5	5	-5	550	582	454	5	3
60	50	40	5	5	0	520	597	451	2	1
60	50	40	5	5	0	530	594	451	4	3
60	50	40	5	5	0	540	583	451	5	3
60	50	40	5	5	0	550	583	451	5	3
60	50	40	5	5	5	520	597	448	2	2
60	50	40	5	5	5	530	594	448	4	3
60	50	40	5	5	5	540	583	447	5	3
60	50	40	5	5	5	550	583	447	5	3
60	50	50	-5	-5	-5	530	601	455	3	2
60	50	50	-5	-5	-5	540	598	454	4	3
60	50	50	-5	-5	-5	550	592	454	5	3
60	50	50	-5	-5	-5	560	588	454	3	2
60	50	50	-5	-5	0	530	601	452	3	3
60	50	50	-5	-5	0	540	598	452	4	4
60	50	50	-5	-5	0	550	592	451	5	3
60	50	50	-5	-5	0	560	589	451	3	2
60	50	50	-5	-5	5	530	601	450	3	3
60	50	50	-5	-5	5	540	598	449	4	3
60	50	50	-5	-5	5	550	592	448	5	3
60	50	50	-5	-5	5	560	588	449	3	2
60	50	50	-5	0	-5	530	600	455	4	3
60	50	50	-5	0	-5	540	597	454	4	4
60	50	50	-5	0	-5	550	591	454	4	3
60	50	50	-5	0	0	530	601	452	4	3
60	50	50	-5	0	0	540	597	451	4	4

60	50	50	-5	0	0	550	591	451	4	3
60	50	50	-5	0	5	530	600	450	4	3
60	50	50	-5	0	5	540	597	449	4	4
60	50	50	-5	0	5	550	591	448	4	3
60	50	50	-5	5	-5	530	600	454	4	3
60	50	50	-5	5	-5	540	596	454	4	3
60	50	50	-5	5	-5	550	592	454	4	3
60	50	50	-5	5	0	530	600	452	4	3
60	50	50	-5	5	0	540	596	451	4	4
60	50	50	-5	5	0	550	593	451	4	3
60	50	50	-5	5	5	530	600	449	4	3
60	50	50	-5	5	5	540	596	448	4	3
60	50	50	-5	5	5	550	592	449	4	3
60	50	50	0	-5	-5	530	599	455	3	2
60	50	50	0	-5	-5	540	595	454	4	3
60	50	50	0	-5	-5	550	585	454	5	3
60	50	50	0	-5	-5	560	583	454	4	3
60	50	50	0	-5	0	530	598	452	3	2
60	50	50	0	-5	0	540	595	452	4	3
60	50	50	0	-5	0	550	585	451	5	3
60	50	50	0	-5	0	560	583	451	4	3
60	50	50	0	-5	5	530	598	450	3	3
60	50	50	0	-5	5	540	595	449	4	3
60	50	50	0	-5	5	550	585	448	5	3
60	50	50	0	-5	5	560	583	449	4	3
60	50	50	0	0	-5	530	598	455	4	3
60	50	50	0	0	-5	540	594	454	4	3
60	50	50	0	0	-5	550	585	454	5	3
60	50	50	0	0	0	530	597	452	4	3
60	50	50	0	0	0	540	593	451	5	4
60	50	50	0	0	0	550	585	451	5	3
60	50	50	0	0	5	530	597	449	4	3
60	50	50	0	0	5	540	593	448	4	3
60	50	50	0	0	5	550	585	448	5	3
60	50	50	0	5	-5	530	597	454	4	3
60	50	50	0	5	-5	540	592	454	4	3
60	50	50	0	5	-5	550	587	454	4	3
60	50	50	0	5	0	530	597	452	4	3
60	50	50	0	5	0	540	592	451	5	3
60	50	50	0	5	0	550	587	451	4	3
60	50	50	0	5	5	530	597	449	4	3
60	50	50	0	5	5	540	592	448	5	3
60	50	50	0	5	5	550	587	448	4	3
60	50	50	5	-5	-5	530	596	455	3	2
60	50	50	5	-5	-5	540	592	454	4	3
60	50	50	5	-5	-5	550	581	454	5	3
60	50	50	5	-5	-5	560	579	454	4	3
60	50	50	5	-5	0	530	595	453	3	2
60	50	50	5	-5	0	540	592	452	4	3
60	50	50	5	-5	0	550	580	451	5	3
60	50	50	5	-5	0	560	580	451	4	3
60	50	50	5	-5	5	530	595	450	3	3
60	50	50	5	-5	5	540	591	449	4	3
60	50	50	5	-5	5	550	580	448	5	3

60	50	50	5	-5	5	560	579	448	4	3
60	50	50	5	0	-5	530	595	454	3	3
60	50	50	5	0	-5	540	590	454	4	3
60	50	50	5	0	-5	550	580	454	5	3
60	50	50	5	0	0	530	595	452	4	3
60	50	50	5	0	0	540	590	451	5	3
60	50	50	5	0	0	550	580	451	5	3
60	50	50	5	0	0	560	578	451	2	1
60	50	50	5	0	5	530	595	449	4	3
60	50	50	5	0	5	540	590	448	5	3
60	50	50	5	0	5	550	581	448	5	3
60	50	50	5	0	5	560	579	448	2	1
60	50	50	5	5	-5	530	594	454	4	3
60	50	50	5	5	-5	540	588	454	5	3
60	50	50	5	5	-5	550	581	454	4	3
60	50	50	5	5	0	530	594	452	4	3
60	50	50	5	5	0	540	588	451	5	3
60	50	50	5	5	0	550	581	451	4	3
60	50	50	5	5	5	530	594	449	4	3
60	50	50	5	5	5	540	588	449	5	3
60	50	50	5	5	5	550	581	448	4	3
60	60	30	-5	-5	-5	530	601	454	3	2
60	60	30	-5	-5	-5	540	598	454	4	3
60	60	30	-5	-5	-5	550	594	454	5	3
60	60	30	-5	-5	-5	560	586	454	5	3
60	60	30	-5	-5	-5	570	584	454	3	3
60	60	30	-5	-5	-5	580	584	454	1	2
60	60	30	-5	-5	0	530	601	450	3	2
60	60	30	-5	-5	0	540	598	450	4	3
60	60	30	-5	-5	0	550	594	450	5	3
60	60	30	-5	-5	0	560	586	450	5	3
60	60	30	-5	-5	0	570	584	450	4	3
60	60	30	-5	-5	0	580	584	450	1	2
60	60	30	-5	-5	5	530	601	446	3	2
60	60	30	-5	-5	5	540	599	446	4	3
60	60	30	-5	-5	5	550	594	446	5	3
60	60	30	-5	-5	5	560	586	446	5	3
60	60	30	-5	-5	5	570	584	446	4	3
60	60	30	-5	-5	5	580	585	446	2	2
60	60	30	-5	0	-5	530	600	454	3	3
60	60	30	-5	0	-5	540	598	454	4	3
60	60	30	-5	0	-5	550	593	454	5	3
60	60	30	-5	0	-5	560	589	454	4	3
60	60	30	-5	0	-5	570	587	454	3	2
60	60	30	-5	0	0	530	601	450	4	3
60	60	30	-5	0	0	540	598	450	4	3
60	60	30	-5	0	0	550	593	450	5	3
60	60	30	-5	0	0	560	589	450	4	3
60	60	30	-5	0	0	570	587	450	3	2
60	60	30	-5	0	5	530	601	446	4	3
60	60	30	-5	0	5	540	598	446	4	3
60	60	30	-5	0	5	550	593	446	5	3
60	60	30	-5	0	5	560	590	446	4	3
60	60	30	-5	0	5	570	587	446	3	2

60	60	30	-5	5	-5	530	600	454	4	3
60	60	30	-5	5	-5	540	597	454	4	3
60	60	30	-5	5	-5	550	593	454	4	3
60	60	30	-5	5	-5	560	590	454	4	3
60	60	30	-5	5	0	530	601	450	4	3
60	60	30	-5	5	0	540	597	450	4	3
60	60	30	-5	5	0	550	593	450	4	3
60	60	30	-5	5	0	560	591	450	4	3
60	60	30	-5	5	5	530	601	446	4	3
60	60	30	-5	5	5	540	598	446	4	3
60	60	30	-5	5	5	550	594	446	4	3
60	60	30	-5	5	5	560	590	446	4	3
60	60	30	0	-5	-5	530	599	454	3	2
60	60	30	0	-5	-5	540	596	454	4	3
60	60	30	0	-5	-5	550	590	454	5	3
60	60	30	0	-5	-5	560	584	454	5	3
60	60	30	0	-5	-5	570	583	454	3	3
60	60	30	0	-5	0	530	598	450	3	2
60	60	30	0	-5	0	540	595	450	4	3
60	60	30	0	-5	0	550	590	450	5	3
60	60	30	0	-5	0	560	584	450	5	3
60	60	30	0	-5	0	570	583	450	3	3
60	60	30	0	-5	0	580	584	450	1	1
60	60	30	0	-5	5	530	598	446	3	2
60	60	30	0	-5	5	540	595	446	4	3
60	60	30	0	-5	5	550	590	446	5	3
60	60	30	0	-5	5	560	584	446	5	3
60	60	30	0	-5	5	570	583	446	3	3
60	60	30	0	-5	5	580	584	446	1	1
60	60	30	0	0	-5	530	598	454	4	3
60	60	30	0	0	-5	540	595	454	4	3
60	60	30	0	0	-5	550	589	454	5	3
60	60	30	0	0	-5	560	583	454	5	3
60	60	30	0	0	-5	570	581	454	3	3
60	60	30	0	0	-5	580	582	454	1	1
60	60	30	0	0	0	530	598	450	4	3
60	60	30	0	0	0	540	595	450	4	3
60	60	30	0	0	0	550	590	450	5	3
60	60	30	0	0	0	560	583	450	5	3
60	60	30	0	0	0	570	582	450	3	3
60	60	30	0	0	0	580	582	450	1	2
60	60	30	0	0	5	530	598	446	4	3
60	60	30	0	0	5	540	595	446	4	3
60	60	30	0	0	5	550	589	446	5	3
60	60	30	0	0	5	560	583	446	5	3
60	60	30	0	0	5	570	582	446	3	3
60	60	30	0	0	5	580	583	446	1	2
60	60	30	0	5	-5	530	598	454	4	3
60	60	30	0	5	-5	540	595	454	4	3
60	60	30	0	5	-5	550	590	454	4	3
60	60	30	0	5	-5	560	585	454	4	3
60	60	30	0	5	-5	570	584	454	2	2
60	60	30	0	5	0	530	598	450	4	3
60	60	30	0	5	0	540	594	450	4	3

60	60	30	0	5	0	550	589	450	5	3
60	60	30	0	5	0	560	586	450	4	3
60	60	30	0	5	0	570	584	450	2	2
60	60	30	0	5	5	530	597	446	4	3
60	60	30	0	5	5	540	594	446	4	3
60	60	30	0	5	5	550	589	446	5	3
60	60	30	0	5	5	560	586	446	4	3
60	60	30	0	5	5	570	584	446	2	2
60	60	30	5	-5	-5	530	596	454	3	2
60	60	30	5	-5	-5	540	593	454	4	3
60	60	30	5	-5	-5	550	588	454	5	3
60	60	30	5	-5	-5	560	583	454	5	3
60	60	30	5	-5	-5	570	583	454	3	3
60	60	30	5	-5	0	530	596	450	3	2
60	60	30	5	-5	0	540	593	450	4	3
60	60	30	5	-5	0	550	588	450	5	3
60	60	30	5	-5	0	560	583	450	5	3
60	60	30	5	-5	0	570	583	450	3	3
60	60	30	5	-5	5	530	596	446	3	2
60	60	30	5	-5	5	540	593	446	4	3
60	60	30	5	-5	5	550	587	446	5	3
60	60	30	5	-5	5	560	583	446	5	3
60	60	30	5	-5	5	570	583	446	3	3
60	60	30	5	0	-5	530	595	454	3	2
60	60	30	5	0	-5	540	592	454	4	3
60	60	30	5	0	-5	550	586	454	5	3
60	60	30	5	0	-5	560	581	454	4	3
60	60	30	5	0	-5	570	581	454	3	3
60	60	30	5	0	0	530	595	450	4	3
60	60	30	5	0	0	540	592	450	4	3
60	60	30	5	0	0	550	586	450	5	3
60	60	30	5	0	0	560	582	450	4	3
60	60	30	5	0	0	570	582	450	3	3
60	60	30	5	0	5	530	595	446	4	3
60	60	30	5	0	5	540	592	446	4	3
60	60	30	5	0	5	550	587	446	5	3
60	60	30	5	0	5	560	582	446	4	3
60	60	30	5	0	5	570	581	446	3	3
60	60	30	5	5	-5	530	595	454	4	3
60	60	30	5	5	-5	540	591	454	4	3
60	60	30	5	5	-5	550	586	454	5	3
60	60	30	5	5	-5	560	580	454	4	3
60	60	30	5	5	-5	570	579	454	3	2
60	60	30	5	5	0	530	595	450	4	3
60	60	30	5	5	0	540	591	450	4	3
60	60	30	5	5	0	550	586	450	5	3
60	60	30	5	5	0	560	580	450	4	3
60	60	30	5	5	0	570	579	450	3	2
60	60	30	5	5	5	530	595	446	4	3
60	60	30	5	5	5	540	592	446	4	3
60	60	30	5	5	5	550	586	446	5	3
60	60	30	5	5	5	560	581	446	4	3
60	60	30	5	5	5	570	579	446	3	2
60	60	40	-5	-5	-5	530	601	455	4	3

60	60	40	-5	-5	-5	540	598	455	5	3
60	60	40	-5	-5	-5	550	593	454	5	3
60	60	40	-5	-5	-5	560	586	454	5	3
60	60	40	-5	-5	-5	570	585	454	4	3
60	60	40	-5	-5	-5	580	585	454	2	2
60	60	40	-5	-5	0	530	601	452	4	3
60	60	40	-5	-5	0	540	598	451	5	3
60	60	40	-5	-5	0	550	593	451	5	4
60	60	40	-5	-5	0	560	587	451	5	3
60	60	40	-5	-5	0	570	585	451	4	3
60	60	40	-5	-5	0	580	585	451	2	2
60	60	40	-5	-5	5	530	601	449	4	3
60	60	40	-5	-5	5	540	598	448	5	3
60	60	40	-5	-5	5	550	593	448	5	4
60	60	40	-5	-5	5	560	587	447	5	3
60	60	40	-5	-5	5	570	586	447	4	3
60	60	40	-5	-5	5	580	585	447	2	2
60	60	40	-5	0	-5	530	601	455	4	3
60	60	40	-5	0	-5	540	597	454	5	3
60	60	40	-5	0	-5	550	593	454	5	4
60	60	40	-5	0	-5	560	589	454	4	3
60	60	40	-5	0	-5	570	587	454	3	3
60	60	40	-5	0	0	520	602	452	1	1
60	60	40	-5	0	0	530	600	452	4	3
60	60	40	-5	0	0	540	597	451	5	3
60	60	40	-5	0	0	550	593	451	5	4
60	60	40	-5	0	0	560	589	451	4	3
60	60	40	-5	0	0	570	588	450	3	3
60	60	40	-5	0	5	520	602	449	2	2
60	60	40	-5	0	5	530	601	448	4	3
60	60	40	-5	0	5	540	598	448	5	4
60	60	40	-5	0	5	550	593	448	5	4
60	60	40	-5	0	5	560	589	447	4	3
60	60	40	-5	0	5	570	588	448	3	3
60	60	40	-5	5	-5	520	602	455	3	2
60	60	40	-5	5	-5	530	600	454	4	3
60	60	40	-5	5	-5	540	597	454	5	3
60	60	40	-5	5	-5	550	593	454	5	3
60	60	40	-5	5	-5	560	591	454	4	3
60	60	40	-5	5	0	520	602	452	3	2
60	60	40	-5	5	0	530	600	451	4	3
60	60	40	-5	5	0	540	597	451	5	4
60	60	40	-5	5	0	550	593	451	5	4
60	60	40	-5	5	0	560	591	451	4	3
60	60	40	-5	5	5	520	602	449	3	2
60	60	40	-5	5	5	530	600	448	4	3
60	60	40	-5	5	5	540	598	448	5	4
60	60	40	-5	5	5	550	594	448	5	3
60	60	40	-5	5	5	560	591	448	4	3
60	60	40	0	-5	-5	530	598	455	4	3
60	60	40	0	-5	-5	540	595	455	5	3
60	60	40	0	-5	-5	550	590	454	5	3
60	60	40	0	-5	-5	560	585	454	5	3
60	60	40	0	-5	-5	570	584	454	4	3

60	60	40	0	-5	-5	580	585	454	2	2
60	60	40	0	-5	0	530	598	452	4	3
60	60	40	0	-5	0	540	595	451	5	3
60	60	40	0	-5	0	550	590	451	5	4
60	60	40	0	-5	0	560	585	451	5	4
60	60	40	0	-5	0	570	585	451	4	3
60	60	40	0	-5	0	580	585	451	2	2
60	60	40	0	-5	5	530	598	449	4	3
60	60	40	0	-5	5	540	595	448	5	3
60	60	40	0	-5	5	550	589	448	5	3
60	60	40	0	-5	5	560	585	448	5	3
60	60	40	0	-5	5	570	585	448	4	3
60	60	40	0	-5	5	580	585	447	2	2
60	60	40	0	0	-5	530	598	455	4	3
60	60	40	0	0	-5	540	595	455	5	3
60	60	40	0	0	-5	550	590	454	5	3
60	60	40	0	0	-5	560	584	454	5	3
60	60	40	0	0	-5	570	583	454	3	3
60	60	40	0	0	-5	580	583	454	1	2
60	60	40	0	0	0	530	598	451	4	3
60	60	40	0	0	0	540	594	451	5	3
60	60	40	0	0	0	550	589	451	5	3
60	60	40	0	0	0	560	584	451	5	3
60	60	40	0	0	0	570	583	451	3	3
60	60	40	0	0	0	580	583	451	1	2
60	60	40	0	0	5	520	599	449	2	2
60	60	40	0	0	5	530	597	448	4	3
60	60	40	0	0	5	540	594	448	5	3
60	60	40	0	0	5	550	589	448	5	4
60	60	40	0	0	5	560	584	447	5	3
60	60	40	0	0	5	570	583	447	3	3
60	60	40	0	0	5	580	584	447	1	2
60	60	40	0	5	-5	520	599	455	2	2
60	60	40	0	5	-5	530	598	454	4	3
60	60	40	0	5	-5	540	595	454	5	3
60	60	40	0	5	-5	550	590	454	5	3
60	60	40	0	5	-5	560	586	454	4	3
60	60	40	0	5	-5	570	585	454	2	2
60	60	40	0	5	0	520	599	452	3	2
60	60	40	0	5	0	530	597	451	4	3
60	60	40	0	5	0	540	594	451	5	3
60	60	40	0	5	0	550	589	451	5	4
60	60	40	0	5	0	560	586	451	4	3
60	60	40	0	5	0	570	586	451	2	2
60	60	40	0	5	5	520	600	449	3	2
60	60	40	0	5	5	530	598	448	4	3
60	60	40	0	5	5	540	594	448	5	4
60	60	40	0	5	5	550	589	448	5	4
60	60	40	0	5	5	560	587	448	4	3
60	60	40	0	5	5	570	586	448	3	2
60	60	40	5	-5	-5	530	595	455	4	3
60	60	40	5	-5	-5	540	592	455	5	3
60	60	40	5	-5	-5	550	587	454	5	3
60	60	40	5	-5	-5	560	584	454	5	3

60	60	40	5	-5	-5	570	584	454	3	3
60	60	40	5	-5	0	530	595	452	4	3
60	60	40	5	-5	0	540	592	451	5	3
60	60	40	5	-5	0	550	587	451	5	3
60	60	40	5	-5	0	560	584	451	5	3
60	60	40	5	-5	0	570	584	451	3	3
60	60	40	5	-5	5	530	595	448	4	3
60	60	40	5	-5	5	540	592	448	5	3
60	60	40	5	-5	5	550	586	448	5	3
60	60	40	5	-5	5	560	584	447	5	3
60	60	40	5	-5	5	570	584	447	4	3
60	60	40	5	-5	5	580	584	448	1	1
60	60	40	5	0	-5	530	595	455	4	3
60	60	40	5	0	-5	540	592	455	5	3
60	60	40	5	0	-5	550	586	454	5	3
60	60	40	5	0	-5	560	583	454	5	3
60	60	40	5	0	-5	570	582	454	3	3
60	60	40	5	0	0	530	595	451	4	3
60	60	40	5	0	0	540	592	451	5	3
60	60	40	5	0	0	550	586	451	5	3
60	60	40	5	0	0	560	583	451	5	3
60	60	40	5	0	0	570	582	451	3	3
60	60	40	5	0	5	520	596	449	2	1
60	60	40	5	0	5	530	595	448	4	3
60	60	40	5	0	5	540	592	448	5	3
60	60	40	5	0	5	550	586	448	5	3
60	60	40	5	0	5	560	583	447	5	3
60	60	40	5	0	5	570	582	448	3	3
60	60	40	5	5	-5	520	597	455	2	2
60	60	40	5	5	-5	530	595	455	4	3
60	60	40	5	5	-5	540	591	454	5	3
60	60	40	5	5	-5	550	585	454	5	3
60	60	40	5	5	-5	560	581	454	4	3
60	60	40	5	5	-5	570	579	454	3	3
60	60	40	5	5	0	520	597	452	3	2
60	60	40	5	5	0	530	595	451	4	3
60	60	40	5	5	0	540	591	451	5	3
60	60	40	5	5	0	550	586	451	5	3
60	60	40	5	5	0	560	581	451	4	3
60	60	40	5	5	0	570	580	451	3	3
60	60	40	5	5	5	520	596	449	3	2
60	60	40	5	5	5	530	595	448	4	3
60	60	40	5	5	5	540	591	448	5	3
60	60	40	5	5	5	550	585	447	5	3
60	60	40	5	5	5	560	582	448	4	3
60	60	40	5	5	5	570	580	448	3	3
60	60	50	-5	-5	-5	530	601	456	3	3
60	60	50	-5	-5	-5	540	598	455	4	4
60	60	50	-5	-5	-5	550	593	454	5	4
60	60	50	-5	-5	-5	560	586	454	5	3
60	60	50	-5	-5	-5	570	583	454	3	3
60	60	50	-5	-5	-5	580	583	453	1	3
60	60	50	-5	-5	0	530	601	454	3	3
60	60	50	-5	-5	0	540	598	452	4	4

60	60	50	-5	-5	0	550	593	451	5	4
60	60	50	-5	-5	0	560	586	452	5	4
60	60	50	-5	-5	0	570	583	451	3	3
60	60	50	-5	-5	0	580	583	451	1	2
60	60	50	-5	-5	5	530	600	451	4	3
60	60	50	-5	-5	5	540	598	450	4	4
60	60	50	-5	-5	5	550	593	449	5	4
60	60	50	-5	-5	5	560	585	448	5	3
60	60	50	-5	-5	5	570	583	449	3	3
60	60	50	-5	-5	5	580	583	449	1	2
60	60	50	-5	0	-5	530	600	456	4	3
60	60	50	-5	0	-5	540	598	455	4	4
60	60	50	-5	0	-5	550	593	454	4	4
60	60	50	-5	0	-5	560	588	454	4	3
60	60	50	-5	0	-5	570	586	454	3	3
60	60	50	-5	0	0	530	601	453	4	3
60	60	50	-5	0	0	540	597	452	4	4
60	60	50	-5	0	0	550	592	451	4	4
60	60	50	-5	0	0	560	588	451	4	3
60	60	50	-5	0	0	570	586	451	3	3
60	60	50	-5	0	5	530	600	450	4	3
60	60	50	-5	0	5	540	597	449	4	4
60	60	50	-5	0	5	550	593	449	5	4
60	60	50	-5	0	5	560	589	449	4	3
60	60	50	-5	0	5	570	586	449	3	3
60	60	50	-5	5	-5	530	600	455	4	3
60	60	50	-5	5	-5	540	598	454	4	4
60	60	50	-5	5	-5	550	593	454	4	4
60	60	50	-5	5	-5	560	590	453	3	3
60	60	50	-5	5	0	520	602	454	2	2
60	60	50	-5	5	0	530	600	453	4	3
60	60	50	-5	5	0	540	597	451	4	4
60	60	50	-5	5	0	550	594	451	4	4
60	60	50	-5	5	0	560	590	451	3	3
60	60	50	-5	5	5	520	602	452	2	2
60	60	50	-5	5	5	530	600	450	4	3
60	60	50	-5	5	5	540	597	449	4	4
60	60	50	-5	5	5	550	593	448	4	4
60	60	50	-5	5	5	560	590	449	4	3
60	60	50	0	-5	-5	530	598	456	3	3
60	60	50	0	-5	-5	540	595	455	4	4
60	60	50	0	-5	-5	550	590	455	5	4
60	60	50	0	-5	-5	560	583	454	5	4
60	60	50	0	-5	-5	570	582	454	3	3
60	60	50	0	-5	0	530	598	454	3	3
60	60	50	0	-5	0	540	595	452	4	4
60	60	50	0	-5	0	550	590	451	5	4
60	60	50	0	-5	0	560	583	452	5	4
60	60	50	0	-5	0	570	582	451	3	3
60	60	50	0	-5	5	530	598	451	4	3
60	60	50	0	-5	5	540	595	450	4	4
60	60	50	0	-5	5	550	589	449	5	4
60	60	50	0	-5	5	560	584	448	5	4
60	60	50	0	-5	5	570	582	449	3	3

60	60	50	0	0	-5	530	598	455	4	3
60	60	50	0	0	-5	540	594	454	4	4
60	60	50	0	0	-5	550	589	454	5	4
60	60	50	0	0	-5	560	582	454	4	4
60	60	50	0	0	-5	570	581	454	3	3
60	60	50	0	0	0	530	597	453	4	3
60	60	50	0	0	0	540	595	452	4	4
60	60	50	0	0	0	550	589	451	5	4
60	60	50	0	0	0	560	582	451	4	4
60	60	50	0	0	0	570	581	451	3	3
60	60	50	0	0	5	530	598	450	4	3
60	60	50	0	0	5	540	594	449	4	4
60	60	50	0	0	5	550	589	449	5	4
60	60	50	0	0	5	560	582	448	4	4
60	60	50	0	0	5	570	581	449	3	3
60	60	50	0	5	-5	530	598	455	4	3
60	60	50	0	5	-5	540	594	454	4	4
60	60	50	0	5	-5	550	589	454	4	4
60	60	50	0	5	-5	560	585	454	4	3
60	60	50	0	5	-5	570	584	454	0	1
60	60	50	0	5	0	520	600	455	1	1
60	60	50	0	5	0	530	598	453	4	3
60	60	50	0	5	0	540	594	452	4	4
60	60	50	0	5	0	550	589	451	4	4
60	60	50	0	5	0	560	585	451	4	3
60	60	50	0	5	0	570	583	451	1	1
60	60	50	0	5	5	520	599	452	2	2
60	60	50	0	5	5	530	597	450	4	3
60	60	50	0	5	5	540	594	449	4	4
60	60	50	0	5	5	550	589	448	4	4
60	60	50	0	5	5	560	585	448	4	3
60	60	50	0	5	5	570	584	448	1	2
60	60	50	5	-5	-5	530	596	456	3	3
60	60	50	5	-5	-5	540	592	455	4	3
60	60	50	5	-5	-5	550	587	454	5	4
60	60	50	5	-5	-5	560	582	454	4	4
60	60	50	5	-5	-5	570	582	454	3	3
60	60	50	5	-5	0	530	595	454	3	3
60	60	50	5	-5	0	540	592	452	4	3
60	60	50	5	-5	0	550	586	451	5	4
60	60	50	5	-5	0	560	582	452	4	4
60	60	50	5	-5	0	570	582	451	3	3
60	60	50	5	-5	5	530	595	451	3	3
60	60	50	5	-5	5	540	592	450	4	3
60	60	50	5	-5	5	550	586	449	5	4
60	60	50	5	-5	5	560	582	448	4	4
60	60	50	5	-5	5	570	582	449	3	3
60	60	50	5	0	-5	530	595	455	3	3
60	60	50	5	0	-5	540	592	454	4	3
60	60	50	5	0	-5	550	586	454	5	4
60	60	50	5	0	-5	560	581	454	4	3
60	60	50	5	0	-5	570	580	454	3	3
60	60	50	5	0	0	530	595	453	4	3
60	60	50	5	0	0	540	592	452	4	4

60	60	50	5	0	0	550	586	452	5	4
60	60	50	5	0	0	560	581	451	4	3
60	60	50	5	0	0	570	580	451	3	3
60	60	50	5	0	5	530	595	450	4	3
60	60	50	5	0	5	540	591	449	4	4
60	60	50	5	0	5	550	586	449	5	4
60	60	50	5	0	5	560	581	449	4	3
60	60	50	5	0	5	570	580	449	3	3
60	60	50	5	5	-5	530	595	455	4	3
60	60	50	5	5	-5	540	592	454	4	4
60	60	50	5	5	-5	550	586	454	4	3
60	60	50	5	5	-5	560	579	454	4	3
60	60	50	5	5	-5	570	577	454	2	3
60	60	50	5	5	0	530	594	452	4	3
60	60	50	5	5	0	540	591	452	4	4
60	60	50	5	5	0	550	586	451	5	4
60	60	50	5	5	0	560	579	451	4	3
60	60	50	5	5	0	570	578	451	2	3
60	60	50	5	5	5	520	596	452	2	2
60	60	50	5	5	5	530	595	450	4	3
60	60	50	5	5	5	540	591	449	4	4
60	60	50	5	5	5	550	585	448	5	3
60	60	50	5	5	5	560	579	449	4	3
60	60	50	5	5	5	570	578	449	2	3
60	70	30	-5	-5	-5	530	602	455	3	2
60	70	30	-5	-5	-5	540	600	454	4	3
60	70	30	-5	-5	-5	550	598	454	4	3
60	70	30	-5	-5	-5	560	596	454	4	3
60	70	30	-5	-5	-5	570	596	454	3	3
60	70	30	-5	-5	-5	580	597	454	3	3
60	70	30	-5	-5	-5	590	600	454	2	3
60	70	30	-5	-5	-5	600	606	454	1	1
60	70	30	-5	-5	0	530	602	450	3	2
60	70	30	-5	-5	0	540	600	450	4	3
60	70	30	-5	-5	0	550	598	450	4	3
60	70	30	-5	-5	0	560	596	450	4	3
60	70	30	-5	-5	0	570	596	450	3	3
60	70	30	-5	-5	0	580	597	450	3	3
60	70	30	-5	-5	0	590	601	450	2	3
60	70	30	-5	-5	0	600	607	450	1	2
60	70	30	-5	-5	5	530	601	447	3	2
60	70	30	-5	-5	5	540	601	446	4	3
60	70	30	-5	-5	5	550	598	446	4	3
60	70	30	-5	-5	5	560	596	446	4	3
60	70	30	-5	-5	5	570	596	446	3	3
60	70	30	-5	-5	5	580	597	446	3	3
60	70	30	-5	-5	5	590	601	446	2	3
60	70	30	-5	-5	5	600	607	446	1	2
60	70	30	-5	0	-5	530	602	454	3	2
60	70	30	-5	0	-5	540	600	454	4	3
60	70	30	-5	0	-5	550	598	454	4	3
60	70	30	-5	0	-5	560	596	454	4	3
60	70	30	-5	0	-5	570	596	454	3	3
60	70	30	-5	0	-5	580	598	454	3	3

60	70	30	-5	0	-5	590	603	454	1	1
60	70	30	-5	0	0	530	602	451	3	2
60	70	30	-5	0	0	540	601	450	4	3
60	70	30	-5	0	0	550	598	450	4	3
60	70	30	-5	0	0	560	596	450	4	3
60	70	30	-5	0	0	570	596	450	3	3
60	70	30	-5	0	0	580	598	450	3	3
60	70	30	-5	0	0	590	603	450	1	2
60	70	30	-5	0	5	530	602	447	3	2
60	70	30	-5	0	5	540	600	446	4	3
60	70	30	-5	0	5	550	598	446	4	3
60	70	30	-5	0	5	560	597	446	4	3
60	70	30	-5	0	5	570	596	446	3	3
60	70	30	-5	0	5	580	598	446	3	3
60	70	30	-5	0	5	590	603	446	1	2
60	70	30	-5	5	-5	530	602	454	3	2
60	70	30	-5	5	-5	540	600	454	4	3
60	70	30	-5	5	-5	540	542	455	1	1
60	70	30	-5	5	-5	550	598	454	4	3
60	70	30	-5	5	-5	560	597	454	4	3
60	70	30	-5	5	-5	570	597	454	3	3
60	70	30	-5	5	-5	580	600	454	2	2
60	70	30	-5	5	0	530	601	450	3	3
60	70	30	-5	5	0	540	600	450	4	3
60	70	30	-5	5	0	540	542	450	1	1
60	70	30	-5	5	0	550	598	450	4	3
60	70	30	-5	5	0	560	597	450	4	3
60	70	30	-5	5	0	570	597	450	3	3
60	70	30	-5	5	0	580	600	450	2	2
60	70	30	-5	5	5	530	602	446	3	3
60	70	30	-5	5	5	540	600	446	4	3
60	70	30	-5	5	5	540	542	446	1	1
60	70	30	-5	5	5	550	598	446	4	3
60	70	30	-5	5	5	560	597	446	4	3
60	70	30	-5	5	5	570	597	446	3	3
60	70	30	-5	5	5	580	600	446	2	2
60	70	30	0	-5	-5	530	599	455	3	2
60	70	30	0	-5	-5	540	597	454	4	3
60	70	30	0	-5	-5	550	596	454	4	3
60	70	30	0	-5	-5	560	593	454	4	3
60	70	30	0	-5	-5	570	593	454	3	3
60	70	30	0	-5	-5	580	594	454	3	3
60	70	30	0	-5	-5	590	598	454	2	3
60	70	30	0	-5	-5	600	604	454	1	2
60	70	30	0	-5	0	530	599	450	3	2
60	70	30	0	-5	0	540	597	450	4	3
60	70	30	0	-5	0	550	595	450	4	3
60	70	30	0	-5	0	560	594	450	4	3
60	70	30	0	-5	0	570	593	450	4	3
60	70	30	0	-5	0	580	594	450	3	3
60	70	30	0	-5	0	590	598	450	2	3
60	70	30	0	-5	0	600	604	450	1	3
60	70	30	0	-5	5	530	599	446	3	2
60	70	30	0	-5	5	540	597	446	4	3

60	70	30	0	-5	5	550	595	446	4	3
60	70	30	0	-5	5	560	594	446	4	3
60	70	30	0	-5	5	570	593	446	4	3
60	70	30	0	-5	5	580	594	446	3	3
60	70	30	0	-5	5	590	598	446	2	3
60	70	30	0	-5	5	600	604	446	1	3
60	70	30	0	0	-5	530	599	454	3	2
60	70	30	0	0	-5	540	598	454	4	3
60	70	30	0	0	-5	550	596	454	4	3
60	70	30	0	0	-5	560	594	454	4	3
60	70	30	0	0	-5	570	593	454	3	3
60	70	30	0	0	-5	580	595	454	3	3
60	70	30	0	0	-5	590	599	454	2	3
60	70	30	0	0	0	530	599	451	3	2
60	70	30	0	0	0	540	597	450	4	3
60	70	30	0	0	0	550	596	450	4	3
60	70	30	0	0	0	560	594	450	4	3
60	70	30	0	0	0	570	594	450	3	3
60	70	30	0	0	0	580	595	450	3	3
60	70	30	0	0	0	590	599	450	2	3
60	70	30	0	0	5	530	599	447	3	2
60	70	30	0	0	5	540	597	446	4	3
60	70	30	0	0	5	550	595	446	4	3
60	70	30	0	0	5	560	594	446	4	3
60	70	30	0	0	5	570	594	446	3	3
60	70	30	0	0	5	580	595	446	3	3
60	70	30	0	0	5	590	600	446	2	3
60	70	30	0	5	-5	530	599	454	3	2
60	70	30	0	5	-5	540	597	454	4	3
60	70	30	0	5	-5	550	595	454	4	3
60	70	30	0	5	-5	560	594	454	4	3
60	70	30	0	5	-5	570	594	454	3	3
60	70	30	0	5	-5	580	597	454	2	3
60	70	30	0	5	0	530	599	450	3	2
60	70	30	0	5	0	540	597	450	4	3
60	70	30	0	5	0	550	596	450	4	3
60	70	30	0	5	0	560	594	450	4	3
60	70	30	0	5	0	570	594	450	3	3
60	70	30	0	5	0	580	597	450	2	3
60	70	30	0	5	5	530	599	446	3	3
60	70	30	0	5	5	540	597	446	4	3
60	70	30	0	5	5	550	596	446	4	3
60	70	30	0	5	5	560	594	446	4	3
60	70	30	0	5	5	570	594	446	3	3
60	70	30	0	5	5	580	597	446	2	3
60	70	30	5	-5	-5	530	596	455	3	2
60	70	30	5	-5	-5	540	595	454	4	3
60	70	30	5	-5	-5	550	593	454	4	3
60	70	30	5	-5	-5	560	591	454	4	3
60	70	30	5	-5	-5	570	591	454	3	3
60	70	30	5	-5	-5	580	592	454	3	3
60	70	30	5	-5	-5	590	596	454	2	3
60	70	30	5	-5	-5	600	603	454	1	2
60	70	30	5	-5	0	530	596	450	3	2

60	70	30	5	-5	0	540	594	450	4	3
60	70	30	5	-5	0	550	593	450	4	3
60	70	30	5	-5	0	560	591	450	4	3
60	70	30	5	-5	0	570	590	450	4	3
60	70	30	5	-5	0	580	592	450	3	3
60	70	30	5	-5	0	590	596	450	2	3
60	70	30	5	-5	0	600	603	450	1	2
60	70	30	5	-5	5	530	596	446	3	2
60	70	30	5	-5	5	540	595	446	4	3
60	70	30	5	-5	5	550	593	446	4	3
60	70	30	5	-5	5	560	591	446	4	3
60	70	30	5	-5	5	570	591	446	4	3
60	70	30	5	-5	5	580	592	446	3	3
60	70	30	5	-5	5	590	596	446	2	3
60	70	30	5	-5	5	600	603	446	1	3
60	70	30	5	0	-5	530	596	454	3	2
60	70	30	5	0	-5	540	595	454	4	3
60	70	30	5	0	-5	550	593	454	4	3
60	70	30	5	0	-5	560	592	454	4	3
60	70	30	5	0	-5	570	591	454	3	3
60	70	30	5	0	-5	580	592	454	3	3
60	70	30	5	0	-5	590	596	454	2	3
60	70	30	5	0	-5	600	602	454	1	1
60	70	30	5	0	0	530	597	451	3	2
60	70	30	5	0	0	540	595	450	4	3
60	70	30	5	0	0	550	592	450	4	3
60	70	30	5	0	0	560	591	450	4	3
60	70	30	5	0	0	570	591	450	3	3
60	70	30	5	0	0	580	592	450	3	3
60	70	30	5	0	0	590	596	450	2	3
60	70	30	5	0	0	600	602	450	1	1
60	70	30	5	0	5	530	596	447	3	2
60	70	30	5	0	5	540	595	446	4	3
60	70	30	5	0	5	550	593	446	4	3
60	70	30	5	0	5	560	591	446	4	3
60	70	30	5	0	5	570	591	446	3	3
60	70	30	5	0	5	580	593	446	3	3
60	70	30	5	0	5	590	596	446	2	3
60	70	30	5	0	5	600	603	446	1	2
60	70	30	5	5	-5	530	597	454	3	2
60	70	30	5	5	-5	540	594	454	4	3
60	70	30	5	5	-5	550	593	454	4	3
60	70	30	5	5	-5	560	591	454	4	3
60	70	30	5	5	-5	570	591	454	3	3
60	70	30	5	5	-5	580	593	454	2	3
60	70	30	5	5	-5	590	598	454	1	2
60	70	30	5	5	0	530	596	450	3	2
60	70	30	5	5	0	540	595	450	4	3
60	70	30	5	5	0	550	593	450	4	3
60	70	30	5	5	0	560	592	450	4	3
60	70	30	5	5	0	570	591	450	3	3
60	70	30	5	5	0	580	593	450	2	3
60	70	30	5	5	0	590	598	450	2	2
60	70	30	5	5	5	530	597	446	3	2

60	70	30	5	5	5	540	595	446	4	3
60	70	30	5	5	5	550	593	446	4	3
60	70	30	5	5	5	560	592	446	4	3
60	70	30	5	5	5	570	592	446	3	3
60	70	30	5	5	5	580	593	446	3	3
60	70	30	5	5	5	590	598	446	2	2
60	70	40	-5	-5	-5	530	601	456	4	3
60	70	40	-5	-5	-5	540	599	455	4	3
60	70	40	-5	-5	-5	550	598	455	4	3
60	70	40	-5	-5	-5	560	596	454	4	3
60	70	40	-5	-5	-5	570	596	454	4	3
60	70	40	-5	-5	-5	580	597	454	3	3
60	70	40	-5	-5	-5	590	601	454	2	3
60	70	40	-5	-5	-5	600	607	454	1	2
60	70	40	-5	-5	0	520	602	453	2	1
60	70	40	-5	-5	0	530	601	452	4	3
60	70	40	-5	-5	0	540	600	452	4	3
60	70	40	-5	-5	0	550	598	452	4	3
60	70	40	-5	-5	0	560	596	451	4	3
60	70	40	-5	-5	0	570	596	451	4	3
60	70	40	-5	-5	0	580	597	451	3	3
60	70	40	-5	-5	0	590	601	451	2	3
60	70	40	-5	-5	0	600	607	451	1	2
60	70	40	-5	-5	5	520	603	450	2	2
60	70	40	-5	-5	5	530	601	449	4	3
60	70	40	-5	-5	5	540	600	449	4	3
60	70	40	-5	-5	5	550	598	448	4	3
60	70	40	-5	-5	5	560	596	448	4	3
60	70	40	-5	-5	5	570	596	448	4	3
60	70	40	-5	-5	5	580	597	448	3	3
60	70	40	-5	-5	5	590	601	447	2	3
60	70	40	-5	-5	5	600	607	447	1	2
60	70	40	-5	0	-5	520	603	457	2	1
60	70	40	-5	0	-5	530	601	456	4	3
60	70	40	-5	0	-5	540	600	455	4	3
60	70	40	-5	0	-5	550	598	455	4	3
60	70	40	-5	0	-5	560	597	454	4	3
60	70	40	-5	0	-5	570	596	454	3	3
60	70	40	-5	0	-5	580	599	454	3	3
60	70	40	-5	0	-5	590	602	454	2	2
60	70	40	-5	0	0	520	602	453	3	2
60	70	40	-5	0	0	530	602	452	4	3
60	70	40	-5	0	0	540	600	451	4	3
60	70	40	-5	0	0	550	598	451	4	3
60	70	40	-5	0	0	560	597	451	4	3
60	70	40	-5	0	0	570	597	451	3	3
60	70	40	-5	0	0	580	598	451	3	3
60	70	40	-5	0	0	590	603	451	2	2
60	70	40	-5	0	5	520	603	450	3	2
60	70	40	-5	0	5	530	601	449	4	3
60	70	40	-5	0	5	540	600	448	4	3
60	70	40	-5	0	5	550	598	448	4	4
60	70	40	-5	0	5	560	597	448	4	3
60	70	40	-5	0	5	570	597	448	4	3

60	70	40	-5	0	5	580	598	447	3	3
60	70	40	-5	0	5	590	603	448	2	3
60	70	40	-5	5	-5	520	603	456	2	2
60	70	40	-5	5	-5	530	601	455	4	3
60	70	40	-5	5	-5	540	600	455	4	3
60	70	40	-5	5	-5	540	542	455	1	1
60	70	40	-5	5	-5	550	599	454	4	3
60	70	40	-5	5	-5	560	597	454	4	3
60	70	40	-5	5	-5	570	598	454	3	3
60	70	40	-5	5	-5	580	600	454	2	3
60	70	40	-5	5	0	520	603	453	3	2
60	70	40	-5	5	0	530	602	452	4	3
60	70	40	-5	5	0	540	600	451	4	3
60	70	40	-5	5	0	540	542	451	1	1
60	70	40	-5	5	0	550	599	451	4	3
60	70	40	-5	5	0	560	597	451	4	3
60	70	40	-5	5	0	570	598	451	3	3
60	70	40	-5	5	0	580	600	451	2	3
60	70	40	-5	5	5	520	602	449	3	2
60	70	40	-5	5	5	530	601	449	4	3
60	70	40	-5	5	5	540	600	448	4	3
60	70	40	-5	5	5	540	542	448	1	1
60	70	40	-5	5	5	550	598	448	4	4
60	70	40	-5	5	5	560	597	448	4	3
60	70	40	-5	5	5	570	598	447	3	3
60	70	40	-5	5	5	580	600	447	2	3
60	70	40	0	-5	-5	530	598	456	4	3
60	70	40	0	-5	-5	540	597	455	4	3
60	70	40	0	-5	-5	550	596	455	4	3
60	70	40	0	-5	-5	560	594	455	4	3
60	70	40	0	-5	-5	570	593	454	4	3
60	70	40	0	-5	-5	580	594	454	3	3
60	70	40	0	-5	-5	590	598	454	2	3
60	70	40	0	-5	-5	600	604	454	2	3
60	70	40	0	-5	0	520	600	453	1	1
60	70	40	0	-5	0	530	599	452	4	3
60	70	40	0	-5	0	540	597	452	4	3
60	70	40	0	-5	0	550	595	451	4	3
60	70	40	0	-5	0	560	594	451	4	3
60	70	40	0	-5	0	570	593	451	4	3
60	70	40	0	-5	0	580	594	451	3	3
60	70	40	0	-5	0	590	598	451	2	3
60	70	40	0	-5	0	600	604	451	2	3
60	70	40	0	-5	5	520	599	450	2	2
60	70	40	0	-5	5	530	598	449	4	3
60	70	40	0	-5	5	540	597	449	4	3
60	70	40	0	-5	5	550	595	448	4	3
60	70	40	0	-5	5	560	594	448	4	3
60	70	40	0	-5	5	570	593	448	4	3
60	70	40	0	-5	5	580	594	448	3	3
60	70	40	0	-5	5	590	598	448	2	3
60	70	40	0	-5	5	600	604	447	2	3
60	70	40	0	0	-5	520	600	457	2	1
60	70	40	0	0	-5	530	599	456	4	3

60 70 40 -5 0 5 580 598 447 3 3
60 70 40 -5 0 5 590 603 448 2 3
60 70 40 -5 5 -5 520 603 456 2 2
60 70 40 -5 5 -5 530 601 455 4 3
60 70 40 -5 5 -5 540 600 455 4 3
60 70 40 -5 5 -5 540 542 455 1 1
60 70 40 -5 5 -5 550 599 454 4 3
60 70 40 -5 5 -5 560 597 454 4 3
60 70 40 -5 5 -5 570 598 454 3 3
60 70 40 -5 5 -5 580 600 454 2 3
60 70 40 -5 5 0 520 603 453 3 2
60 70 40 -5 5 0 530 602 452 4 3
60 70 40 -5 5 0 540 600 451 4 3
60 70 40 -5 5 0 540 542 451 1 1
60 70 40 -5 5 0 550 599 451 4 3
60 70 40 -5 5 0 560 597 451 4 3
60 70 40 -5 5 0 570 598 451 3 3
60 70 40 -5 5 0 580 600 451 2 3
60 70 40 -5 5 5 520 602 449 3 2
60 70 40 -5 5 5 530 601 449 4 3
60 70 40 -5 5 5 540 600 448 4 3
60 70 40 -5 5 5 540 542 448 1 1
60 70 40 -5 5 5 550 598 448 4 4
60 70 40 -5 5 5 560 597 448 4 3
60 70 40 -5 5 5 570 598 447 3 3
60 70 40 -5 5 5 580 600 447 2 3
60 70 40 0 -5 -5 530 598 456 4 3
60 70 40 0 -5 -5 540 597 455 4 3
60 70 40 0 -5 -5 550 596 455 4 3
60 70 40 0 -5 -5 560 594 455 4 3
60 70 40 0 -5 -5 570 593 454 4 3
60 70 40 0 -5 -5 580 594 454 3 3
60 70 40 0 -5 -5 590 598 454 2 3
60 70 40 0 -5 -5 600 604 454 2 3
60 70 40 0 -5 0 520 600 453 1 1
60 70 40 0 -5 0 530 599 452 4 3
60 70 40 0 -5 0 540 597 452 4 3
60 70 40 0 -5 0 550 595 451 4 3
60 70 40 0 -5 0 560 594 451 4 3
60 70 40 0 -5 0 570 593 451 4 3
60 70 40 0 -5 0 580 594 451 3 3
60 70 40 0 -5 0 590 598 451 2 3
60 70 40 0 -5 0 600 604 451 2 3
60 70 40 0 -5 5 520 599 450 2 2
60 70 40 0 -5 5 530 598 449 4 3
60 70 40 0 -5 5 540 597 449 4 3
60 70 40 0 -5 5 550 595 448 4 3
60 70 40 0 -5 5 560 594 448 4 3
60 70 40 0 -5 5 570 593 448 4 3
60 70 40 0 -5 5 580 594 448 3 3
60 70 40 0 -5 5 590 598 448 2 3
60 70 40 0 -5 5 600 604 447 2 3
60 70 40 0 0 -5 520 600 457 2 1
60 70 40 0 0 -5 530 599 456 4 3

60	70	40	0	0	-5	540	597	455	4	3
60	70	40	0	0	-5	550	596	455	4	3
60	70	40	0	0	-5	560	594	454	4	3
60	70	40	0	0	-5	570	593	454	4	3
60	70	40	0	0	-5	580	595	454	3	3
60	70	40	0	0	-5	590	600	454	2	3
60	70	40	0	0	0	520	599	453	2	2
60	70	40	0	0	0	530	598	452	4	3
60	70	40	0	0	0	540	597	451	4	3
60	70	40	0	0	0	550	596	451	4	3
60	70	40	0	0	0	560	594	451	4	3
60	70	40	0	0	0	570	594	451	4	3
60	70	40	0	0	0	580	595	451	3	3
60	70	40	0	0	0	590	600	451	2	3
60	70	40	0	0	5	520	599	450	3	2
60	70	40	0	0	5	530	599	449	4	3
60	70	40	0	0	5	540	598	448	4	3
60	70	40	0	0	5	550	595	448	4	4
60	70	40	0	0	5	560	594	448	4	3
60	70	40	0	0	5	570	594	448	4	3
60	70	40	0	0	5	580	595	448	3	3
60	70	40	0	0	5	590	600	448	2	3
60	70	40	0	5	-5	520	599	456	2	2
60	70	40	0	5	-5	530	599	455	4	3
60	70	40	0	5	-5	540	597	455	4	3
60	70	40	0	5	-5	550	595	454	4	3
60	70	40	0	5	-5	560	594	454	4	3
60	70	40	0	5	-5	570	594	454	3	3
60	70	40	0	5	-5	580	597	454	2	3
60	70	40	0	5	0	520	599	453	3	2
60	70	40	0	5	0	530	599	452	4	3
60	70	40	0	5	0	540	597	451	4	3
60	70	40	0	5	0	550	596	451	4	3
60	70	40	0	5	0	560	595	451	4	3
60	70	40	0	5	0	570	595	451	3	3
60	70	40	0	5	0	580	597	451	3	3
60	70	40	0	5	5	520	600	449	3	2
60	70	40	0	5	5	530	599	449	4	3
60	70	40	0	5	5	540	598	448	4	3
60	70	40	0	5	5	550	596	448	4	3
60	70	40	0	5	5	560	595	448	4	3
60	70	40	0	5	5	570	594	448	3	3
60	70	40	0	5	5	580	597	448	3	3
60	70	40	0	5	5	590	602	448	0	1
60	70	40	5	-5	-5	530	596	456	4	3
60	70	40	5	-5	-5	540	594	455	4	3
60	70	40	5	-5	-5	550	592	455	4	3
60	70	40	5	-5	-5	560	591	455	4	3
60	70	40	5	-5	-5	570	591	454	4	3
60	70	40	5	-5	-5	580	592	454	3	3
60	70	40	5	-5	-5	590	596	454	2	3
60	70	40	5	-5	-5	600	603	454	1	3
60	70	40	5	-5	0	520	596	454	1	0
60	70	40	5	-5	0	530	595	452	4	3

60	70	40	5	-5	0	540	594	452	4	3
60	70	40	5	-5	0	550	593	451	4	3
60	70	40	5	-5	0	560	591	451	4	3
60	70	40	5	-5	0	570	591	451	4	3
60	70	40	5	-5	0	580	592	451	3	3
60	70	40	5	-5	0	590	596	451	2	3
60	70	40	5	-5	0	600	603	451	1	3
60	70	40	5	-5	5	520	597	450	2	2
60	70	40	5	-5	5	530	596	449	4	3
60	70	40	5	-5	5	540	594	448	4	3
60	70	40	5	-5	5	550	593	448	4	3
60	70	40	5	-5	5	560	591	448	4	3
60	70	40	5	-5	5	570	591	447	4	3
60	70	40	5	-5	5	580	592	447	3	3
60	70	40	5	-5	5	590	596	447	2	3
60	70	40	5	-5	5	600	603	448	1	3
60	70	40	5	0	-5	520	597	456	1	1
60	70	40	5	0	-5	530	596	456	4	3
60	70	40	5	0	-5	540	595	455	4	3
60	70	40	5	0	-5	550	593	455	4	3
60	70	40	5	0	-5	560	592	454	4	3
60	70	40	5	0	-5	570	591	454	4	3
60	70	40	5	0	-5	580	593	454	3	3
60	70	40	5	0	-5	590	597	454	2	3
60	70	40	5	0	-5	600	603	454	1	1
60	70	40	5	0	0	520	597	453	2	2
60	70	40	5	0	0	530	596	452	4	3
60	70	40	5	0	0	540	595	452	4	3
60	70	40	5	0	0	550	592	451	4	3
60	70	40	5	0	0	560	592	451	4	3
60	70	40	5	0	0	570	591	451	4	3
60	70	40	5	0	0	580	593	451	3	3
60	70	40	5	0	0	590	597	451	2	3
60	70	40	5	0	0	600	603	451	1	2
60	70	40	5	0	5	520	597	450	3	2
60	70	40	5	0	5	530	596	449	4	3
60	70	40	5	0	5	540	594	448	4	3
60	70	40	5	0	5	550	593	448	4	3
60	70	40	5	0	5	560	592	448	4	3
60	70	40	5	0	5	570	591	448	4	3
60	70	40	5	0	5	580	592	448	3	3
60	70	40	5	0	5	590	597	448	2	3
60	70	40	5	0	5	600	603	447	1	2
60	70	40	5	5	-5	520	597	456	2	2
60	70	40	5	5	-5	530	597	455	4	3
60	70	40	5	5	-5	540	595	455	4	3
60	70	40	5	5	-5	550	593	454	4	3
60	70	40	5	5	-5	560	591	454	4	3
60	70	40	5	5	-5	570	591	454	3	3
60	70	40	5	5	-5	580	594	454	3	3
60	70	40	5	5	-5	590	598	454	2	2
60	70	40	5	5	0	520	597	452	3	2
60	70	40	5	5	0	530	596	452	4	3
60	70	40	5	5	0	540	595	451	4	3

60	70	40	5	5	0	550	593	451	4	3
60	70	40	5	5	0	560	592	451	4	3
60	70	40	5	5	0	570	592	451	3	3
60	70	40	5	5	0	580	593	451	3	3
60	70	40	5	5	0	590	598	451	2	3
60	70	40	5	5	5	520	597	449	3	2
60	70	40	5	5	5	530	596	449	4	3
60	70	40	5	5	5	540	595	448	4	3
60	70	40	5	5	5	550	593	448	4	3
60	70	40	5	5	5	560	592	448	4	3
60	70	40	5	5	5	570	592	447	3	3
60	70	40	5	5	5	580	593	447	3	3
60	70	40	5	5	5	590	598	447	2	3
60	70	50	-5	-5	-5	530	601	457	3	3
60	70	50	-5	-5	-5	540	599	456	4	3
60	70	50	-5	-5	-5	550	598	455	4	4
60	70	50	-5	-5	-5	560	595	455	4	4
60	70	50	-5	-5	-5	570	595	454	3	3
60	70	50	-5	-5	-5	580	596	454	3	3
60	70	50	-5	-5	-5	590	601	454	2	3
60	70	50	-5	-5	0	530	601	455	3	3
60	70	50	-5	-5	0	540	599	453	4	3
60	70	50	-5	-5	0	550	597	453	4	4
60	70	50	-5	-5	0	560	595	452	4	4
60	70	50	-5	-5	0	570	594	451	3	4
60	70	50	-5	-5	0	580	596	451	3	3
60	70	50	-5	-5	0	590	600	451	2	3
60	70	50	-5	-5	5	520	602	454	2	2
60	70	50	-5	-5	5	530	601	452	4	3
60	70	50	-5	-5	5	540	599	450	4	3
60	70	50	-5	-5	5	550	597	450	4	4
60	70	50	-5	-5	5	560	595	449	4	4
60	70	50	-5	-5	5	570	595	449	3	4
60	70	50	-5	-5	5	580	596	449	3	3
60	70	50	-5	-5	5	590	600	449	2	3
60	70	50	-5	0	-5	530	601	457	3	3
60	70	50	-5	0	-5	540	599	456	4	3
60	70	50	-5	0	-5	550	598	455	4	4
60	70	50	-5	0	-5	560	596	454	4	4
60	70	50	-5	0	-5	570	596	454	3	3
60	70	50	-5	0	-5	580	598	454	2	3
60	70	50	-5	0	-5	590	602	454	0	1
60	70	50	-5	0	0	520	602	456	2	2
60	70	50	-5	0	0	530	601	455	3	3
60	70	50	-5	0	0	540	599	453	4	4
60	70	50	-5	0	0	550	598	452	4	4
60	70	50	-5	0	0	560	596	451	4	4
60	70	50	-5	0	0	570	595	451	3	3
60	70	50	-5	0	0	580	598	451	2	3
60	70	50	-5	0	0	590	602	451	1	2
60	70	50	-5	0	5	520	602	454	2	2
60	70	50	-5	0	5	530	601	452	4	3
60	70	50	-5	0	5	540	600	450	4	4
60	70	50	-5	0	5	550	598	449	4	4

60	70	50	-5	0	5	560	596	449	4	4
60	70	50	-5	0	5	570	596	449	3	4
60	70	50	-5	0	5	580	598	449	2	3
60	70	50	-5	0	5	590	602	448	1	1
60	70	50	-5	5	-5	520	603	459	1	1
60	70	50	-5	5	-5	530	601	456	3	3
60	70	50	-5	5	-5	540	600	455	4	3
60	70	50	-5	5	-5	540	542	455	1	1
60	70	50	-5	5	-5	550	598	455	4	4
60	70	50	-5	5	-5	560	597	454	4	4
60	70	50	-5	5	-5	570	597	454	3	3
60	70	50	-5	5	-5	580	600	454	2	2
60	70	50	-5	5	0	520	602	456	2	2
60	70	50	-5	5	0	530	601	454	4	3
60	70	50	-5	5	0	540	599	452	4	4
60	70	50	-5	5	0	540	542	453	1	1
60	70	50	-5	5	0	550	598	451	4	4
60	70	50	-5	5	0	560	597	451	4	4
60	70	50	-5	5	0	570	597	451	3	3
60	70	50	-5	5	0	580	600	451	2	2
60	70	50	-5	5	5	520	602	453	3	2
60	70	50	-5	5	5	530	601	451	4	3
60	70	50	-5	5	5	540	599	450	4	4
60	70	50	-5	5	5	540	542	450	1	1
60	70	50	-5	5	5	550	598	449	4	4
60	70	50	-5	5	5	560	597	449	4	4
60	70	50	-5	5	5	570	597	449	3	3
60	70	50	-5	5	5	580	600	449	2	2
60	70	50	0	-5	-5	530	598	457	3	3
60	70	50	0	-5	-5	540	597	455	4	3
60	70	50	0	-5	-5	550	594	455	4	4
60	70	50	0	-5	-5	560	593	455	4	4
60	70	50	0	-5	-5	570	592	454	3	3
60	70	50	0	-5	-5	580	594	454	3	3
60	70	50	0	-5	-5	590	598	454	2	3
60	70	50	0	-5	-5	600	604	454	1	3
60	70	50	0	-5	0	530	598	455	3	3
60	70	50	0	-5	0	540	597	453	4	3
60	70	50	0	-5	0	550	594	452	4	4
60	70	50	0	-5	0	560	593	452	4	4
60	70	50	0	-5	0	570	592	452	3	3
60	70	50	0	-5	0	580	593	451	3	3
60	70	50	0	-5	0	590	598	451	2	3
60	70	50	0	-5	0	600	604	451	1	3
60	70	50	0	-5	5	520	599	454	2	2
60	70	50	0	-5	5	530	598	452	4	3
60	70	50	0	-5	5	540	596	451	4	3
60	70	50	0	-5	5	550	595	450	4	4
60	70	50	0	-5	5	560	593	449	4	4
60	70	50	0	-5	5	570	592	449	3	4
60	70	50	0	-5	5	580	593	449	3	3
60	70	50	0	-5	5	590	597	449	2	3
60	70	50	0	-5	5	600	604	448	1	3
60	70	50	0	0	-5	530	599	457	3	3

60	70	50	0	0	-5	540	597	455	4	3
60	70	50	0	0	-5	550	595	455	4	4
60	70	50	0	0	-5	560	593	454	4	3
60	70	50	0	0	-5	570	593	454	3	3
60	70	50	0	0	-5	580	595	454	3	3
60	70	50	0	0	-5	590	599	453	2	3
60	70	50	0	0	0	520	599	456	2	2
60	70	50	0	0	0	530	598	454	3	3
60	70	50	0	0	0	540	597	453	4	3
60	70	50	0	0	0	550	594	452	4	4
60	70	50	0	0	0	560	593	451	4	4
60	70	50	0	0	0	570	593	451	3	4
60	70	50	0	0	0	580	595	451	3	3
60	70	50	0	0	0	590	599	451	2	3
60	70	50	0	0	5	520	599	454	2	2
60	70	50	0	0	5	530	598	452	4	3
60	70	50	0	0	5	540	596	450	4	3
60	70	50	0	0	5	550	594	449	4	4
60	70	50	0	0	5	560	593	449	4	4
60	70	50	0	0	5	570	593	449	3	4
60	70	50	0	0	5	580	595	448	3	3
60	70	50	0	0	5	590	599	449	2	3
60	70	50	0	5	-5	530	599	456	3	3
60	70	50	0	5	-5	540	597	455	4	3
60	70	50	0	5	-5	550	595	455	4	4
60	70	50	0	5	-5	560	593	454	4	4
60	70	50	0	5	-5	570	593	454	3	3
60	70	50	0	5	-5	580	596	453	2	3
60	70	50	0	5	0	520	600	456	2	2
60	70	50	0	5	0	530	598	454	4	3
60	70	50	0	5	0	540	597	452	4	4
60	70	50	0	5	0	550	595	452	4	4
60	70	50	0	5	0	560	594	451	4	4
60	70	50	0	5	0	570	594	451	3	3
60	70	50	0	5	0	580	596	451	2	3
60	70	50	0	5	5	520	599	453	3	2
60	70	50	0	5	5	530	598	451	4	3
60	70	50	0	5	5	540	597	450	4	4
60	70	50	0	5	5	550	595	449	4	4
60	70	50	0	5	5	560	594	449	4	4
60	70	50	0	5	5	570	594	448	3	3
60	70	50	0	5	5	580	596	449	2	3
60	70	50	5	-5	-5	530	596	457	3	3
60	70	50	5	-5	-5	540	594	456	4	3
60	70	50	5	-5	-5	550	592	455	4	4
60	70	50	5	-5	-5	560	590	454	4	4
60	70	50	5	-5	-5	570	590	454	3	3
60	70	50	5	-5	-5	580	591	454	3	3
60	70	50	5	-5	-5	590	596	454	2	3
60	70	50	5	-5	-5	600	602	454	1	1
60	70	50	5	-5	0	530	595	454	3	3
60	70	50	5	-5	0	540	593	453	4	3
60	70	50	5	-5	0	550	592	452	4	4
60	70	50	5	-5	0	560	591	452	4	3

60	70	50	5	-5	0	570	590	452	3	3
60	70	50	5	-5	0	580	591	451	3	3
60	70	50	5	-5	0	590	596	451	2	3
60	70	50	5	-5	0	600	602	451	1	1
60	70	50	5	-5	5	520	596	454	2	2
60	70	50	5	-5	5	530	596	452	3	3
60	70	50	5	-5	5	540	594	451	4	3
60	70	50	5	-5	5	550	592	450	4	4
60	70	50	5	-5	5	560	591	449	4	3
60	70	50	5	-5	5	570	590	449	3	3
60	70	50	5	-5	5	580	591	449	3	3
60	70	50	5	-5	5	590	596	449	2	3
60	70	50	5	-5	5	600	602	449	1	1
60	70	50	5	0	-5	530	596	456	3	3
60	70	50	5	0	-5	540	594	455	4	3
60	70	50	5	0	-5	550	593	454	4	3
60	70	50	5	0	-5	560	591	454	4	3
60	70	50	5	0	-5	570	590	454	3	3
60	70	50	5	0	-5	580	592	454	3	3
60	70	50	5	0	-5	590	596	454	2	3
60	70	50	5	0	0	520	597	456	1	1
60	70	50	5	0	0	530	595	454	3	3
60	70	50	5	0	0	540	594	453	4	3
60	70	50	5	0	0	550	592	452	4	4
60	70	50	5	0	0	560	590	452	4	4
60	70	50	5	0	0	570	590	452	3	3
60	70	50	5	0	0	580	592	451	3	3
60	70	50	5	0	0	590	596	451	2	3
60	70	50	5	0	5	520	596	453	2	2
60	70	50	5	0	5	530	596	451	4	3
60	70	50	5	0	5	540	594	450	4	3
60	70	50	5	0	5	550	592	450	4	4
60	70	50	5	0	5	560	590	449	4	4
60	70	50	5	0	5	570	590	449	3	3
60	70	50	5	0	5	580	592	448	3	3
60	70	50	5	0	5	590	596	448	2	3
60	70	50	5	5	-5	530	596	456	3	3
60	70	50	5	5	-5	540	594	455	4	3
60	70	50	5	5	-5	550	593	454	4	4
60	70	50	5	5	-5	560	591	454	4	3
60	70	50	5	5	-5	570	591	454	3	3
60	70	50	5	5	-5	580	593	454	2	3
60	70	50	5	5	-5	590	598	454	1	2
60	70	50	5	5	0	520	597	456	2	2
60	70	50	5	5	0	530	596	453	3	3
60	70	50	5	5	0	540	594	452	4	3
60	70	50	5	5	0	550	593	452	4	4
60	70	50	5	5	0	560	591	452	4	3
60	70	50	5	5	0	570	591	451	3	3
60	70	50	5	5	0	580	593	451	2	3
60	70	50	5	5	0	590	598	451	1	2
60	70	50	5	5	5	520	597	453	3	2
60	70	50	5	5	5	530	596	451	4	3
60	70	50	5	5	5	540	594	450	4	3

60	70	50	5	5	5	550	592	449	4	4
60	70	50	5	5	5	560	591	449	4	4
60	70	50	5	5	5	570	591	448	3	3
60	70	50	5	5	5	580	593	449	2	3
60	70	50	5	5	5	590	598	449	1	2
70	50	30	-5	-5	-5	530	596	454	3	2
70	50	30	-5	-5	-5	540	589	454	5	3
70	50	30	-5	-5	-5	550	588	454	5	3
70	50	30	-5	-5	0	530	596	450	3	2
70	50	30	-5	-5	0	540	589	450	5	3
70	50	30	-5	-5	0	550	588	450	5	3
70	50	30	-5	-5	5	530	596	446	3	2
70	50	30	-5	-5	5	540	589	446	5	3
70	50	30	-5	-5	5	550	589	446	5	3
70	50	30	-5	0	-5	530	595	454	4	2
70	50	30	-5	0	-5	540	588	454	5	3
70	50	30	-5	0	-5	550	589	454	4	3
70	50	30	-5	0	0	530	594	450	4	3
70	50	30	-5	0	0	540	588	450	5	3
70	50	30	-5	0	0	550	589	450	4	3
70	50	30	-5	0	5	530	594	446	4	3
70	50	30	-5	0	5	540	588	446	5	3
70	50	30	-5	0	5	550	589	446	4	3
70	50	30	-5	5	-5	530	593	454	4	3
70	50	30	-5	5	-5	540	589	454	5	3
70	50	30	-5	5	-5	550	590	454	2	1
70	50	30	-5	5	0	530	593	450	5	3
70	50	30	-5	5	0	540	589	450	5	3
70	50	30	-5	5	0	550	590	450	3	2
70	50	30	-5	5	5	530	593	446	5	3
70	50	30	-5	5	5	540	590	446	5	3
70	50	30	-5	5	5	550	591	446	3	2
70	50	30	0	-5	-5	530	593	454	2	1
70	50	30	0	-5	-5	540	583	454	5	3
70	50	30	0	-5	-5	550	585	454	5	3
70	50	30	0	-5	0	530	594	450	3	2
70	50	30	0	-5	0	540	584	450	5	3
70	50	30	0	-5	0	550	584	450	5	3
70	50	30	0	-5	5	530	593	446	3	2
70	50	30	0	-5	5	540	583	446	5	3
70	50	30	0	-5	5	550	584	446	5	3
70	50	30	0	0	-5	530	591	454	4	2
70	50	30	0	0	-5	540	583	454	5	3
70	50	30	0	0	-5	550	585	454	4	3
70	50	30	0	0	0	530	591	450	4	2
70	50	30	0	0	0	540	583	450	5	3
70	50	30	0	0	0	550	586	450	4	3
70	50	30	0	0	5	530	591	446	4	2
70	50	30	0	0	5	540	583	446	5	3
70	50	30	0	0	5	550	585	446	4	3
70	50	30	0	5	-5	530	589	454	4	3
70	50	30	0	5	-5	540	585	454	5	3
70	50	30	0	5	-5	550	586	454	3	2
70	50	30	0	5	0	530	589	450	5	3

70	50	30	0	5	0	540	585	450	5	3
70	50	30	0	5	0	550	587	450	3	2
70	50	30	0	5	5	530	589	446	5	3
70	50	30	0	5	5	540	585	446	5	3
70	50	30	0	5	5	550	587	446	3	2
70	50	30	5	-5	-5	530	591	454	1	0
70	50	30	5	-5	-5	540	578	454	6	3
70	50	30	5	-5	-5	550	580	454	5	3
70	50	30	5	-5	0	530	592	450	2	2
70	50	30	5	-5	0	540	578	450	6	3
70	50	30	5	-5	0	550	581	450	5	3
70	50	30	5	-5	5	530	591	446	3	2
70	50	30	5	-5	5	540	578	446	6	3
70	50	30	5	-5	5	550	581	446	5	3
70	50	30	5	0	-5	530	589	454	4	2
70	50	30	5	0	-5	540	579	454	5	3
70	50	30	5	0	-5	550	581	454	4	3
70	50	30	5	0	0	530	589	450	4	2
70	50	30	5	0	0	540	579	450	6	3
70	50	30	5	0	0	550	582	450	4	3
70	50	30	5	0	5	530	588	446	4	2
70	50	30	5	0	5	540	579	446	6	3
70	50	30	5	0	5	550	582	446	5	3
70	50	30	5	5	-5	530	586	454	4	3
70	50	30	5	5	-5	540	580	454	5	3
70	50	30	5	5	-5	550	582	454	3	2
70	50	30	5	5	0	530	585	450	5	3
70	50	30	5	5	0	540	581	450	5	3
70	50	30	5	5	0	550	583	450	3	2
70	50	30	5	5	5	530	586	446	5	3
70	50	30	5	5	5	540	581	446	5	3
70	50	30	5	5	5	550	583	446	3	2
70	50	40	-5	-5	-5	530	595	454	4	2
70	50	40	-5	-5	-5	540	589	454	5	3
70	50	40	-5	-5	-5	550	588	454	5	3
70	50	40	-5	-5	0	530	595	451	4	3
70	50	40	-5	-5	0	540	588	451	5	3
70	50	40	-5	-5	0	550	589	451	5	3
70	50	40	-5	-5	5	530	595	448	4	3
70	50	40	-5	-5	5	540	588	447	5	3
70	50	40	-5	-5	5	550	589	447	5	3
70	50	40	-5	0	-5	530	594	454	4	3
70	50	40	-5	0	-5	540	588	454	5	3
70	50	40	-5	0	-5	550	589	454	4	3
70	50	40	-5	0	0	530	594	451	5	3
70	50	40	-5	0	0	540	588	451	5	3
70	50	40	-5	0	0	550	590	451	4	3
70	50	40	-5	0	5	530	593	448	5	3
70	50	40	-5	0	5	540	588	448	5	3
70	50	40	-5	0	5	550	590	447	5	3
70	50	40	-5	5	-5	530	592	454	5	3
70	50	40	-5	5	-5	540	589	454	5	3
70	50	40	-5	5	-5	550	590	454	3	2
70	50	40	-5	5	0	530	592	451	5	3

70	50	40	-5	5	0	540	590	451	5	3
70	50	40	-5	5	0	550	591	451	3	2
70	50	40	-5	5	5	520	597	448	2	1
70	50	40	-5	5	5	530	592	448	5	3
70	50	40	-5	5	5	540	590	447	5	3
70	50	40	-5	5	5	550	591	448	4	2
70	50	40	0	-5	-5	530	593	455	4	2
70	50	40	0	-5	-5	540	583	454	6	3
70	50	40	0	-5	-5	550	585	454	5	3
70	50	40	0	-5	0	530	593	451	4	3
70	50	40	0	-5	0	540	583	451	6	3
70	50	40	0	-5	0	550	585	451	5	3
70	50	40	0	-5	5	530	593	448	4	3
70	50	40	0	-5	5	540	583	447	6	3
70	50	40	0	-5	5	550	585	447	5	3
70	50	40	0	-5	5	560	587	448	1	1
70	50	40	0	0	-5	530	591	454	4	3
70	50	40	0	0	-5	540	584	454	6	3
70	50	40	0	0	-5	550	586	454	5	3
70	50	40	0	0	0	530	590	451	4	3
70	50	40	0	0	0	540	583	451	6	3
70	50	40	0	0	0	550	587	451	5	3
70	50	40	0	0	5	530	590	448	5	3
70	50	40	0	0	5	540	583	447	6	3
70	50	40	0	0	5	550	586	448	5	3
70	50	40	0	5	-5	530	589	454	5	3
70	50	40	0	5	-5	540	585	454	5	3
70	50	40	0	5	-5	550	587	454	4	2
70	50	40	0	5	0	530	588	451	5	3
70	50	40	0	5	0	540	585	451	5	3
70	50	40	0	5	0	550	587	451	4	3
70	50	40	0	5	5	530	588	448	5	3
70	50	40	0	5	5	540	586	447	5	3
70	50	40	0	5	5	550	587	448	4	3
70	50	40	5	-5	-5	530	591	455	3	2
70	50	40	5	-5	-5	540	578	454	6	3
70	50	40	5	-5	-5	550	581	454	5	3
70	50	40	5	-5	0	530	590	451	4	2
70	50	40	5	-5	0	540	578	451	6	3
70	50	40	5	-5	0	550	581	451	5	3
70	50	40	5	-5	0	560	583	451	2	1
70	50	40	5	-5	5	530	590	448	4	2
70	50	40	5	-5	5	540	578	448	6	3
70	50	40	5	-5	5	550	581	447	5	3
70	50	40	5	-5	5	560	583	448	2	2
70	50	40	5	0	-5	530	588	454	4	3
70	50	40	5	0	-5	540	579	454	6	3
70	50	40	5	0	-5	550	582	454	5	3
70	50	40	5	0	0	530	588	451	4	3
70	50	40	5	0	0	540	580	451	6	3
70	50	40	5	0	0	550	582	451	5	3
70	50	40	5	0	5	530	588	448	5	3
70	50	40	5	0	5	540	580	447	6	3
70	50	40	5	0	5	550	582	448	5	3

70	50	40	5	5	-5	530	584	454	5	3
70	50	40	5	5	-5	540	582	454	5	3
70	50	40	5	5	-5	550	583	454	4	3
70	50	40	5	5	0	530	583	451	5	3
70	50	40	5	5	0	540	581	451	5	3
70	50	40	5	5	0	550	584	451	4	3
70	50	40	5	5	5	530	582	447	5	3
70	50	40	5	5	5	540	581	447	5	3
70	50	40	5	5	5	550	583	447	4	3
70	50	50	-5	-5	-5	530	596	455	3	2
70	50	50	-5	-5	-5	540	589	454	5	3
70	50	50	-5	-5	-5	550	587	454	5	3
70	50	50	-5	-5	0	530	596	453	3	2
70	50	50	-5	-5	0	540	589	452	5	3
70	50	50	-5	-5	0	550	587	451	5	3
70	50	50	-5	-5	5	530	596	450	3	2
70	50	50	-5	-5	5	540	589	449	5	3
70	50	50	-5	-5	5	550	588	449	5	3
70	50	50	-5	0	-5	530	594	454	4	3
70	50	50	-5	0	-5	540	588	454	5	3
70	50	50	-5	0	-5	550	589	454	4	3
70	50	50	-5	0	0	530	595	452	4	3
70	50	50	-5	0	0	540	588	451	5	4
70	50	50	-5	0	0	550	589	451	4	3
70	50	50	-5	0	5	530	594	450	4	3
70	50	50	-5	0	5	540	588	448	5	4
70	50	50	-5	0	5	550	589	448	4	3
70	50	50	-5	5	-5	530	593	454	4	3
70	50	50	-5	5	-5	540	588	454	5	3
70	50	50	-5	5	0	530	593	452	4	3
70	50	50	-5	5	0	540	589	451	5	3
70	50	50	-5	5	5	530	593	449	4	3
70	50	50	-5	5	5	540	589	449	5	4
70	50	50	-5	5	5	550	590	449	2	1
70	50	50	0	-5	-5	530	593	455	2	2
70	50	50	0	-5	-5	540	584	454	5	3
70	50	50	0	-5	-5	550	584	453	5	3
70	50	50	0	-5	0	530	593	452	3	2
70	50	50	0	-5	0	540	583	452	5	3
70	50	50	0	-5	0	550	583	451	5	3
70	50	50	0	-5	5	530	593	450	3	2
70	50	50	0	-5	5	540	583	449	5	3
70	50	50	0	-5	5	550	583	449	5	3
70	50	50	0	0	-5	530	592	455	4	3
70	50	50	0	0	-5	540	583	454	5	3
70	50	50	0	0	-5	550	584	454	4	3
70	50	50	0	0	0	530	591	452	4	3
70	50	50	0	0	0	540	583	451	5	4
70	50	50	0	0	0	550	585	451	4	3
70	50	50	0	0	5	530	591	450	4	3
70	50	50	0	0	5	540	583	448	5	3
70	50	50	0	0	5	550	585	449	4	3
70	50	50	0	5	-5	530	590	454	4	3
70	50	50	0	5	-5	540	584	454	5	3

70	50	50	0	5	-5	550	586	454	2	2
70	50	50	0	5	0	530	590	452	4	3
70	50	50	0	5	0	540	584	451	5	3
70	50	50	0	5	0	550	585	451	2	2
70	50	50	0	5	5	530	589	449	4	3
70	50	50	0	5	5	540	584	449	5	4
70	50	50	0	5	5	550	586	449	3	2
70	50	50	5	-5	-5	540	579	454	5	3
70	50	50	5	-5	-5	550	579	454	5	3
70	50	50	5	-5	0	530	591	453	2	2
70	50	50	5	-5	0	540	578	451	6	3
70	50	50	5	-5	0	550	580	451	5	3
70	50	50	5	-5	5	530	591	450	3	2
70	50	50	5	-5	5	540	578	449	6	3
70	50	50	5	-5	5	550	580	449	5	3
70	50	50	5	0	-5	530	589	455	4	3
70	50	50	5	0	-5	540	578	454	5	3
70	50	50	5	0	-5	550	581	453	4	3
70	50	50	5	0	0	530	589	452	4	3
70	50	50	5	0	0	540	579	451	5	3
70	50	50	5	0	0	550	580	451	4	3
70	50	50	5	0	5	530	589	450	4	3
70	50	50	5	0	5	540	578	449	6	4
70	50	50	5	0	5	550	581	449	4	3
70	50	50	5	5	-5	530	587	454	4	3
70	50	50	5	5	-5	540	580	454	5	3
70	50	50	5	5	-5	550	582	454	3	2
70	50	50	5	5	0	530	586	452	4	3
70	50	50	5	5	0	540	580	451	5	3
70	50	50	5	5	0	550	581	451	3	2
70	50	50	5	5	5	530	586	449	4	3
70	50	50	5	5	5	540	580	449	5	3
70	50	50	5	5	5	550	582	448	3	2
70	60	30	-5	-5	-5	530	596	454	3	2
70	60	30	-5	-5	-5	540	587	454	5	3
70	60	30	-5	-5	-5	550	583	454	5	3
70	60	30	-5	-5	-5	560	585	454	4	2
70	60	30	-5	-5	0	530	595	450	3	2
70	60	30	-5	-5	0	540	583	450	5	3
70	60	30	-5	-5	0	550	583	450	5	3
70	60	30	-5	-5	0	560	585	450	4	3
70	60	30	-5	-5	5	530	596	446	3	2
70	60	30	-5	-5	5	540	582	446	5	3
70	60	30	-5	-5	5	550	584	446	5	3
70	60	30	-5	-5	5	560	585	446	4	3
70	60	30	-5	0	-5	530	595	454	4	2
70	60	30	-5	0	-5	540	584	454	5	3
70	60	30	-5	0	-5	550	585	454	5	3
70	60	30	-5	0	-5	560	586	454	3	2
70	60	30	-5	0	0	530	595	450	4	2
70	60	30	-5	0	0	540	585	450	5	3
70	60	30	-5	0	0	550	585	450	5	3
70	60	30	-5	0	0	560	586	450	3	2
70	60	30	-5	0	5	530	594	446	4	2

70	60	30	-5	0	5	540	584	446	5	3
70	60	30	-5	0	5	550	585	446	5	3
70	60	30	-5	0	5	560	587	446	3	2
70	60	30	-5	5	-5	530	594	454	4	3
70	60	30	-5	5	-5	540	586	454	5	3
70	60	30	-5	5	-5	550	587	454	4	3
70	60	30	-5	5	-5	600	602	454	1	1
70	60	30	-5	5	0	530	593	450	4	3
70	60	30	-5	5	0	540	586	450	5	3
70	60	30	-5	5	0	550	587	450	4	3
70	60	30	-5	5	0	600	602	450	1	1
70	60	30	-5	5	5	530	593	446	4	3
70	60	30	-5	5	5	540	586	446	5	3
70	60	30	-5	5	5	550	587	446	4	3
70	60	30	-5	5	5	600	602	446	1	1
70	60	30	0	-5	-5	530	593	454	3	2
70	60	30	0	-5	-5	540	576	454	5	2
70	60	30	0	-5	-5	550	579	454	5	3
70	60	30	0	-5	-5	560	582	454	4	2
70	60	30	0	-5	0	530	593	450	3	2
70	60	30	0	-5	0	540	576	450	5	2
70	60	30	0	-5	0	550	580	450	5	3
70	60	30	0	-5	0	560	583	450	4	3
70	60	30	0	-5	5	530	593	446	3	2
70	60	30	0	-5	5	540	577	446	6	2
70	60	30	0	-5	5	550	580	446	5	3
70	60	30	0	-5	5	560	583	446	4	3
70	60	30	0	0	-5	530	592	454	4	2
70	60	30	0	0	-5	540	578	454	6	3
70	60	30	0	0	-5	550	582	454	5	3
70	60	30	0	0	-5	560	582	454	3	2
70	60	30	0	0	0	530	592	450	4	2
70	60	30	0	0	0	540	578	450	6	3
70	60	30	0	0	0	550	581	450	5	3
70	60	30	0	0	0	560	583	450	3	2
70	60	30	0	0	5	530	592	446	4	2
70	60	30	0	0	5	540	579	446	6	3
70	60	30	0	0	5	550	582	446	5	3
70	60	30	0	0	5	560	584	446	3	2
70	60	30	0	5	-5	530	591	454	4	2
70	60	30	0	5	-5	540	581	454	5	3
70	60	30	0	5	-5	550	583	454	5	3
70	60	30	0	5	0	530	591	450	4	3
70	60	30	0	5	0	540	581	450	5	3
70	60	30	0	5	0	550	583	450	5	3
70	60	30	0	5	5	530	591	446	4	3
70	60	30	0	5	5	540	581	446	6	3
70	60	30	0	5	5	550	583	446	5	3
70	60	30	5	-5	-5	530	591	454	2	1
70	60	30	5	-5	-5	540	574	454	6	2
70	60	30	5	-5	-5	550	578	454	5	3
70	60	30	5	-5	-5	560	580	454	4	2
70	60	30	5	-5	0	530	592	450	3	2
70	60	30	5	-5	0	540	573	450	6	2

70	60	30	5	-5	0	550	578	450	5	3
70	60	30	5	-5	0	560	581	450	4	2
70	60	30	5	-5	5	530	591	446	3	2
70	60	30	5	-5	5	540	574	446	6	2
70	60	30	5	-5	5	550	578	446	5	3
70	60	30	5	-5	5	560	581	446	4	3
70	60	30	5	0	-5	530	591	454	3	2
70	60	30	5	0	-5	540	573	454	6	3
70	60	30	5	0	-5	550	578	454	5	3
70	60	30	5	0	-5	560	580	454	3	2
70	60	30	5	0	0	530	591	450	4	2
70	60	30	5	0	0	540	574	450	6	3
70	60	30	5	0	0	550	578	450	5	3
70	60	30	5	0	0	560	581	450	3	2
70	60	30	5	0	5	530	590	446	4	2
70	60	30	5	0	5	540	574	446	6	3
70	60	30	5	0	5	550	578	446	5	3
70	60	30	5	0	5	560	580	446	3	2
70	60	30	5	5	-5	530	589	454	4	2
70	60	30	5	5	-5	540	575	454	5	3
70	60	30	5	5	-5	550	579	454	5	3
70	60	30	5	5	0	530	589	450	4	2
70	60	30	5	5	0	540	576	450	6	3
70	60	30	5	5	0	550	579	450	5	3
70	60	30	5	5	5	530	589	446	4	2
70	60	30	5	5	5	540	577	446	6	3
70	60	30	5	5	5	550	580	446	5	3
70	60	40	-5	-5	-5	530	595	455	4	3
70	60	40	-5	-5	-5	540	582	455	5	3
70	60	40	-5	-5	-5	550	583	454	5	4
70	60	40	-5	-5	-5	560	586	454	4	3
70	60	40	-5	-5	0	530	595	452	4	3
70	60	40	-5	-5	0	540	582	451	5	3
70	60	40	-5	-5	0	550	584	451	5	4
70	60	40	-5	-5	0	560	586	451	4	3
70	60	40	-5	-5	5	530	594	448	4	3
70	60	40	-5	-5	5	540	582	448	6	3
70	60	40	-5	-5	5	550	584	448	5	4
70	60	40	-5	-5	5	560	586	447	4	3
70	60	40	-5	0	-5	530	594	455	4	3
70	60	40	-5	0	-5	540	584	455	6	3
70	60	40	-5	0	-5	550	585	454	5	3
70	60	40	-5	0	-5	560	587	454	3	3
70	60	40	-5	0	0	530	594	452	4	3
70	60	40	-5	0	0	540	584	451	6	3
70	60	40	-5	0	0	550	586	451	5	3
70	60	40	-5	0	0	560	587	451	3	3
70	60	40	-5	0	5	530	594	448	5	3
70	60	40	-5	0	5	540	584	448	6	3
70	60	40	-5	0	5	550	585	448	5	3
70	60	40	-5	0	5	560	587	447	3	3
70	60	40	-5	5	-5	530	593	455	5	3
70	60	40	-5	5	-5	540	586	454	5	3
70	60	40	-5	5	-5	550	587	454	5	3

70	60	40	-5	5	-5	600	602	454	1	1
70	60	40	-5	5	0	520	598	452	2	2
70	60	40	-5	5	0	530	593	451	5	3
70	60	40	-5	5	0	540	586	451	5	3
70	60	40	-5	5	0	550	587	451	5	3
70	60	40	-5	5	0	600	602	451	1	1
70	60	40	-5	5	5	520	597	449	3	2
70	60	40	-5	5	5	530	592	448	5	3
70	60	40	-5	5	5	540	586	448	6	4
70	60	40	-5	5	5	550	587	447	5	3
70	60	40	-5	5	5	600	602	448	1	1
70	60	40	0	-5	-5	530	593	455	4	3
70	60	40	0	-5	-5	540	577	455	6	3
70	60	40	0	-5	-5	550	580	454	5	4
70	60	40	0	-5	-5	560	583	454	4	3
70	60	40	0	-5	0	530	592	452	4	3
70	60	40	0	-5	0	540	577	451	6	3
70	60	40	0	-5	0	550	581	451	5	4
70	60	40	0	-5	0	560	583	451	4	3
70	60	40	0	-5	5	530	592	449	4	3
70	60	40	0	-5	5	540	579	448	6	3
70	60	40	0	-5	5	550	581	448	5	4
70	60	40	0	-5	5	560	583	447	4	3
70	60	40	0	0	-5	530	592	455	4	3
70	60	40	0	0	-5	540	578	455	6	3
70	60	40	0	0	-5	550	581	454	5	3
70	60	40	0	0	-5	560	584	454	3	3
70	60	40	0	0	0	530	591	452	4	3
70	60	40	0	0	0	540	579	451	6	3
70	60	40	0	0	0	550	582	451	5	3
70	60	40	0	0	0	560	584	451	4	3
70	60	40	0	0	5	530	591	448	4	3
70	60	40	0	0	5	540	579	448	6	3
70	60	40	0	0	5	550	582	448	5	3
70	60	40	0	0	5	560	584	447	4	3
70	60	40	0	5	-5	530	590	455	5	3
70	60	40	0	5	-5	540	581	454	6	3
70	60	40	0	5	-5	550	583	454	5	3
70	60	40	0	5	0	520	595	452	1	1
70	60	40	0	5	0	530	590	451	5	3
70	60	40	0	5	0	540	581	451	6	3
70	60	40	0	5	0	550	583	451	5	3
70	60	40	0	5	0	560	585	451	2	1
70	60	40	0	5	5	520	595	448	2	2
70	60	40	0	5	5	530	590	448	5	3
70	60	40	0	5	5	540	582	448	6	3
70	60	40	0	5	5	550	584	447	5	3
70	60	40	0	5	5	560	585	448	2	2
70	60	40	5	-5	-5	530	590	455	4	3
70	60	40	5	-5	-5	540	575	454	6	3
70	60	40	5	-5	-5	550	579	454	5	3
70	60	40	5	-5	-5	560	581	454	4	3
70	60	40	5	-5	0	530	590	452	4	3
70	60	40	5	-5	0	540	575	452	6	3

70	60	40	5	-5	0	550	579	451	5	3
70	60	40	5	-5	0	560	581	451	4	3
70	60	40	5	-5	5	530	590	449	4	3
70	60	40	5	-5	5	540	576	448	6	3
70	60	40	5	-5	5	550	580	448	5	3
70	60	40	5	-5	5	560	581	447	4	3
70	60	40	5	0	-5	530	589	455	4	3
70	60	40	5	0	-5	540	575	455	6	3
70	60	40	5	0	-5	550	579	454	5	3
70	60	40	5	0	-5	560	582	454	3	2
70	60	40	5	0	0	530	589	452	4	3
70	60	40	5	0	0	540	575	451	6	3
70	60	40	5	0	0	550	579	451	5	3
70	60	40	5	0	0	560	582	451	4	3
70	60	40	5	0	5	530	589	448	4	3
70	60	40	5	0	5	530	532	449	1	1
70	60	40	5	0	5	540	576	448	6	3
70	60	40	5	0	5	550	580	448	5	3
70	60	40	5	0	5	560	582	447	4	3
70	60	40	5	5	-5	530	588	454	4	3
70	60	40	5	5	-5	540	578	454	6	3
70	60	40	5	5	-5	550	580	454	5	3
70	60	40	5	5	-5	560	582	454	1	1
70	60	40	5	5	0	530	588	451	4	3
70	60	40	5	5	0	540	577	451	6	3
70	60	40	5	5	0	550	580	451	5	3
70	60	40	5	5	0	560	582	450	2	2
70	60	40	5	5	5	520	593	448	1	1
70	60	40	5	5	5	530	587	448	5	3
70	60	40	5	5	5	530	536	448	1	1
70	60	40	5	5	5	540	578	447	6	3
70	60	40	5	5	5	550	580	447	5	3
70	60	40	5	5	5	560	583	448	2	2
70	60	50	-5	-5	-5	530	595	457	3	3
70	60	50	-5	-5	-5	540	587	455	5	3
70	60	50	-5	-5	-5	550	582	454	5	4
70	60	50	-5	-5	-5	560	584	454	4	3
70	60	50	-5	-5	0	530	595	454	4	3
70	60	50	-5	-5	0	540	585	452	5	3
70	60	50	-5	-5	0	550	582	451	5	4
70	60	50	-5	-5	0	560	584	451	4	3
70	60	50	-5	-5	5	530	594	452	4	3
70	60	50	-5	-5	5	540	583	450	5	3
70	60	50	-5	-5	5	550	582	449	5	4
70	60	50	-5	-5	5	560	584	448	4	3
70	60	50	-5	0	-5	530	594	456	4	3
70	60	50	-5	0	-5	540	585	454	5	3
70	60	50	-5	0	-5	550	584	454	5	4
70	60	50	-5	0	-5	560	585	453	2	2
70	60	50	-5	0	0	530	594	453	4	3
70	60	50	-5	0	0	540	584	452	5	3
70	60	50	-5	0	0	550	584	451	5	4
70	60	50	-5	0	0	560	585	451	2	2
70	60	50	-5	0	5	530	593	451	4	3

70	60	50	-5	0	5	540	584	449	5	3
70	60	50	-5	0	5	550	584	449	5	4
70	60	50	-5	0	5	560	586	448	2	2
70	60	50	-5	5	-5	530	593	455	4	3
70	60	50	-5	5	-5	540	586	454	5	4
70	60	50	-5	5	-5	550	585	454	4	3
70	60	50	-5	5	-5	600	602	454	1	1
70	60	50	-5	5	0	530	593	452	4	3
70	60	50	-5	5	0	540	586	452	5	4
70	60	50	-5	5	0	550	586	451	4	3
70	60	50	-5	5	0	600	602	451	1	1
70	60	50	-5	5	5	530	593	450	4	3
70	60	50	-5	5	5	540	586	449	5	4
70	60	50	-5	5	5	550	586	449	4	3
70	60	50	-5	5	5	600	602	449	1	1
70	60	50	0	-5	-5	530	592	456	3	2
70	60	50	0	-5	-5	540	577	455	5	3
70	60	50	0	-5	-5	550	578	454	5	4
70	60	50	0	-5	-5	560	581	454	4	3
70	60	50	0	-5	0	530	592	454	4	3
70	60	50	0	-5	0	540	576	452	5	3
70	60	50	0	-5	0	550	578	451	5	4
70	60	50	0	-5	0	560	581	451	4	3
70	60	50	0	-5	5	530	592	451	4	3
70	60	50	0	-5	5	540	577	450	6	3
70	60	50	0	-5	5	550	579	449	5	4
70	60	50	0	-5	5	560	582	448	4	3
70	60	50	0	0	-5	530	592	456	4	3
70	60	50	0	0	-5	540	578	455	6	3
70	60	50	0	0	-5	550	580	454	5	4
70	60	50	0	0	-5	560	582	454	3	2
70	60	50	0	0	0	530	591	454	4	3
70	60	50	0	0	0	540	578	452	6	3
70	60	50	0	0	0	550	580	451	5	4
70	60	50	0	0	0	560	582	451	3	2
70	60	50	0	0	5	530	591	451	4	3
70	60	50	0	0	5	540	578	449	6	3
70	60	50	0	0	5	550	580	449	5	4
70	60	50	0	0	5	560	583	449	3	2
70	60	50	0	5	-5	530	590	455	4	3
70	60	50	0	5	-5	540	580	454	5	3
70	60	50	0	5	-5	550	581	454	4	3
70	60	50	0	5	0	530	591	453	4	3
70	60	50	0	5	0	540	580	452	5	3
70	60	50	0	5	0	550	582	451	4	3
70	60	50	0	5	5	530	590	450	4	3
70	60	50	0	5	5	540	580	449	5	3
70	60	50	0	5	5	550	582	449	4	3
70	60	50	5	-5	-5	530	591	456	3	2
70	60	50	5	-5	-5	540	573	455	6	3
70	60	50	5	-5	-5	550	577	454	5	4
70	60	50	5	-5	-5	560	579	454	4	3
70	60	50	5	-5	0	530	590	454	3	3
70	60	50	5	-5	0	540	573	453	6	3

70	60	50	5	-5	0	550	577	451	5	4
70	60	50	5	-5	0	560	579	451	4	3
70	60	50	5	-5	5	530	589	451	3	3
70	60	50	5	-5	5	540	575	450	6	3
70	60	50	5	-5	5	550	577	449	5	4
70	60	50	5	-5	5	560	579	448	4	3
70	60	50	5	0	-5	530	589	456	4	3
70	60	50	5	0	-5	540	573	455	6	3
70	60	50	5	0	-5	550	577	454	5	3
70	60	50	5	0	-5	560	579	454	2	2
70	60	50	5	0	0	530	589	453	4	3
70	60	50	5	0	0	540	573	452	6	3
70	60	50	5	0	0	550	577	451	5	4
70	60	50	5	0	0	560	580	451	3	2
70	60	50	5	0	5	530	588	450	4	3
70	60	50	5	0	5	540	574	450	6	3
70	60	50	5	0	5	550	577	449	5	4
70	60	50	5	0	5	560	579	448	3	2
70	60	50	5	5	-5	530	589	455	4	3
70	60	50	5	5	-5	540	576	455	6	3
70	60	50	5	5	-5	550	577	454	4	3
70	60	50	5	5	0	530	588	453	4	3
70	60	50	5	5	0	540	575	452	6	3
70	60	50	5	5	0	550	578	451	5	3
70	60	50	5	5	5	530	588	450	4	3
70	60	50	5	5	5	540	575	449	6	3
70	60	50	5	5	5	550	578	449	5	3
70	70	30	-5	-5	-5	530	596	454	2	1
70	70	30	-5	-5	-5	540	593	454	4	3
70	70	30	-5	-5	-5	550	587	454	5	3
70	70	30	-5	-5	-5	560	582	454	4	3
70	70	30	-5	-5	-5	570	582	454	3	3
70	70	30	-5	-5	-5	580	584	454	1	2
70	70	30	-5	-5	0	530	596	450	2	2
70	70	30	-5	-5	0	540	593	450	4	3
70	70	30	-5	-5	0	550	588	450	5	3
70	70	30	-5	-5	0	560	583	450	5	3
70	70	30	-5	-5	0	570	583	450	3	3
70	70	30	-5	-5	0	580	584	450	1	2
70	70	30	-5	-5	5	530	597	447	3	2
70	70	30	-5	-5	5	540	592	447	4	3
70	70	30	-5	-5	5	550	587	446	5	3
70	70	30	-5	-5	5	560	583	446	5	3
70	70	30	-5	-5	5	570	583	446	3	3
70	70	30	-5	-5	5	580	584	446	1	2
70	70	30	-5	0	-5	530	596	454	3	2
70	70	30	-5	0	-5	540	592	454	4	3
70	70	30	-5	0	-5	550	588	454	5	3
70	70	30	-5	0	-5	560	585	454	4	3
70	70	30	-5	0	-5	570	585	454	3	3
70	70	30	-5	0	0	530	596	451	3	2
70	70	30	-5	0	0	540	592	450	4	3
70	70	30	-5	0	0	550	587	450	5	3
70	70	30	-5	0	0	560	585	450	4	3

70	70	30	-5	0	0	570	586	450	3	3
70	70	30	-5	0	5	530	596	446	3	2
70	70	30	-5	0	5	540	592	446	4	3
70	70	30	-5	0	5	550	588	446	5	3
70	70	30	-5	0	5	560	585	446	4	3
70	70	30	-5	0	5	570	586	446	3	3
70	70	30	-5	5	-5	530	596	454	3	2
70	70	30	-5	5	-5	540	593	454	4	3
70	70	30	-5	5	-5	550	589	454	4	3
70	70	30	-5	5	-5	560	588	454	4	3
70	70	30	-5	5	-5	570	589	454	2	2
70	70	30	-5	5	0	530	596	450	3	2
70	70	30	-5	5	0	540	592	450	4	3
70	70	30	-5	5	0	550	588	450	5	3
70	70	30	-5	5	0	560	587	450	4	3
70	70	30	-5	5	0	570	589	450	2	2
70	70	30	-5	5	5	530	596	446	3	2
70	70	30	-5	5	5	540	592	446	4	3
70	70	30	-5	5	5	550	588	446	5	3
70	70	30	-5	5	5	560	588	446	4	3
70	70	30	-5	5	5	570	589	446	2	2
70	70	30	0	-5	-5	540	591	454	4	2
70	70	30	0	-5	-5	550	586	454	4	3
70	70	30	0	-5	-5	560	582	454	4	3
70	70	30	0	-5	-5	570	583	454	3	2
70	70	30	0	-5	0	530	594	451	2	1
70	70	30	0	-5	0	540	590	450	4	3
70	70	30	0	-5	0	550	585	450	5	3
70	70	30	0	-5	0	560	583	450	4	3
70	70	30	0	-5	0	570	583	450	3	2
70	70	30	0	-5	5	530	594	446	2	2
70	70	30	0	-5	5	540	591	446	4	3
70	70	30	0	-5	5	550	584	446	5	3
70	70	30	0	-5	5	560	583	446	4	3
70	70	30	0	-5	5	570	583	446	3	2
70	70	30	0	0	-5	530	594	455	2	1
70	70	30	0	0	-5	540	590	454	4	3
70	70	30	0	0	-5	550	585	454	5	3
70	70	30	0	0	-5	560	581	454	4	3
70	70	30	0	0	-5	570	581	454	3	3
70	70	30	0	0	-5	580	582	454	1	1
70	70	30	0	0	0	530	595	450	3	2
70	70	30	0	0	0	540	591	450	4	3
70	70	30	0	0	0	550	584	450	5	3
70	70	30	0	0	0	560	581	450	4	3
70	70	30	0	0	0	570	582	450	3	3
70	70	30	0	0	0	580	583	450	1	2
70	70	30	0	0	5	530	594	447	3	2
70	70	30	0	0	5	540	590	446	4	3
70	70	30	0	0	5	550	584	446	5	3
70	70	30	0	0	5	560	582	446	4	3
70	70	30	0	0	5	570	582	446	3	3
70	70	30	0	0	5	580	583	446	1	2
70	70	30	0	5	-5	530	595	454	3	2

70	70	30	0	5	-5	540	590	454	4	3
70	70	30	0	5	-5	550	584	454	5	3
70	70	30	0	5	-5	560	583	454	4	3
70	70	30	0	5	-5	570	584	454	3	2
70	70	30	0	5	0	530	594	450	3	2
70	70	30	0	5	0	540	590	450	4	3
70	70	30	0	5	0	550	585	450	5	3
70	70	30	0	5	0	560	584	450	4	3
70	70	30	0	5	0	570	584	450	3	3
70	70	30	0	5	5	530	594	446	3	2
70	70	30	0	5	5	540	590	446	4	3
70	70	30	0	5	5	550	585	446	5	3
70	70	30	0	5	5	560	583	446	4	3
70	70	30	0	5	5	570	584	446	3	3
70	70	30	5	-5	-5	540	589	454	4	2
70	70	30	5	-5	-5	550	584	454	4	3
70	70	30	5	-5	-5	560	583	454	4	3
70	70	30	5	-5	-5	570	583	454	2	1
70	70	30	5	-5	0	540	589	450	4	2
70	70	30	5	-5	0	550	584	450	4	3
70	70	30	5	-5	0	560	583	450	4	3
70	70	30	5	-5	0	570	583	450	2	2
70	70	30	5	-5	5	530	593	447	2	1
70	70	30	5	-5	5	540	588	446	4	2
70	70	30	5	-5	5	550	584	446	4	3
70	70	30	5	-5	5	560	583	446	4	3
70	70	30	5	-5	5	570	584	446	2	2
70	70	30	5	0	-5	540	589	454	4	2
70	70	30	5	0	-5	550	584	454	4	3
70	70	30	5	0	-5	560	582	454	4	3
70	70	30	5	0	-5	570	582	454	2	2
70	70	30	5	0	0	530	593	450	2	1
70	70	30	5	0	0	540	588	450	4	2
70	70	30	5	0	0	550	584	450	4	3
70	70	30	5	0	0	560	581	450	4	3
70	70	30	5	0	0	570	582	450	3	2
70	70	30	5	0	5	530	592	446	3	2
70	70	30	5	0	5	540	588	446	4	3
70	70	30	5	0	5	550	583	446	5	3
70	70	30	5	0	5	560	581	446	4	3
70	70	30	5	0	5	570	582	446	3	2
70	70	30	5	5	-5	530	593	454	2	1
70	70	30	5	5	-5	540	589	454	4	3
70	70	30	5	5	-5	550	583	454	4	3
70	70	30	5	5	-5	560	579	454	4	3
70	70	30	5	5	-5	570	579	454	3	2
70	70	30	5	5	0	530	593	450	3	2
70	70	30	5	5	0	540	588	450	4	3
70	70	30	5	5	0	550	583	450	5	3
70	70	30	5	5	0	560	579	450	4	3
70	70	30	5	5	0	570	580	450	3	3
70	70	30	5	5	5	530	592	446	3	2
70	70	30	5	5	5	540	589	446	4	3
70	70	30	5	5	5	550	583	446	5	3

70	70	30	5	5	5	560	580	446	4	3
70	70	30	5	5	5	570	580	446	3	3
70	70	40	-5	-5	-5	530	595	456	4	3
70	70	40	-5	-5	-5	540	591	455	4	3
70	70	40	-5	-5	-5	550	587	455	5	3
70	70	40	-5	-5	-5	560	583	455	5	3
70	70	40	-5	-5	-5	570	584	454	3	3
70	70	40	-5	-5	-5	580	585	454	2	2
70	70	40	-5	-5	0	530	595	453	4	3
70	70	40	-5	-5	0	540	592	452	5	3
70	70	40	-5	-5	0	550	586	451	5	3
70	70	40	-5	-5	0	560	584	451	5	3
70	70	40	-5	-5	0	570	584	451	3	3
70	70	40	-5	-5	0	580	585	451	2	2
70	70	40	-5	-5	5	530	596	449	4	3
70	70	40	-5	-5	5	540	591	448	5	3
70	70	40	-5	-5	5	550	585	449	5	3
70	70	40	-5	-5	5	560	584	448	5	3
70	70	40	-5	-5	5	570	584	448	3	3
70	70	40	-5	-5	5	580	585	447	2	2
70	70	40	-5	0	-5	530	596	455	4	3
70	70	40	-5	0	-5	540	592	455	5	3
70	70	40	-5	0	-5	550	587	455	5	3
70	70	40	-5	0	-5	560	586	454	4	3
70	70	40	-5	0	-5	570	586	454	3	3
70	70	40	-5	0	0	530	595	453	4	3
70	70	40	-5	0	0	540	592	452	5	3
70	70	40	-5	0	0	550	588	451	5	3
70	70	40	-5	0	0	560	586	451	4	3
70	70	40	-5	0	0	570	586	451	3	3
70	70	40	-5	0	5	520	598	450	2	1
70	70	40	-5	0	5	530	595	449	4	3
70	70	40	-5	0	5	540	592	448	5	3
70	70	40	-5	0	5	550	588	448	5	3
70	70	40	-5	0	5	560	586	448	4	3
70	70	40	-5	0	5	570	586	447	3	3
70	70	40	-5	5	-5	530	595	455	4	3
70	70	40	-5	5	-5	530	532	460	1	1
70	70	40	-5	5	-5	540	592	454	5	3
70	70	40	-5	5	-5	550	589	454	5	3
70	70	40	-5	5	-5	560	588	454	4	3
70	70	40	-5	5	-5	570	589	454	3	3
70	70	40	-5	5	0	520	598	453	1	1
70	70	40	-5	5	0	530	596	452	4	3
70	70	40	-5	5	0	530	532	456	1	1
70	70	40	-5	5	0	540	592	452	5	3
70	70	40	-5	5	0	550	589	451	5	3
70	70	40	-5	5	0	560	589	451	4	3
70	70	40	-5	5	0	570	590	451	3	3
70	70	40	-5	5	5	520	598	450	2	2
70	70	40	-5	5	5	530	595	448	4	3
70	70	40	-5	5	5	530	532	452	1	1
70	70	40	-5	5	5	540	592	448	5	3
70	70	40	-5	5	5	550	589	448	5	3

70	70	40	-5	5	5	560	589	448	4	3
70	70	40	-5	5	5	570	590	448	3	3
70	70	40	0	-5	-5	530	594	456	4	3
70	70	40	0	-5	-5	540	589	455	4	3
70	70	40	0	-5	-5	550	583	455	5	3
70	70	40	0	-5	-5	560	583	454	5	3
70	70	40	0	-5	-5	570	584	454	3	3
70	70	40	0	-5	0	530	594	453	4	3
70	70	40	0	-5	0	540	589	452	5	3
70	70	40	0	-5	0	550	582	452	5	3
70	70	40	0	-5	0	560	583	452	5	3
70	70	40	0	-5	0	570	584	451	3	3
70	70	40	0	-5	5	530	593	449	4	3
70	70	40	0	-5	5	540	589	449	5	3
70	70	40	0	-5	5	550	582	448	5	3
70	70	40	0	-5	5	560	583	448	5	3
70	70	40	0	-5	5	570	584	448	3	3
70	70	40	0	0	-5	530	593	456	4	3
70	70	40	0	0	-5	540	590	455	5	3
70	70	40	0	0	-5	550	584	455	5	3
70	70	40	0	0	-5	560	581	455	4	3
70	70	40	0	0	-5	570	582	454	3	3
70	70	40	0	0	-5	580	584	454	1	2
70	70	40	0	0	0	530	593	453	4	3
70	70	40	0	0	0	540	589	452	5	3
70	70	40	0	0	0	550	583	451	5	3
70	70	40	0	0	0	560	582	451	5	3
70	70	40	0	0	0	570	583	451	3	3
70	70	40	0	0	0	580	584	451	1	2
70	70	40	0	0	5	530	593	449	4	3
70	70	40	0	0	5	540	589	448	5	3
70	70	40	0	0	5	550	583	448	5	3
70	70	40	0	0	5	560	582	448	4	3
70	70	40	0	0	5	570	583	447	3	3
70	70	40	0	0	5	580	584	448	1	2
70	70	40	0	5	-5	530	594	455	4	3
70	70	40	0	5	-5	540	590	455	4	3
70	70	40	0	5	-5	550	585	455	5	3
70	70	40	0	5	-5	560	584	454	4	3
70	70	40	0	5	-5	570	585	454	3	3
70	70	40	0	5	0	530	593	452	4	3
70	70	40	0	5	0	540	589	452	5	3
70	70	40	0	5	0	550	585	451	5	3
70	70	40	0	5	0	560	584	451	4	3
70	70	40	0	5	0	570	585	450	3	3
70	70	40	0	5	5	520	595	449	1	1
70	70	40	0	5	5	530	594	449	4	3
70	70	40	0	5	5	540	590	448	5	3
70	70	40	0	5	5	550	585	447	5	3
70	70	40	0	5	5	560	585	448	4	3
70	70	40	0	5	5	570	586	448	3	3
70	70	40	5	-5	-5	530	591	456	3	2
70	70	40	5	-5	-5	540	588	455	4	3
70	70	40	5	-5	-5	550	582	455	5	3

70	70	40	5	-5	-5	560	583	455	4	3
70	70	40	5	-5	-5	570	584	454	3	2
70	70	40	5	-5	0	530	591	452	4	2
70	70	40	5	-5	0	540	587	452	5	3
70	70	40	5	-5	0	550	582	452	5	3
70	70	40	5	-5	0	560	583	451	4	3
70	70	40	5	-5	0	570	585	451	3	2
70	70	40	5	-5	5	530	591	449	4	3
70	70	40	5	-5	5	540	587	449	5	3
70	70	40	5	-5	5	550	581	448	5	3
70	70	40	5	-5	5	560	583	448	4	3
70	70	40	5	-5	5	570	585	448	3	2
70	70	40	5	0	-5	530	592	456	3	3
70	70	40	5	0	-5	540	588	455	4	3
70	70	40	5	0	-5	550	582	455	5	3
70	70	40	5	0	-5	560	582	455	4	3
70	70	40	5	0	-5	570	583	454	3	3
70	70	40	5	0	0	530	592	452	4	3
70	70	40	5	0	0	540	587	451	4	3
70	70	40	5	0	0	550	582	452	5	3
70	70	40	5	0	0	560	582	451	4	3
70	70	40	5	0	0	570	583	451	3	3
70	70	40	5	0	5	530	591	449	4	3
70	70	40	5	0	5	540	587	449	5	3
70	70	40	5	0	5	550	581	448	5	3
70	70	40	5	0	5	560	582	448	4	3
70	70	40	5	0	5	570	583	447	3	3
70	70	40	5	5	-5	530	592	455	4	3
70	70	40	5	5	-5	540	588	455	4	3
70	70	40	5	5	-5	550	582	454	5	3
70	70	40	5	5	-5	560	580	454	4	3
70	70	40	5	5	-5	570	581	454	3	3
70	70	40	5	5	-5	580	582	454	0	1
70	70	40	5	5	0	530	592	452	4	3
70	70	40	5	5	0	540	587	451	4	3
70	70	40	5	5	0	550	582	451	5	3
70	70	40	5	5	0	560	580	451	4	3
70	70	40	5	5	0	570	580	451	3	3
70	70	40	5	5	0	580	582	451	1	2
70	70	40	5	5	5	530	591	449	4	3
70	70	40	5	5	5	540	587	448	5	3
70	70	40	5	5	5	550	581	448	5	3
70	70	40	5	5	5	560	581	448	4	3
70	70	40	5	5	5	570	581	448	3	3
70	70	40	5	5	5	580	583	447	1	2
70	70	50	-5	-5	-5	530	595	458	3	3
70	70	50	-5	-5	-5	540	592	456	4	3
70	70	50	-5	-5	-5	550	586	456	5	3
70	70	50	-5	-5	-5	560	581	455	4	3
70	70	50	-5	-5	-5	570	581	454	3	3
70	70	50	-5	-5	-5	580	583	454	1	2
70	70	50	-5	-5	0	530	594	455	3	3
70	70	50	-5	-5	0	540	591	454	4	3
70	70	50	-5	-5	0	550	585	453	5	3

70	70	50	-5	-5	0	560	582	452	4	4
70	70	50	-5	-5	0	570	582	452	3	3
70	70	50	-5	-5	0	580	583	451	1	2
70	70	50	-5	-5	5	530	594	452	4	3
70	70	50	-5	-5	5	540	590	451	4	3
70	70	50	-5	-5	5	550	584	450	5	3
70	70	50	-5	-5	5	560	582	450	4	3
70	70	50	-5	-5	5	570	582	449	3	3
70	70	50	-5	-5	5	580	583	449	1	2
70	70	50	-5	0	-5	530	595	457	3	3
70	70	50	-5	0	-5	540	591	456	4	3
70	70	50	-5	0	-5	550	586	455	5	3
70	70	50	-5	0	-5	560	584	454	4	3
70	70	50	-5	0	-5	570	585	454	3	3
70	70	50	-5	0	0	530	595	455	4	3
70	70	50	-5	0	0	540	591	453	4	3
70	70	50	-5	0	0	550	587	452	5	4
70	70	50	-5	0	0	560	584	452	4	3
70	70	50	-5	0	0	570	585	451	3	3
70	70	50	-5	0	5	530	594	452	4	3
70	70	50	-5	0	5	540	591	451	4	3
70	70	50	-5	0	5	550	587	450	5	4
70	70	50	-5	0	5	560	584	449	4	4
70	70	50	-5	0	5	570	585	449	3	3
70	70	50	-5	5	-5	530	595	457	3	3
70	70	50	-5	5	-5	540	591	455	4	3
70	70	50	-5	5	-5	550	588	455	4	4
70	70	50	-5	5	-5	560	587	454	4	3
70	70	50	-5	5	-5	570	588	454	2	3
70	70	50	-5	5	0	530	595	454	4	3
70	70	50	-5	5	0	540	592	453	4	3
70	70	50	-5	5	0	550	588	452	4	4
70	70	50	-5	5	0	560	587	451	4	3
70	70	50	-5	5	0	570	588	451	2	3
70	70	50	-5	5	5	520	596	454	0	0
70	70	50	-5	5	5	530	594	452	4	3
70	70	50	-5	5	5	540	591	450	4	3
70	70	50	-5	5	5	550	588	449	4	4
70	70	50	-5	5	5	560	587	449	4	3
70	70	50	-5	5	5	570	588	448	2	3
70	70	50	0	-5	-5	530	593	458	3	2
70	70	50	0	-5	-5	540	588	456	4	3
70	70	50	0	-5	-5	550	582	456	4	3
70	70	50	0	-5	-5	560	581	455	4	3
70	70	50	0	-5	-5	570	582	454	3	3
70	70	50	0	-5	0	530	592	455	3	3
70	70	50	0	-5	0	540	588	454	4	3
70	70	50	0	-5	0	550	580	453	4	3
70	70	50	0	-5	0	560	581	453	4	3
70	70	50	0	-5	0	570	582	452	3	3
70	70	50	0	-5	5	530	592	453	4	3
70	70	50	0	-5	5	540	588	451	4	3
70	70	50	0	-5	5	550	579	451	5	3
70	70	50	0	-5	5	560	581	449	4	3

70	70	50	0	-5	5	570	582	449	3	3
70	70	50	0	0	-5	530	593	457	3	2
70	70	50	0	0	-5	540	589	456	4	3
70	70	50	0	0	-5	550	583	455	5	3
70	70	50	0	0	-5	560	580	455	4	3
70	70	50	0	0	-5	570	580	454	3	3
70	70	50	0	0	0	530	592	455	3	3
70	70	50	0	0	0	540	588	454	4	3
70	70	50	0	0	0	550	582	453	5	3
70	70	50	0	0	0	560	580	452	4	3
70	70	50	0	0	0	570	580	452	3	3
70	70	50	0	0	0	580	582	451	1	1
70	70	50	0	0	5	530	592	452	4	3
70	70	50	0	0	5	540	588	451	4	3
70	70	50	0	0	5	550	583	450	5	3
70	70	50	0	0	5	560	580	449	4	3
70	70	50	0	0	5	570	581	449	3	3
70	70	50	0	0	5	580	582	448	0	1
70	70	50	0	5	-5	530	593	456	3	3
70	70	50	0	5	-5	540	589	456	4	3
70	70	50	0	5	-5	550	584	455	4	3
70	70	50	0	5	-5	560	582	454	4	3
70	70	50	0	5	-5	570	583	454	3	3
70	70	50	0	5	0	530	592	454	3	3
70	70	50	0	5	0	540	588	453	4	3
70	70	50	0	5	0	550	584	452	5	4
70	70	50	0	5	0	560	582	451	4	3
70	70	50	0	5	0	570	583	451	3	3
70	70	50	0	5	5	530	593	452	4	3
70	70	50	0	5	5	540	589	450	4	3
70	70	50	0	5	5	550	584	450	5	3
70	70	50	0	5	5	560	582	449	4	3
70	70	50	0	5	5	570	583	448	3	3
70	70	50	5	-5	-5	530	591	458	3	2
70	70	50	5	-5	-5	540	587	456	4	3
70	70	50	5	-5	-5	550	581	456	4	3
70	70	50	5	-5	-5	560	581	455	4	3
70	70	50	5	-5	0	530	590	455	3	2
70	70	50	5	-5	0	540	586	454	4	3
70	70	50	5	-5	0	550	581	453	4	3
70	70	50	5	-5	0	560	581	453	4	3
70	70	50	5	-5	0	570	582	452	2	1
70	70	50	5	-5	5	530	590	452	3	3
70	70	50	5	-5	5	540	586	451	4	3
70	70	50	5	-5	5	550	580	451	4	3
70	70	50	5	-5	5	560	582	449	4	3
70	70	50	5	-5	5	570	583	449	2	2
70	70	50	5	0	-5	530	591	457	3	2
70	70	50	5	0	-5	540	588	456	4	3
70	70	50	5	0	-5	550	582	455	4	3
70	70	50	5	0	-5	560	580	455	4	3
70	70	50	5	0	-5	570	581	454	2	2
70	70	50	5	0	0	530	590	454	3	2
70	70	50	5	0	0	540	587	453	4	3

70	70	50	5	0	0	550	581	452	4	3
70	70	50	5	0	0	560	580	452	4	3
70	70	50	5	0	0	570	581	451	2	2
70	70	50	5	0	5	530	590	452	3	3
70	70	50	5	0	5	540	586	451	4	3
70	70	50	5	0	5	550	580	450	4	3
70	70	50	5	0	5	560	580	450	4	3
70	70	50	5	0	5	570	582	449	2	2
70	70	50	5	5	-5	530	592	457	3	2
70	70	50	5	5	-5	540	588	455	4	3
70	70	50	5	5	-5	550	581	455	4	3
70	70	50	5	5	-5	560	578	454	4	3
70	70	50	5	5	-5	570	578	454	2	3
70	70	50	5	5	0	530	591	454	3	3
70	70	50	5	5	0	540	587	453	4	3
70	70	50	5	5	0	550	581	452	4	3
70	70	50	5	5	0	560	578	452	4	3
70	70	50	5	5	0	570	579	451	3	3
70	70	50	5	5	5	530	590	451	3	3
70	70	50	5	5	5	540	586	450	4	3
70	70	50	5	5	5	550	581	449	5	3
70	70	50	5	5	5	560	578	449	4	3
70	70	50	5	5	5	570	579	448	3	3

Having thus described the basic concept of the invention, it will be rather apparent to those skilled in the art that the foregoing detailed disclosure is intended to be presented by way of example only, and is not limiting. Various alterations, improvements, and modifications will occur and are intended to those skilled in the art, though not expressly stated herein. These alterations, improvements, and modifications are intended to be suggested hereby, and are within the spirit and scope of the invention. Accordingly, the invention is limited only by the following claims and equivalents thereto.